

Primary types of Ichneumoninae described by Gerd H. Heinrich deposited in the Zoologische Staatssammlung München

(Hymenoptera, Ichneumonidae)

Olga Schmidt & Stefan Schmidt

Schmidt, O. & Schmidt, S. 2011. Primary types of ichneumonid taxa described by Gerd H. Heinrich deposited in the Bavarian State Collection of Zoology (Hymenoptera, Ichneumoninae). *Spixiana* 34(1): 59–107.

The present study was conducted as part of the German Global Biodiversity Information Facility (GBIF-D) initiative and in particular the project Global Information System Hymenoptera (GISHym). The Bavarian State Collection of Zoology (Zoologische Staatssammlung München, ZSM) houses 659 primary type specimens described by Heinrich in 154 genera. The type specimens were collected in 39 countries representing five zoogeographic regions. Apart from type information based on the original literature, the catalogue includes information about the current type status, condition of the type specimen, and the currently valid name.

Olga Schmidt (corresponding author) & Stefan Schmidt, Zoologische Staatssammlung, Münchhausenstr. 21, 81247 Munich, Germany;
e-mail: Olga.Schmidt@zsm.mwn.de

Introduction

The Hymenoptera family Ichneumonidae is one of the most species rich families of all organisms with an estimated number of 60,000 species in the world (Townes 1969). Ichneumonids are, in general, confined to the shade of forests and to areas with comparatively high humidity (Townes 1969). Adults are usually active during day time and feed on flowers or honey dew. The Ichneumonidae play an essential role in the functioning of most ecosystems. In recent years they have been successfully used as biocontrol agents and, given the largely undocumented fauna, there is surely a huge potential for their utilisation in managed biocontrol programmes (Gupta 1991).

The Ichneumoninae represent, after the Cryptinae, the second largest subfamily of Ichneumonidae with almost 4300 described species in nearly 440 genera (Yu et al. 2005). They are larval or pupal endoparasitoids of Lepidoptera and many species exhibit strong sexual dimorphism, complicating the association of males and females.

The Zoologische Staatssammlung houses the

largest collection of Hymenoptera in Germany. The Ichneumonidae represent a major part of the Hymenoptera collection and are primarily built upon several important collections of ichneumonid specialists, including Arnold Förster, Erich Bauer, Rudolf Bauer, Rolf Hinz, Janko A. Kolarov, and Joseph Kriechbaumer.

The ichneumonid collection of Gerd H. Heinrich

Gerd Herrmann Heinrich (1896–1984) was one of the world's leading authorities on the ichneumonid subfamily Ichneumoninae. Although primarily working on ichneumonids (he described about 1500 species group taxa of Ichneumonidae) his interest in animals other than insects is reflected in several publications about birds and mammals. He authored four major publications on the family Ichneumonidae, four popular travelogues, more than 100 smaller but significant articles on Ichneumoninae, three articles on European mammals, three on the biology of the birds of Angola, and two publications dealing with



Fig. 1. Female holotype of *Ichneumon feriens* Heinrich. Typical preparation of an *Ichneumon* specimen by Gerd Heinrich.

the systematics of the birds of Angola (Weems 1977). The Heinrich collection of the ZSM is by far the most important collection of Ichneumoninae in the world, including numerous types and about 23,000 thoroughly mounted and accurately labelled specimens. All specimens are mounted on pins (Fig. 1) with wings usually directed upward and legs arranged more or less symmetrically.

Gerd Heinrich was born in Berlin. He grew up speaking both German and Polish. At school he became fluent in Latin, but natural history was always his love, in particular the study of insects. Heinrich has been working in Germany, Poland, and finally in the United States of America. He collected insects during a series of expeditions to several countries in different parts of the world, including Iran, Indonesia (Sulawesi and Molucca Islands), south-eastern Europe (Balkan and Rhodope Mountains), Myanmar, Mexico, Canada, West, East, and South Africa (Weems 1977). The material collected by Heinrich before World War II, including ca. 500 type specimens (Heinrich 1965a), is deposited in the Warsaw Museum of the Institute of Zoology in Poland. Most of the material that he collected after the war is housed in the Zoologische Staats-

sammlung in Munich, Germany (Fig. 2). A few types of species described by Heinrich are scattered across insect collections in Belgium (Bruxelles, Tervuren), Canada (Ottawa), Finland (Helsinki), France (Paris), Germany (Berlin, Müncheberg), India (Calcutta), Russia (Moscow), Sweden (Stockholm), South Africa (Transvaal), The Netherlands (Leiden), U.S.A. (Cambridge, Gainesville, Washington, D.C.), and U.K. (London, Oxford).

The 659 primary type specimens treated in this catalogue belong to 154 genera and were collected in 39 countries (Fig. 3). The names of species group taxa are arranged in alphabetical order, followed by the genus of the original description. The following paragraph starts with the name of the taxon as given in the original description and the publication data of the original article. The information given for each type specimens was taken from the original description and includes the current type status (holotype, lectotype, or syntype), sex, type locality (with the name of the country adjusted to reflect the current name if necessary), collection date, collector, additional information if given in the original description (damage of the specimen) and the collection, followed by the condition of the type specimens and



Fig. 2. Part of the Gerd Heinrich collection in the ZSM.

the ZSM type number on a separate label (Fig. 4). Sometimes the collecting date is neither mentioned in the original description, nor is it given on the label. The last paragraph gives the currently valid name of the species or subspecies. Information between square brackets was taken from other sources. See Yu et al. (2005) for additional information about taxonomy, distribution, biology, and literature citations.

The following types should have been present but could not be located in the ZSM collection: *Afrobystra sinuata inornata* Heinrich, 1968: 1152–1153, Holotype ♀, United Republic of Tanzania, Tanganyika, Mt. Meru, 1800 m, 28.VI.1962; *Barichneumon protervelinus* Heinrich, 1944: 113–115, fig. 1, Holotype ♀, aus Westpreußen (“Eichberge” bei Netzthal), 2.VIII.42; *Pseudamblyteles amoenipes* Heinrich, 1961: 413–414, Holotype ♀, U.S.A., Maine, Dryden, 4.V.1952; *Stenolabus daemonops* Heinrich, 1944: 112–113, Holotype ♀, von Lunz am See (Niederdonau), 700 m (Tal Seehof-Mittersee), 15.–30. Juli 1944.

Type catalogue

abbreviatus (Microlongichneumon)

Microlongichneumon abbreviatus Heinrich, 1968e: 1010–1011, fig. 219. Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., 1600 m, 1.III.1962. Condition of type: perfect. Type no. ZSM-Hym-00547.

Valid name: *Microlongichneumon abbreviatus* Heinrich, 1968

abbreviatus trilobatus (Microlongichneumon)

Microlongichneumon abbreviatus trilobatus Heinrich, 1968e: 1012. Holotype ♀, South Africa, King Williamstown, 1600 m, 1.III.1962. Condition of type: apex of left forewing missing. Type no. ZSM-Hym-00548.

Valid name: *Microlongichneumon abbreviatus trilobatus* Heinrich, 1968

abercornica (Depressopyga)

Depressopyga abercornica Heinrich, 1968e: 1049–1050, figs 214, 216–217. Holotype ♀, Zambia, Abercorn, 14.XII.62. Condition of type: apices of flagella




Fig. 3. Type localities of species described by Gerd Heinrich and deposited in the ZSM.

missing, left middle tarsus partly missing, left hind leg missing, tarsus of right hind leg partly missing. Type no. ZSM-Hym-00566.

Valid name: *Depressopyga abercornica* Heinrich, 1968

aciculatior (Coelapetator)

Coelapetator aciculatior Heinrich, 1967b: 63–65, fig. 7.
Holotype ♀, Tanzania, Eastern Tanganyika, Uluguru Mts., 1500 m, 5.XII.1961. Condition of type: perfect. Type no. ZSM-Hym-00235.

Valid name: *Coelapetator aciculatior* Heinrich, 1967

aculeatus (Lissolongichneumon)

Lissolongichneumon aculeatus Heinrich, 1968e: 1040–1041. Holotype ♀, Tanzania, Tanganyika, E. Usambara Mts., Amani. Condition of type: left middle leg missing. Type no. ZSM-Hym-00563.
Valid name: *Lissolongichneumon aculeatus* Heinrich, 1968

acutum (Foveosculum)

Foveosculum acutum Heinrich, 1967d: 568–570. Holotype ♀, Zambia, Abercorn (Mbala), 1900 m, 14.XII.62. Condition of type: perfect. Type no. ZSM-Hym-00348.

Valid name: *Foveosculum acutum* Heinrich, 1967

aequabilis (Hemibystra)

Hemibystra aequabilis Heinrich, 1968e: 1189–1190.
Holotype ♀, Angola, Roca Canzele, 30 km N of Quiculongo, III.54. Condition of type: right middle leg missing. Type no. ZSM-Hym-00621.
Valid name: *Hemibystra aequabilis* Heinrich, 1968

aequatorialis (Lissosculpta)

Lissosculpta aequatorialis Heinrich, 1967d: 609–610.
Holotype ♂, Congo, Point Noire, June 12/13, 1957. Condition of type: perfect. Type no. ZSM-Hym-00361.

Valid name: *Lissosculpta aequatorialis* Heinrich, 1967

afghanicus (Coelichneumon)

Coelichneumon afghanicus Heinrich, 1957: 21–22.
Holotype ♀, Afghanistan, Schiva, Badakschan, 2900 m, 11.7.1953, leg. J. Klapperich. Condition of type: perfect. Type no. ZSM-Hym-00637.

Valid name: *Coelichneumon afghanicus* Heinrich, 1957

africanus (Elasmognathias)

Elasmognathias africanus Heinrich, 1967c: 261–262.
Holotype ♀, Tanzania, Tanganyika, Dar es Salaam, 20.IX.1961. Condition of type: perfect. Type no. ZSM-Hym-00273.

Valid name: *Imeria africana* (Heinrich, 1967)

africanus (Calleupalamus)

Calleupalamus africanus Heinrich, 1968d: 837–839, fig. 209.
Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., 1600 m, 10.II.62. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00494.

Valid name: *Calleupalamus africanus* Heinrich, 1968

agitatorops (Stenobarichneumon)

Stenobarichneumon agitatorops Heinrich, 1977: 213–214, Map 98.
Holotype ♀, U.S.A., Arkansas, Garland Co., Ouachita State Park, 15–18.V.1972.

G. Heinrich, D. Shaneck. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00386.
Valid name: *Stenobarichneumon agitatorops* Heinrich, 1977

alba (Crytea)

Crytea alba Heinrich, 1968d: 876–877. Holotype ♂, Tanzania, Tanganyika, Uluguru Mts., 1500–1800 m, 14.XII.61. Condition of type: perfect. Type no. ZSM-Hym-00505.

Valid name: *Crytea alba* Heinrich, 1968

albicalceus (Crytea)

Crytea albicalceus Heinrich, 1968d: 931–932. Holotype ♀, Angola, Roca Canzele, 30 km N of Quiculungo, III.54. Condition of type: right antenna, left hind leg partly missing. Type no. ZSM-Hym-00524.

Valid name: *Crytea albicalcea* Heinrich, 1968

albicoelus (Stenaoplus)

Stenaoplus albicoelus Heinrich, 1968e: 1123–1125. Holotype ♂, Angola, 30 km S of Gabela, 12.Aug. 54. Condition of type: perfect. Type no. ZSM-Hym-00591.

Valid name: *Stenaoplus albicoelus* Heinrich, 1968

albicoxa (Coelichneumon)

Coelichneumon albicoxa Heinrich, 1961a: 81–82. Holotype ♂, U.S.A., Michigan, Ann Arbor, 24.V.1959. Condition of type: perfect. Type no. ZSM-Hym-00710.

Valid name: *Coelichneumon albicoxa* Heinrich, 1961

albidapex (Cylindrophanes)

Cylindrophanes albidiapex Heinrich, 1968e: 997–998. Holotype ♀, South Africa, East London, 27.VII.1961. Condition of type: left hind leg missing. Type no. ZSM-Hym-00541.

Valid name: *Afromevesia albidiapex* (Heinrich, 1968)

albidiops (Cosmiojoppa)

Cosmiojoppa albidiops Heinrich, 1980a: 189–190. Holotype ♂, Myanmar (Burma), Chin Hills, Mt. Victoria, 2800 m, April 1938. Condition of type: apex of right antenna, left hind tarsus missing. Type no. ZSM-Hym-00683.

Valid name: *Cosmiojoppa albidiops* Heinrich, 1980

albidora (Pseudotogea)

Pseudotogea albidora Heinrich, 1968e: 1084–1085. Holotype ♀, Angola, Roca Canzele, 30 km N of Quiculungo, III.54. Condition of type: perfect. Type no. ZSM-Hym-00583.

Valid name: *Pseudotogea albidora* Heinrich, 1968

albidorides (Pseudotogea)

Pseudotogea albidorides Heinrich, 1968e: 1085–1087.



Fig. 4. Labels of the holotype of *Afrolongichneumon tanzanicus* Heinrich showing the typical hand writing of Gerd Heinrich.

Holotype ♀, Angola, Roca Canzele, 30 km N of Quiculungo. Condition of type: apex of left forewing damaged. Type no. ZSM-Hym-00584.

Valid name: *Pseudotogea albidorides* Heinrich, 1968

albidorsus (Platylabus)

Platylabus albidorsus Heinrich, 1962b: 740–741. Holotype ♀, U.S.A., Maine, Mt. Blue, 2.IX.1956. Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00432.

Valid name: *Platylabus berndi* Heinrich, 1962

albifrons (Crytea)

Crytea albifrons Heinrich, 1968d: 917–919. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1500–1800 m, 17.XII.61. Condition of type: right middle leg damaged. Type no. ZSM-Hym-00518.

Valid name: *Crytea albifrons* Heinrich, 1968

aliena (Crytea)

Crytea aliena Heinrich, 1968d: 866–867. Holotype ♀, Tanzania, Tanganyika, Dar es Salaam, 18.IX.1961, G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00500.

Valid name: *Crytea aliena* Heinrich, 1968

alpinus (Platylabops)

Platylabops alpinus Heinrich, 1952: 1054 (location list), 1064–1065. Holotype ♀, Germany, Allgäu, Osterachtal, 1000 m, 27.vii.1949. Condition of type: apex of the right antenna missing, left fore leg partly missing. Type no. ZSM-Hym-00808.

Notes: The species name is given as *Platylabops alpinus* in location list and diagnostic table, but as *P. albinus* in the description.

Valid name: *Platylabops mimus* (Berthoumieu, 1899)

amboimensis (Punctileptops)

Punctileptops amboimensis Heinrich, 1967b: 70–71, figs 10, 11. Holotype ♀, Angola, S of Gabela, 4.VIII. 1954. Condition of type: perfect. Type no. ZSM-Hym-00239.

Valid name: *Punctileptops amboimensis* Heinrich, 1967

amboimensis (Epijoppa)

Epijoppa amboimensis Heinrich, 1967c: 363–364. Holotype ♀, Angola, S of Gabela, 16.VIII.1954. Condition of type: perfect. Type no. ZSM-Hym-00319.

Valid name: *Compsophorus amboimensis* (Heinrich, 1967)

amboimensis (Hemibystra)

Hemibystra amboimensis Heinrich, 1968e: 1177–1179. Holotype ♀, Angola, 30 km S of Gabela, 5.VII.54. Condition of type: perfect. Type no. ZSM-Hym-00613.

Valid name: *Hemibystra amboimensis* Heinrich, 1968

americanus (Anisopygus)

Anisopygus americanus Heinrich, 1961d: 379–380, figs 13, 15, 18, 63. Holotype ♀, U.S.A., Maine, New Portland, 21.VIII.1958, Bernd Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00219.

Valid name: *Anisopygus americanus* Heinrich, 1961

amoenior (Stenaoplus)

Stenaoplus amoenior Heinrich, 1968e: 1125–1126. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1500 m, 1.XII.61. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00592.

Valid name: *Stenaoplus amoenior* Heinrich, 1968

amoenops (Cylindrophanes)

Cylindrophanes amoenops Heinrich, 1968e: 975–977. Holotype ♀, South Africa, Grahamstown, 28.II.–14.III.1963. Condition of type: left hind tarsus partly missing. Type no. ZSM-Hym-00528.

Valid name: *Afromevesia amoenops* (Heinrich, 1968)

analisorius (Ichneumon)

Ichneumon analisorius Heinrich, 1952: 1061–1062. Holotype ♀, Germany, Allgäu, Immenstadt, Rauhenzell, 600 m, 30.ix.1949. Condition of type: perfect. Type no. ZSM-Hym-00851.

Valid name: *Ichneumon analisorius* Heinrich, 1952

androplites (Eccoptosagellus)

Eccoptosagellus androplites Heinrich, 1967c: 312, figs 91, 92. Holotype ♂, Angola, Roca Canzele, 30 km N of Quiculungo, 25.III.55. Condition of type: perfect. Type no. ZSM-Hym-00281.

Valid name: *Compsophorus androplites* (Heinrich, 1967)

aneides (Hemibystra)

Hemibystra aneides Heinrich, 1968e: 1183–1185. Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., 2100 m, 24.III.1962. Condition of type: perfect. Type no. ZSM-Hym-00616.

Valid name: *Hemibystra aneides* Heinrich, 1968

aneides morogoro (Hemibystra)

Hemibystra aneides morogoro Heinrich, 1968e: 1185–1186. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1500 m, 6.12.61. Condition of type: perfect. Type no. ZSM-Hym-00617.

Valid name: *Hemibystra aneides morogoro* Heinrich, 1968

angolae (Apatetorops)

Apatetorops angolae Heinrich, 1967b: 83–84. Holotype ♀, Angola, Roca Canzele, 30 km N of Quiculungo, III.54. Condition of type: left middle tarsus missing. Type no. ZSM-Hym-00241.

Valid name: *Protoleptops angolae* (Heinrich, 1967)

angolana (Pseudotogea)

Pseudotogea angolana Heinrich, 1968e: 1083–1084. Holotype ♀, Angola, Roca Canzele, 30 km N of Quiculungo, III.54. Condition of type: perfect. Type no. ZSM-Hym-00582.

Valid name: *Pseudotogea angolana* Heinrich, 1968

angolator (Leptophatnus)

Leptophatnus angolator Heinrich, 1967b: 104–105. Holotype ♀, Angola, 30 km N of Quiculungo, Sept./Okt. 1954. Condition of type: perfect. Type no. ZSM-Hym-00243.

Valid name: *Leptophatnus angolator* Heinrich, 1967

angolensis (Neotypus)

Neotypus angolensis Heinrich, 1967c: 274–275. Holotype ♀, Angola, S of Gabela, 5.VIII.54. Condition of type: perfect. Type no. ZSM-Hym-00275.

Valid name: *Neotypus angolensis* Heinrich, 1967

angolensis (Ctenocalops)

Ctenocalops angolensis Heinrich, 1967c: 391–392, fig. 128. Holotype ♂, Angola, 30 km N of Quiculungo, Sept./Okt. 1957. Condition of type: perfect. Type no. ZSM-Hym-00296.

Valid name: *Ctenocalops angolensis* Heinrich, 1967

angolensis (Musakia)

Musakia angolensis Heinrich, 1967b: 48–50. Holotype ♀, Angola, S of Gabela, 4.VIII.1954. Condition of type: perfect. Type no. ZSM-Hym-00454.

Valid name: *Holcichneumon angolensis* (Heinrich, 1967)

angolensis (Hiorada)

Hiorada angolensis Heinrich, 1968e: 1089–1090. Holotype ♂, Angola, Roca Canzele, 30 km N of Quiculungo, Sept./Okt. 1957. Condition of type: perfect. Type no. ZSM-Hym-00585.

Valid name: *Hiorada angolensis* Heinrich, 1968

angolincola (Denticrytea)

Denticrytea angolincola Heinrich, 1968d: 812–813, figs 206, 207. Holotype ♀, Angola, Cacolo, 1300 m,

23. Dec. 1957–27. Jan. 58. Condition of type: perfect. Type no. ZSM-Hym-00489.
- Valid name: *Denticrytea angolincola* Heinrich, 1968
- angustior* (*Anisobas*)**
- Anisobas angustior* Heinrich, 1975b: 780–781. Holotype ♀, Canada, Newfoundland, South Branch, 24°7-1973. Condition of type: perfect. Type no. ZSM-Hym-00220.
- Valid name: *Anisobas angustior* Heinrich, 1975
- annaeliesae* (*Trogichneumon*)**
- Trogichneumon annaeliesae* Heinrich, 1968a: 83–84. Holotype ♀, Myanmar (Burma), Mt. Victoria, 2800 m, April [1937 or 1938]. Condition of type: left hind wing slightly damaged, left hind tarsus missing. Type no. ZSM-Hym-00629.
- Valid name: *Trogichneumon annaeliesae* Heinrich, 1968
- annaelisae himalayanus* (*Ichneumon*)**
- Ichneumon annaelisae himalayanus* Heinrich, 1965a: 87. Holotype ♀, India, Darjeeling. Condition of type: perfect. Type no. ZSM-Hym-00650.
- Valid name: *Ichneumon annaelisae himalayanus* Heinrich, 1965
- annulatipes facetops* (*Cratichneumon*)**
- Cratichneumon annulatipes facetops* Heinrich, 1961b: 147. Holotype ♂, U.S.A., Missouri, Hannibal, 15.IX.1952. Condition of type: perfect. Type no. ZSM-Hym-00417.
- Valid name: *Cratichneumon annulatipes* (Provancher, 1886)
- annulicornis rufifemur* (*Ctenichneumonops*)**
- Ctenichneumonops annulicornis rufifemur* Heinrich, 1967d: 664. Holotype ♀, Tanzania, S. Tanganyika, Mdando Forest, 30 mi S of Njombe, 20.X.1962. Condition of type: perfect. Type no. ZSM-Hym-00460.
- Valid name: *Ctenichneumonops annulicornis rufifemur* Heinrich, 1967
- anonymus* (*Ichneumon*)**
- Ichneumon anonymus* Heinrich, 1961c: 255–256, figs 28, 46. Holotype ♀, U.S.A., Maine, Dryden, 13.VII.1956, G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00171.
- Valid name: *Ichneumon dionymus* Carlson, 1979
- anura* (*Hemibystra*)**
- Hemibystra anura* Heinrich, 1968e: 1186–1187. Holotype ♀, Tanzania, Tanganyika, Mt. Meru, 1800 m, 28.VI.1962. Condition of type: perfect. Type no. ZSM-Hym-00618.
- Valid name: *Hemibystra anura* Heinrich, 1968

- apricus nearcticus* (*Platylabops*)**
- Platylabops apricus nearcticus* Heinrich, 1962a: 648, figs 43, 44, 45. Holotype ♀, U.S.A., Maine, Mt. Blue, 20.IX.1958. Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00447.
- Valid name: *Platylabops apricus nearcticus* Heinrich, 1962
- archboldi* (*Barichneumon*)**
- Barichneumon archboldi* Heinrich, 1972a: 196–197. Holotype ♂, U.S.A., Archbold Biological Station, Lake Placid, Florida, 11 Mai 1967. Condition of type: perfect. Type no. ZSM-Hym-00371.
- Valid name: *Barichneumon archboldi* Heinrich, 1972
- aterrima* (*Leptotogea*)**
- Leptotogea aterrima* Heinrich, 1968d: 740–741. Holotype ♂, Angola, Roca Canzele, 30 km N of Quiculongo, III.54. Condition of type: perfect. Type no. ZSM-Hym-00469.
- Valid name: *Leptotogea aterrima* Heinrich, 1968
- auranticolor* (*Dicaelotus*)**
- Dicaelotus auranticolor* Heinrich, 1977: 316–317, Map 153. Holotype ♀, U.S.A., Arkansas, Garland Co., Ouachita State Park, 18–23-V-1972, G. Heinrich. Condition of type: right middle leg missing. Type no. ZSM-Hym-00865.
- Valid name: *Dicaelotus auranticolor* Heinrich, 1977
- austropiceipes* (*Cratichneumon*)**
- Cratichneumon austropiceipes* Heinrich, 1971: 992–994. Holotype ♀, U.S.A., Water Valley, Yalobusha Co., Mississ., 29-IX to 5-X-70, M. Horan. Condition of type: right middle leg glued on card. Type no. ZSM-Hym-00400.
- Valid name: *Cratichneumon austropiceipes* Heinrich, 1971
- bambusicola indicola* (*Losagna*)**
- Losagna bambusicola indicola* Heinrich, 1965b: 148. Holotype ♀, India, Ranchi. Condition of type: left middle leg missing. Type no. ZSM-Hym-00664.
- Valid name: *Losagna bambusicola indicola* Heinrich, 1965
- barbarae* (*Linyicus*)**
- Linyicus barbarae* Heinrich, 1975b: 779–780. Holotype ♂, Canada, Newfoundland, Portland Creek, 6–7.1974. Condition of type: perfect. Type no. ZSM-Hym-00441.
- Valid name: *Linyicus barbarae* Heinrich, 1975
- belliger tanzanica* (*Leptotogea*)**
- Leptotogea belliger tanzanica* Heinrich, 1968d: 751. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., near Morogoro, 700 m, 26.XII.1961. Condition of type: perfect. Type no. ZSM-Hym-00473.

Valid name: *Leptotogea belliger tanzanica* Heinrich, 1968

benguellense (Foveosculum)

Foveosculum benguellense Heinrich, 1967d: 566–567.
Holotype ♀, Angola, Mt. Moco, 2000 m, 10.X.1954.
Condition of type: perfect. Type no. ZSM-Hym-00347.

Valid name: *Foveosculum benguellense* Heinrich, 1967

berndi (Elasmognathias)

Elasmognathias berndi Heinrich, 1967c: 260–261, figs 60, 61, 62. Holotype ♀, Tanzania, Tanganyika, Dar es Salaam, 20.IX.1961, leg. Bernd Heinrich.
Condition of type: perfect. Type no. ZSM-Hym-00272.

Valid name: *Imeria berndi* (Heinrich, 1967)

berndi (Platylabus)

Platylabus berndi Heinrich, 1962b: 731–732. Holotype ♂, U.S.A., Maine, Dryden, 3.VII.1960, Bernd Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00431.

Valid name: *Platylabus berndi* Heinrich, 1962

berndi (Listrodromus)

Listrodromus berndi Heinrich, 1975a: 460–461. Holotype ♀, Papua New Guinea, Madang, June 1969, Bernd Heinrich. Condition of type: right middle leg partly missing. Type no. ZSM-Hym-00661.

Valid name: *Listrodromus berndi* Heinrich, 1975

bicolor boreoaustralis (Anisobas)

Anisobas bicolor boreoaustralis Heinrich, 1975b: 780.
Holotype ♀, Canada, Newfoundland, South Branch, 24-7-1973. Condition of type: perfect.
Type no. ZSM-Hym-00221.

Valid name: *Anisobas bicolor boreoaustralis* Heinrich, 1975

bicolorapex (Cylindrophanes)

Cylindrophanes bicolorapex Heinrich, 1968e: 1000–1001.
Holotype ♀, South Africa, Grahamstown, 28.II.–14.III. Condition of type: perfect. Type no. ZSM-Hym-00544.

Valid name: *Afromevesia bicolorapex* (Heinrich, 1968)

bidentatum (Naenarosculum)

Naenarosculum bidentatum Heinrich, 1967d: 597–598,
figs 147, 148. Holotype ♀, South Africa, East London, 27.VI.1961. Condition of type: perfect.
Type no. ZSM-Hym-00360.

Valid name: *Naenarosculum bidentatum* Heinrich, 1967

bigilvata (Crytea)

Crytea bigilvata Heinrich, 1968d: 874–875. Holotype ♀, South Africa, King Williamstown, Peeree Forest, 6.III.63. Condition of type: perfect. Type no. ZSM-Hym-00503.

Valid name: *Crytea bigilvata* Heinrich, 1968

bilobata (Epijoppa)

Epijoppa bilobata Heinrich, 1967c: 354–356, figs 108, 114, 122, 126. Holotype ♀, South Africa, Durban, Natal, 13.II.63. G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00314.

Valid name: *Compsophorus bilobatus* (Heinrich, 1967)

bipapillator nigricornis (Aethianoplis)

Aethianoplis bipapillator nigricornis Heinrich, 1968d: 712–713. Holotype ♂, Angola, Dundo (Distr. Lunda), Febr.–April 1958. Condition of type: right hind tarsus partly missing. Type no. ZSM-Hym-00463.

Valid name: *Aethianoplis bipapillator nigricornis* Heinrich, 1968

bipapilloides (Aethianoplis)

Aethianoplis bipapilloides Heinrich, 1968d: 713–714.
Holotype ♀, South Africa, East London, 27.VI.61.
Condition of type: perfect. Type no. ZSM-Hym-00464.

Valid name: *Aethianoplis bipapilloides* Heinrich, 1968

birmanica (Ileantella)

Ileantella birmanica Heinrich, 1968b: 227–228. Holotype ♀, Myanmar (Burma), Maymyo, 800 m, December 1937. Condition of type: perfect. Type no. ZSM-Hym-00641.

Valid name: *Ileantella birmanica* Heinrich, 1968

birmanica (Aeneonaenaria)

Aeneonaenaria birmanica Heinrich, 1974a: 423–425.
Holotype ♀, Myanmar (Burma), Mt. Victoria, Chinhills, 2800 m, IV.1938, leg. G. Heinrich.
Condition of type: right hind tarsus missing.
Type no. ZSM-Hym-00656.

Valid name: *Aeneonaenaria birmanica* Heinrich, 1974

birmanica (Gareila)

Gareila birmanica Heinrich, 1980a: 178–180. Holotype ♂, Myanmar (Burma), Kambaiti, 2000 m. Condition of type: antennae, left hind leg, right hind tarsus partly missing. Type no. ZSM-Hym-00689.

Valid name: *Gareila birmanica* Heinrich, 1980

birmanicus (Coelichneumon)

Coelichneumon birmanicus Heinrich, 1966: 208–209.
Holotype ♀, Myanmar (Burma), Mt. Victoria, 1400 m, März/April [1937 or 1938]. Condition of type: perfect. Type no. ZSM-Hym-00634.

Valid name: *Coelichneumon birmanicus* Heinrich, 1966

***birmanicus* (*Pseudomaraces*)**

Pseudomaraces birmanicus Heinrich, 1975a: 510–511.
 Holotype ♀, Myanmar (Burma), Mt. Victoria, Chinhills, 1400 m, III. u IV.38, leg. G. Heinrich. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00659.

Valid name: *Pseudomaraces birmanicus* Heinrich, 1975

***birmanicus* (*Hoplismenus*)**

Hoplismenus birmanicus Heinrich, 1975a: 447–448.
 Holotype ♀, Myanmar (Burma), Kambaiti, 7000 ft, 7.4., R. Malaise. Condition of type: forelegs missing. Type no. ZSM-Hym-00674.

Valid name: *Hoplismenus birmanicus* Heinrich, 1975

***bodmanorum* (*Coelichneumon*)**

Coelichneumon bodmanorum Heinrich, 1950b: 18–19.
 Holotype ♀, Germany, Ludwigshafen am Bodensee, 3.6.49, leg. H. Bury. Condition of type: apex of right antenna missing, hind margins of wings slightly damaged. Type no. ZSM-Hym-00785.

Valid name: *Coelichneumon bodmanorum* Heinrich, 1950

***boreovagans* (*Cratichneumon*)**

Cratichneumon boreovagans Heinrich, 1962c: 870–871.
 Holotype ♀, U.S.A., Maine, Livermore, 28.VI. 1961, Bernd Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00416.

Valid name: *Cratichneumon boreovagans* Heinrich, 1962

***brevior* (*Phaeogenes*)**

Phaeogenes brevior Heinrich, 1977: 305–306, Map 144.
 Holotype ♀, U.S.A., Georgia, Monroe Co., Forsyth, 12-IV-1971, G. Heinrich. Condition of type: left middle tarsus partly missing, right middle and hind tarsus partly missing. Type no. ZSM-Hym-00864.

Valid name: *Phaeogenes brevior* Heinrich, 1977

***breviscutellatus* (*Platylabus*)**

Platylabus breviscutellatus Heinrich, 1974b: 124–126.
 Holotype ♀, Myanmar (Burma), Kambaiti, 2000 m, 14.V.34, Malaise. Condition of type: left antenna missing. Type no. ZSM-Hym-00679.

Valid name: *Platylabus breviscutellatus* Heinrich, 1974

***brevistriata* (*Crytea*)**

Crytea brevistriata Heinrich, 1968d: 875–876. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., near Morogoro, 700 m, 5.I.1962. Condition of type: apices of antennae missing. Type no. ZSM-Hym-00504.

Valid name: *Crytea brevistriata* Heinrich, 1968

***broweri* (*Ichneumon*)**

Ichneumon broweri Heinrich, 1961c: 337–338. Holotype ♀, U.S.A., Maine, Mt. Katahdin, 31.VII.1954, A. E. Brower. Condition of type: perfect. Type no. ZSM-Hym-00181.

Valid name: *Ichneumon broweri* Heinrich, 1961

***broweri* (*Cratichneumon*)**

Cratichneumon broweri Heinrich, 1971: 998–999. Holotype ♀, U.S.A., Aroostook Co., Maine, Round Mt. July. Condition of type: perfect. Type no. ZSM-Hym-00420.

Valid name: *Cratichneumon broweri* Heinrich, 1971

***browniops* (*Ichneumon*)**

Ichneumon browniops Heinrich, 1969b: 950–952. Holotype ♀, U.S.A., Maine, Chesterville, 29.VIII.1966, peat bog. Condition of type: perfect. Type no. ZSM-Hym-00170.

Valid name: *Ichneumon browniops* Heinrich, 1969

***brunnea* (*Hemibystra*)**

Hemibystra brunnea Heinrich, 1968e: 1192–1193.
 Holotype ♀, Tanzania, S. Tanganyika, Mdando Forest, 30 km S of Njombe, 2400 m, 24.X.1962. Condition of type: perfect. Type no. ZSM-Hym-00622.

Valid name: *Hemibystra brunnea* Heinrich, 1968

***brunneops* (*Hemibystra*)**

Hemibystra brunneops Heinrich, 1968e: 1170–1171.
 Holotype ♀, South Africa, Storms River, Cape Province, III.1963. Condition of type: left hind tarsus partly missing. Type no. ZSM-Hym-00609.

Valid name: *Hemibystra brunneops* Heinrich, 1968

***brunnescens* (*Apaeleticus*)**

Apaeleticus brunnescens Heinrich, 1962b: 793–794.
 Holotype ♀, U.S.A., Maine, Jackman, July 2. Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00446.

Valid name: *Apaeleticus brunnescens* Heinrich, 1962

***brunnescens* (*Hemibystra*)**

Hemibystra brunnescens Heinrich, 1968e: 1166–1168.
 Holotype ♀, South Africa, Grahamstown, 28. II–14.III.1963. Condition of type: left hind tarsus missing. Type no. ZSM-Hym-00608.

Valid name: *Hemibystra brunnescens* Heinrich, 1968

***bucephala* (*Aethiambly*)**

Aethiambly bucephala Heinrich, 1967b: 193–194.
 Holotype ♂, South Africa, Zululand, Mangusi River, Nov. Dec. 1945, A. Bell Marley. Condition of type: perfect. Type no. ZSM-Hym-00266.

Valid name: *Aethiambly bucephalus* Heinrich, 1967

***burmanni* (*Ichneumon*)**

Ichneumon burmanni Heinrich, 1980c: 18–19. Holotype ♀, Austria, Tirol, Obergurgl, 3000 m, 20.VII.74, ex *Gnophos coelibaria* Hbn., leg. K. Burmann. Condition of type: left hind wing missing. Type no. ZSM-Hym-00832.

Valid name: *Ichneumon cynthiae* Kriechbaumer, 1888

***buryas* (*Ichneumon*)**

Ichneumon buryas Heinrich, 1949a: 23–24, fig. 1. Holotype ♀, Germany, Berchtesgaden, Jenner, 1200 m, 25 Mai [1947] (leg. H. Bury). Condition of type: apex of left hind wing slightly damaged. Type no. ZSM-Hym-00845.

Valid name: *Ichneumon buryas* Heinrich, 1949

***busseolae* (*Dentichasmias*)**

Dentichasmias busseolae Heinrich, 1968e: 1099–1100, figs 227, 228. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1500–1800 m, 29.XI.61. Condition of type: perfect. Type no. ZSM-Hym-00587.

Valid name: *Dentichasmias busseolae* Heinrich, 1968

***bystromorpha* (*Hemibystra*)**

Hemibystra bystromorpha Heinrich, 1968e: 1197–1199. Holotype ♀, South Africa, Storms River, Cape Province, 17.III.1963, G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00625.

Valid name: *Hemibystra bystromorpha* Heinrich, 1968

***cacolensis* (*Semitogea*)**

Semitogea cacolensis Heinrich, 1968d: 802–803. Holotype ♂, Angola, Cacolo, 1300 m, 23. Dec. 1957–27. Jan. 58. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00485.

Valid name: *Semitogea cacolensis* Heinrich, 1968

***caerulamoenus* (*Ctenichneumonops*)**

Ctenichneumonops caerulamoenus Heinrich, 1967d: 660–661. Holotype ♀, Tanzania, S. Tanganyika, Rungwe Mts., 2600 m, XI.62. Condition of type: perfect. Type no. ZSM-Hym-00458.

Valid name: *Ctenichneumonops caerulamoenus* Heinrich, 1967

***caerulamoenus merumontis* (*Ctenichneumonops*)**

Ctenichneumonops caerulamoenus merumontis Heinrich, 1967d: 661. Holotype ♂, Tanzania, S. Tanganyika, Rungwe Mts., 2700 m, 10.–17.VII.1962. Condition of type: wings slightly damaged. Type no. ZSM-Hym-00459.

Valid name: *Ctenichneumonops caerulamoenus merumontis* Heinrich, 1967

***calamagrostis* (*Exephanes*)**

Exephanes calamagrostis Heinrich, 1950b: 15–17. Holotype ♀, Germany, W. Oberharz, 24.7.47, R.

Hinz. Condition of type: wing apices slightly damaged. Type no. ZSM-Hym-00822.

Valid name: *Exephanes rhenanus* Habermehl, 1918

***calcatorius albidiior* (*Orgichneumon*)**

Orgichneumon calcatorius albidiior Heinrich, 1977: 80–81, Map 36. Holotype ♀, U.S.A., Florida, Highlands Co., Highlands Hammock State Park, 1–IV-1970, D. Radtke. Condition of type: perfect. Type no. ZSM-Hym-00714.

Valid name: *Orgichneumon calcatorius albidiior* Heinrich, 1977

***californicus* (*Barichneumon*)**

Barichneumon californicus Heinrich, 1971: 1013–1014. Holotype ♀, U.S.A., California, Los Angeles, 5 Oct. 1969, leg. B. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00377.

Valid name: *Barichneumon californicus* Heinrich, 1971

***caliginops* (*Thyrateles*)**

Thyrateles caliginops Heinrich, 1961c: 351–352, figs 25, 54. Holotype ♀, U.S.A., Maine, Dryden, 22.VII.1952. Condition of type: perfect. Type no. ZSM-Hym-00183.

Valid name: *Thyrateles caliginops* Heinrich, 1961

***caloscelis* var. *admontensis* (*Ichneumon*)**

Ichneumon caloscelis var. *admontensis* Heinrich, 1951b: 260. Holotype ♀, Austria, Ob. Johnsbachtal, leg. H. Franz. Condition of type: perfect. Type no. ZSM-Hym-00830.

Notes: Preoccupied by *Ichneumon gracilicornis* Gravenhorst var. *admontensis* Strobl, 1901.

Valid name: *Ichneumon admontis* Hilpert, 1992

***calvicoxa* (*Stenaoplus*)**

Stenaoplus calvicoxa Heinrich, 1968e: 1134–1135. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1500 m, 5.XII.1961. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00600.

Valid name: *Stenaoplus calvicoxa* Heinrich, 1968

***camelatra* (*Leptotogea*)**

Leptotogea camelatra Heinrich, 1968d: 736–737, fig. 180. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1500–1800 m, 15.XII.61. Condition of type: perfect. Type no. ZSM-Hym-00467.

Valid name: *Leptotogea camelatra* Heinrich, 1968

***canadicola* (*Ichneumon*)**

Ichneumon canadicola Heinrich, 1961c: 293–294. Holotype ♀, U.S.A., Maine, Dryden, G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00729.

Valid name: *Ichneumon canadicola* Heinrich, 1961

cancanensis (Leptotogea)

Leptotogea cancanensis Heinrich, 1968e: 1229–1230.
Holotype ♀, Guinea, Kankan, 25.III.1968. Condition of type: perfect. Type no. ZSM-Hym-00476.
Valid name: *Leptotogea cancanensis* Heinrich, 1968

canzelicus (Cylindrophanes)

Cylindrophanes canzelicus Heinrich, 1968e: 1001–1002.
Holotype ♀, Angola, 30 km N of Quiculongo, Sept./Okt. 1957. Condition of type: left mid leg missing. Type no. ZSM-Hym-00545.
Valid name: *Afromevesia canzelica* (Heinrich, 1968)

capensis (Afromelanichneumon)

Afromelanichneumon capensis Heinrich, 1967d: 518–521, figs 140, 141. Holotype ♀, South Africa, Grahamstown, 28.II.–14.III.63. Condition of type: perfect. Type no. ZSM-Hym-00334.

Valid name: *Afromelanichneumon capensis* Heinrich, 1967

capensis (Lissolongichneumon)

Lissolongichneumon capensis Heinrich, 1968e: 1039–1040. Holotype ♀, South Africa, Storms River, Cape Province, 18.III.1963. Condition of type: perfect. Type no. ZSM-Hym-00562.

Valid name: *Lissolongichneumon capensis* Heinrich, 1968

capicola (Afromelanichneumon)

Afromelanichneumon capicola Heinrich, 1967d: 529–530. Holotype ♂, South Africa, Cape Town, 1.–4.IV.1963. Condition of type: perfect. Type no. ZSM-Hym-00338.

Valid name: *Afromelanichneumon capicola* Heinrich, 1967

carbo (Pseudamblyteles)

Pseudamblyteles carbo Heinrich, 1961d: 419–420. Holotype ♀, U.S.A., Maine, Dryden, 31.VII.1959. Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00205.

Valid name: *Diphyus carbo* (Heinrich, 1961)

carbops (Lissolongichneumon)

Lissolongichneumon carbops Heinrich, 1968e: 1042–1044. Holotype ♂, Tanzania, Tanganyika, W. Usambara Mts., 2100 m, II.1962. Condition of type: apex of left antenna and right hind tarsus missing. Type no. ZSM-Hym-00565.

Valid name: *Lissolongichneumon carbops* Heinrich, 1968

carolinae (Cratichneumon)

Cratichneumon carolinae Heinrich, 1971: 991–992.
Holotype ♀, U.S.A., Raleigh (N. Carolina), 10 June 1951. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00406.

Valid name: *Cratichneumon carolinae* Heinrich, 1971

carolinensis (Barichneumon)

Barichneumon carolinensis Heinrich, 1972a: 199–200.
Holotype ♂, U.S.A., Raleigh, North Carolina, 10.VI.1951. Condition of type: perfect. Type no. ZSM-Hym-00375.

Valid name: *Barichneumon carolinensis* Heinrich, 1972

carotifer (Chasmopygium)

Chasmopygium carotifer Heinrich, 1967b: 131, figs 35, 36. Holotype ♀, Tanzania, S.W. Tanganyika, Mbea, 18.XII.62. Condition of type: perfect. Type no. ZSM-Hym-00252.

Valid name: *Chasmopygium carotifer* Heinrich, 1967

castaneus styriacus (Aoplus)

Aoplus castaneus styriacus Heinrich, 1951b: 277–278.
Holotype ♀, Austria, Steiermark, Admont, Kai-serau, 1100 m, 10.6.50. Condition of type: perfect. Type no. ZSM-Hym-00803.

Valid name: *Aoplus castaneus styriacus* Heinrich, 1951

cataloniensis (Paracoelichneumon)

Paracoelichneumon cataloniensis Heinrich, 1980c: 14–15. Holotype ♀, Spain, Kataloniya, Balanya, 10.X.1934 Condition of type: perfect. Type no. ZSM-Hym-00790.

Valid name: *Paracoelichneumon cataloniensis* Heinrich, 1978

ceaurei (Stenichneumon)

Stenichneumon ceaurei Heinrich, 1949c: 1. Holotype ♀, Serbia, western Serbia, Juni 1916, ex *Plusia c-aureum* Knoch. Condition of type: perfect. Type no. ZSM-Hym-00857.

Valid name: *Patrocloides ceaurei* (Heinrich, 1949)

cedrorum (Crytea)

Crytea cedrorum Heinrich, 1968d: 877–878. Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., 1800 m, 15.III.1962; cedar forest. Condition of type: perfect. Type no. ZSM-Hym-00506.

Valid name: *Crytea cedrorum* Heinrich, 1968

charlottae (Pseudamblyteles)

Pseudamblyteles charlottae Heinrich, 1965a: 95–96.
Holotype ♀, Myanmar (Burma), Mt. Victoria, 2400 m, Mai [1937]. Condition of type: wing margins slightly damaged, right hind tarsus partly missing. Type no. ZSM-Hym-00651.

Valid name: *Diphyus charlottae* (Heinrich, 1965)

charlottae shanicus (Eurylabus)

Eurylabus charlottae shanicus Heinrich, 1974a: 455.
Holotype ♀, Myanmar (Burma), 2000 m, 17/5, 1934, Malaise. Condition of type: perfect. Type no. ZSM-Hym-00676.

Valid name: *Eurylabus charlottae shanicus* Heinrich, 1974

***chasmodops* (*Ichneumon*)**

Ichneumon chasmodops Heinrich, 1961c: 259–261, figs 8, 40. Holotype ♀, U.S.A., Maine, Dryden, hibernating. Condition of type: perfect. Type no. ZSM-Hym-00169.

Valid name: *Ichneumon chasmodops* Heinrich, 1961

***cirrogaster casacstanica* (*Callajoppa*)**

Callajoppa cirrogaster casacstanica Heinrich, 1980c: 10. Holotype ♀, Kazakhstan, Essil distr., Buzaluk, 1.VII.08. Condition of type: right antenna partly and left hind tarsomers 3–5 missing. Type no. ZSM-Hym-00782.

Valid name: *Callajoppa cirrogaster casacstanica* Heinrich, 1980

***citriconiger* (*Leptophatnus*)**

Leptophatnus citriconiger Heinrich, 1967b: 105–106. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 700 m, 14.I.1962. Condition of type: perfect. Type no. ZSM-Hym-00244.

Valid name: *Leptophatnus citriconiger* Heinrich, 1967

***citripes* (*Afromelanichneumon*)**

Afromelanichneumon citripes Heinrich, 1967d: 536–537. Holotype ♂, Tanzania, Tanganyika, Rungwe Mts., 2600 m, 12.XI.62. Condition of type: perfect. Type no. ZSM-Hym-00340.

Valid name: *Afromelanichneumon citripes* Heinrich, 1967

***citriscuta* (*Ceratojoppa*)**

Ceratojoppa citriscuta Heinrich, 1967b: 209. Holotype ♂, Tanzania, Tanganyika, Uluguru Mts., 1500–1800 m, 14.XII. Condition of type: perfect. Type no. ZSM-Hym-00269.

Valid name: *Ceratojoppa citriscuta* Heinrich, 1967

***columbianus* (*Coelichneumon*)**

Coelichneumon columbianus Heinrich, 1961a: 38. Holotype ♀, Canada, British Columbia, Robson, 29.VII.1953 (H. R. Foxlee). Condition of type: left middle leg missing, right hind tarsus partly missing. Type no. ZSM-Hym-00703.

Valid name: *Coelichneumon columbianus* Heinrich, 1961

***complicatus* (*Melanichneumon*)**

Melanichneumon complicatus Heinrich, 1977: 251–253, Map 115. Holotype ♀, U.S.A., Louisiana, Webster Co., Bistineau State Park, near Doyline, 21–25. IV.1972. G. Heinrich, D. Shaneck. Condition of type: perfect. Type no. ZSM-Hym-00217.

Valid name: *Melanichneumon complicatus* Heinrich, 1977

***confirmatus insignitor* (*Aoplus*)**

Aoplus confirmatus insignitor Heinrich, 1977: 257, Map 117. Holotype ♀, U.S.A., Tennessee, Hen-

derson Co., Natchez Trail State Park, 20–25-V-1972. Condition of type: perfect. Type no. ZSM-Hym-00715.

Valid name: *Aoplus confirmatus insignitor* Heinrich, 1977

***confusus megalurus* (*Crypteffigies*)**

Crypteffigies confusus megalurus Heinrich, 1961b: 180. Holotype ♀, Canada, Ontario, Nipigon, 1.VI.1956. Condition of type: perfect. Type no. ZSM-Hym-00384.

Valid name: *Crypteffigies megalurus* Heinrich, 1961

***congica* (*Magwengiella*)**

Magwengiella congica Heinrich, 1967c: 387–388. Holotype ♀, Congo, Congo Belge, Kaniama, 6.XI.1939, H. I. Bredo. Condition of type: apex of left fore wing damaged, apex of right antenna, right hind tibia and tarsus missing. Type no. ZSM-Hym-00322.

Valid name: *Magwengiella congica* Heinrich, 1967

***conscopa* (*Ichneumon*)**

Ichneumon conscpa Heinrich, 1961c: 250–251. Holotype ♀, U.S.A., Maine, Dryden, 1.IX.1959. Condition of type: perfect. Type no. ZSM-Hym-00738.

Valid name: *Ichneumon conscpa* Heinrich, 1961

***constantineui* (*Stenobarichneumon?*)**

Stenobarichneumon? constantineui Heinrich, 1972b: 99–101. Holotype ♀, Romania, S. Bessarabia, Maniar, 19.VIII.27. Condition of type: right foreleg partly missing, left hind tarsus partly missing. Type no. ZSM-Hym-00859.

Valid name: *Barichneumon gemellus* (Gravenhorst, 1829)

***convexus meruensis* (*Corymbichneumon*)**

Corymbichneumon convexius meruensis Heinrich, 1967b: 159. Holotype ♀, Tanzania, Tanganyika, Mt. Meru, 2700 m, 10–17.VII.1962, B. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00262.

Valid name: *Corymbichneumon convexius meruensis* Heinrich, 1967

***convexus njombicus* (*Corymbichneumon*)**

Corymbichneumon convexius njombicus Heinrich, 1967b: 159–160. Holotype ♀, Tanzania, Southern Tanganyika, Mdando Forest, 30 mi. south of Njombe, 2400 m, 18.X.1962. Condition of type: apex of the left antenna, right foretarsus and left hind tarsus missing. Type no. ZSM-Hym-00263.

Valid name: *Corymbichneumon convexius njombicus* Heinrich, 1967

***convexus uluguricus* (*Corymbichneumon*)**

Corymbichneumon convexius uluguricus Heinrich, 1967b: 158–159. Holotype ♀, Tanzania, Tanga-

nyika, Uluguru Mts., 1600 m, 13.XII.1961. Condition of type: perfect. Type no. ZSM-Hym-00261.
Valid name: *Corymbichneumon convexius uluguricus* Heinrich, 1967

convexus usambarae (Corymbichneumon)

Corymbichneumon convexius usambarae Heinrich, 1967b: 157–158. Holotype ♀, Tanzania, Tanganyika, Western Usambara Mts., 2100 m, 21.III.1962. Condition of type: perfect. Type no. ZSM-Hym-00260.

Valid name: *Corymbichneumon convexius usambarae* Heinrich, 1967

copei heteropteryx (Conocalama)

Conocalama copei heteropteryx Heinrich, 1962c: 822. Holotype ♀, U.S.A., Maine, Rockwood, 6.VII. Condition of type: left hind tarsus partly missing. Type no. ZSM-Hym-00693.

Valid name: *Conocalama copei* (Cresson, 1868)

coriaceus (Dicaelotus)

Dicaelotus coriaceus Heinrich, 1977: 317–318, Map 154. Holotype ♀, U.S.A., Tennessee, Henderson Co., Natches trail State Park, 22–26.VI.1972, G. Heinrich, D. Shaneck. Condition of type: left fore tarsus partly missing, right middle leg missing, right hind tarsus partly missing. Type no. ZSM-Hym-00865.

Valid name: *Dicaelotus coriaceus* Heinrich, 1977

cornelliger angolicus (Afrocoelichneumon)

Afrocoelichneumon cornelliger angolicus Heinrich, 1967b: 172. Holotype ♀, Angola, Distr. Calulo, Quitondo, 2400 m, 11.8.–2.9.1957. Condition of type: apex of the left hind tarsus missing. Type no. ZSM-Hym-00264.

Valid name: *Afrocoelichneumon cornelliger angolicus* Heinrich, 1967

cornelliger tanganyikae (Afrocoelichneumon)

Afrocoelichneumon cornelliger tanganyikae Heinrich, 1967b: 172–173. Holotype ♀, Tanzania, Northern Tanganyika, Western Usambara Mts., Lushoto, 1600 m, 26.II.1962. Condition of type: perfect. Type no. ZSM-Hym-00265.

Valid name: *Afrocoelichneumon cornelliger tanganyikae* Heinrich, 1967

cornuta aequatorialis (Ceratojoppa)

Ceratojoppa cornuta aequatorialis Heinrich, 1967b: 205. Holotype ♀, Tanzania, Tanganyika, Morogoro, 1.I.1963, G. Heinrich. Condition of type: left hind tarsus missing. Type no. ZSM-Hym-00267.

Valid name: *Ceratojoppa cornuta aequatorialis* Heinrich, 1967

corrugata angolensis (Tosquinetia)

Tosquinetia corrugata angolensis Heinrich, 1967c: 320. Holotype ♀, Angola, oca Canzele, 30 km N of Quiculungo, 20.III.1955. Condition of type: antennae missing. Type no. ZSM-Hym-00282.

Valid name: *Compsophorus corrugatus angolensis* (Heinrich, 1967)

cottrelli occidentalis (Neotypus)

Neotypus cottrelli occidentalis Heinrich, 1967c: 277, figs 70, 78. Holotype ♀, Congo, Pointe Noire, June 12/13, 1957. Condition of type: perfect. Type no. ZSM-Hym-00276.

Valid name: *Neotypus cottrelli occidentalis* Heinrich, 1967

coxipunctus (Cylindrophanes)

Cylindrophanes coxipunctus Heinrich, 1968e: 982–984. Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., 1600 m, 2.III.1962. Condition of type: right middle leg missing. Type no. ZSM-Hym-00533.

Valid name: *Afromevesia coxipuncta* (Heinrich, 1968)

crassipunctatus (Barichneumon)

Barichneumon crassipunctatus Heinrich, 1971: 1009–1011. Holotype ♀, U.S.A., Athens-Nicholson, Georgia, 31.VIII.–7.IX.70. Condition of type: perfect. Type no. ZSM-Hym-00368.

Valid name: *Barichneumon sphageti crassipunctatus* Heinrich, 1977

craterorum (Ichneumon)

Ichneumon craterorum Heinrich, 1978b: 160–161. Holotype ♀, U.S.A., Idaho, Craters of the Moon, 18.VII.1965. Condition of type: perfect. Type no. ZSM-Hym-00182.

Valid name: *Ichneumon craterorum* Heinrich, 1978

culiciops (Terebraella)

Terebraella culiciops Heinrich, 1972a: 211. Holotype ♀, U.S.A., Archb. Biol. St., Lake Placid, Florida, 22.6.1967. Condition of type: perfect. Type no. ZSM-Hym-00452.

Valid name: *Terebraella culiciops* Heinrich, 1972

curtitarsis (Clypeolabus)

Clypeolabus curtitarsis Heinrich, 1974b: 142–143. Holotype ♀, Myanmar (Burma), Mt. Victoria, Chinhills, 2800 m, IV.38. leg. G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00677.

Valid name: *Clypeolabus curtitarsis* Heinrich, 1974

cyanimontis (Ichneumon)

Ichneumon cyanimontis Heinrich, 1978b: 159–160. Holotype ♂, U.S.A., Maine, Mt. Blue, 15.III.1960. Condition of type: perfect. Type no. ZSM-Hym-00179.

Valid name: *Ichneumon cyanimontis* Heinrich, 1978

cyanimontis (*Diphyus*)

Diphyus cyanimontis Heinrich, 1978b: 162–163. Holotype ♀, U.S.A., Maine, Mt. Blue, 4–9.VI.1978, leg. H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00209.

Valid name: *Diphyus cyanimontis* Heinrich, 1978

cylindropygialis (*Cylindrophanes*)

Cylindrophanes cylindropygialis Heinrich, 1968e: 990–991. Holotype ♀, South Africa, East London, 27.VII.1961. Condition of type: perfect. Type no. ZSM-Hym-00537.

Valid name: *Afromevesia cylindropygialis* (Heinrich, 1968)

cynthiae occidentalis (*Ichneumon*)

Ichneumon cynthiae occidentalis Heinrich, 1980c: 21–22. Holotype ♀, Austria, Oetztal, Obergurgl, 2300 m. Holotype: ♀, ex *Melitaea cynthis* Rogenhofer, Sept. Condition of type: right leg missing, hind tarsi partly missing, apex of right forewing slightly damaged. Type no. ZSM-Hym-00855.

Notes: Preoccupied by *Ichneumon occidentalis* Harrington, 1894.

Valid name: *Ichneumon occidentis* Hilpert, 1992

danieli (*Barichneumon*)

Barichneumon danieli Heinrich, 1972a: 200–201. Holotype ♂, U.S.A., Lake Mohonk, New Paltz (New York), 30.VIII.1966. Leg. G. Smiley. Condition of type: perfect. Type no. ZSM-Hym-00369.

Valid name: *Barichneumon danieli* Heinrich, 1972

delirops (*Coelichneumon*)

Coelichneumon delirops Heinrich, 1977: 55–56, Map 22. Holotype ♂, U.S.A., Mississippi, Lafayette Co., Water Valley, 11–27-V-1971, M. Horan. Condition of type: perfect. Type no. ZSM-Hym-00707.

Valid name: *Coelichneumon delirops* Heinrich, 1977

deutera (*Semitogea*)

Semitogea deutera Heinrich, 1968d: 804–805. Holotype ♀, Angola, Roca Canzele, 30 km N of Quiculungo, 10.III.54. Condition of type: perfect. Type no. ZSM-Hym-00486.

Valid name: *Semitogea deutera* Heinrich, 1968

deutera (*Crytea*)

Crytea deutera Heinrich, 1968d: 867–868. Holotype ♀, Tanzania, S.W. Tanganyika, Mbeya, 18.XI.52. Condition of type: perfect. Type no. ZSM-Hym-00501.

Valid name: *Crytea deutera* Heinrich, 1968

deuteromelas (*Rubicundiella*)

Rubicundiella deuteromelas Heinrich, 1962a: 573–575, fig. 47. Holotype ♂, U.S.A., Maine, Mt. Blue, 16.VII.1960. Gerd H. Heinrich. Condition of type:

perfect. Type no. ZSM-Hym-00391.

Valid name: *Rubicundiella deuteromelas* Heinrich, 1962

dilatata (*Hemibystra*)

Hemibystra dilatata Heinrich, 1968e: 1189. Holotype ♀, Angola, 30 km N of Quiculungo, Sept./Okt. 1957. Condition of type: right middle leg, left middle tarsus missing. Type no. ZSM-Hym-00620.

Valid name: *Hemibystra dilatata* Heinrich, 1968

dilleri (*Platylabus*)

Platylabus dilleri Heinrich, 1971: 1021–1022. Holotype ♂, U.S.A., Maine, Mt. Blue, 15.VI.1965; leg. E. Diller. Condition of type: perfect. Type no. ZSM-Hym-00430.

Valid name: *Platylabus dilleri* Heinrich, 1971

dilleri (*Ichneumon*)

Ichneumon dilleri Heinrich, 1980c: 23–24. Holotype ♀, Italy, Südtirol, Antholzer Obertal, 1800 m, 19.VIII.67, Diller. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00853.

Valid name: *Ichneumon dilleri* Heinrich, 1980

dillerorum (*Ichneumon*)

Ichneumon dillerorum Heinrich, 1968c: 720–721. Holotype ♀, U.S.A., Mt. Blue, Maine, 12–6–1965. Collection G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00725.

Valid name: *Ichneumon dillerorum* Heinrich, 1968

disparilis flavidops (*Melanichneumon*)

Melanichneumon disparilis flavidops Heinrich, 1972a: 203–205. Holotype ♂, U.S.A., Gainesville, Alachua Co., Florida, 3.V. Condition of type: perfect. Type no. ZSM-Hym-00215.

Valid name: *Melanichneumon disparilis flavidops* Heinrich, 1972

dispersus (*Stenarchops*)

Stenarchops dispersus Heinrich, 1967d: 624–625. Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., Lushoto, 1600 m, 1.III.1962. Condition of type: perfect. Type no. ZSM-Hym-00363.

Valid name: *Stenarchops dispersus* Heinrich, 1967

distinctipes (*Pseudamblyteles*)

Pseudamblyteles distinctipes Heinrich, 1961d: 409–410, fig. 37. Holotype ♀, U.S.A., Maine, Dryden, hibernating, Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00206.

Valid name: *Diphyus distinctipes* (Heinrich, 1961)

diversapex (*Ischnojoppa*)

Ischnojoppa diversapex Heinrich, 1967b: 227–228, fig. 56. Holotype ♀, Tanzania, S.W. Tanganyika, Mbeya, 20.XI.1962. Condition of type: perfect. Type no. ZSM-Hym-00270.

Valid name: *Ischnojoppa diversapex* Heinrich, 1967

dorsopictus (*Lissolongichneumon*)

Lissolongichneumon dorsopictus Heinrich, 1968e: 1041–1042. Holotype ♂, Tanzania, Tanganyika, W. Usambara Mts., 2100 m, 14.III.1962. Condition of type: middle tarsi missing. Type no. ZSM-Hym-00564.

Valid name: *Lissolongichneumon dorsopictus* Heinrich, 1968

drydeni (*Vulgichneumon*)

Vulgichneumon drydeni Heinrich, 1978b: 164–165. Holotype ♂, U.S.A., Maine, Dryden, 30.VIII.1977. Condition of type: perfect. Type no. ZSM-Hym-00231.

Valid name: *Vulgichneumon drydeni* Heinrich, 1978

dubia (*Semitogea*)

Semitogea dubia Heinrich, 1968d: 805–806. Holotype ♀, Angola, Roca Canzele, 30 km N of Quiculungo, 10.III.54. Condition of type: left hind wing slightly damaged. Type no. ZSM-Hym-00487.

Valid name: *Semitogea dubia* Heinrich, 1968

dubiops (*Crytea*)

Crytea dubiops Heinrich, 1968d: 892–894. Holotype ♀, Tanzania, Tanganyika, Dar es Salaam, 18.XI.1961, G. Heinrich. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00512.

Valid name: *Crytea leucotrochus* (Kriechbaumer, 1894)

dubiops brevilineata (*Crytea*)

Crytea dubiops brevilineata Heinrich, 1968d: 894. Holotype ♀, South Africa, Cape Town, 1.–9.IV.1963. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00513.

Valid name: *Crytea leucotrochus brevilineata* Heinrich, 1968

duffieldi (*Coelichneumon*)

Coelichneumon duffieldi Heinrich, 1971: 965–967. Holotype ♀, U.S.A., Letchworth St. Pk., New York, 8–22–1969, R. Duffield. Condition of type: perfect. Type no. ZSM-Hym-00705.

Valid name: *Coelichneumon jejonus* (Cresson, 1864)

duplicans (*Stenobarichneumon*)

Stenobarichneumon duplicans Heinrich, 1962a: 638–639. Holotype ♀, U.S.A., Maine, Dryden, 27.VII.1959. Gerd H. Heinrich. Condition of type: right foreleg missing. Type no. ZSM-Hym-00389.

Valid name: *Stenobarichneumon duplicans* Heinrich, 1962

effigialis (*Pseudamblyteles*)

Pseudamblyteles effigialis Heinrich, 1961d: 407–409. Holotype ♀, Canada, Quebec, St. Sauveur, 22.VIII.1959. Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00203.

Valid name: *Diphyus effigialis* (Heinrich, 1961)

effigialis (*Crytea*)

Crytea effigialis Heinrich, 1968d: 921–922. Holotype ♀, South Africa, Pietermaritzburg, 10.–16.II.63. Condition of type: perfect. Type no. ZSM-Hym-00519.

Valid name: *Crytea hemerythraea* (Morley, 1917)

effigialis (*Xenojoppa*)

Xenojoppa effigialis Heinrich, 1975a: 489. Holotype ♀, Indonesia (Java), Sukabumi Condition of type: apex of right antenna, right middle leg, right hind tarsus missing. Type no. ZSM-Hym-00672.

Valid name: *Compsophorus effigialis* (Heinrich, 1975)

effigies (*Phaisura*)

Phaisura effigies Heinrich, 1967c: 439–441. Holotype ♀, Tanzania, Tanganyika, Dabaga, 2100 m, 26 September 1962. Condition of type: apex of left antenna and of right forewing damaged. Type no. ZSM-Hym-00325.

Valid name: *Phaisura effigies* Heinrich, 1967

effigies (*Protichneumon*)

Protichneumon effigies Heinrich, 1961a: 26–27, fig. 15. Holotype ♀, U.S.A., Maine, Dryden, 25.VII.1956. Condition of type: perfect. Type no. ZSM-Hym-00698.

Valid name: *Protichneumon effigies* Heinrich, 1961

egregia (*Aglaojoppa*)

Aglaojoppa egregia Heinrich, 1967a: 15–17. Holotype ♀, Myanmar (Burma), Mt. Victoria, Chin Hills, 2800 m, 27.IV.38. Condition of type: perfect. Type no. ZSM-Hym-00632.

Valid name: *Aglaojoppa egregia* Heinrich, 1967

elegantula (*Dammermaniella*)

Dammermaniella elegantula Heinrich, 1934a: 250–251. Syntype ♀, Indonesia (Java), Idjen, Ongop-On-gop, 1850 m, Mai 1924, Dammerman. Condition of type: right antenna glued on card. Type no. ZSM-Hym-00655.

Notes: Heinrich (1934) mentions three specimens in his description (1♀ and 2♂♂) but only the female is present in the ZSM collection. The type specimen bears a holotype label that apparently was added later although its status is syntype.

Valid name: *Dammermaniella elegantula* Heinrich, 1934

emancipandus (*Ichneumon*)

Ichneumon emancipandus Heinrich, 1952: 1058–1059, figs 1, 2. Holotype ♀, Germany, Allgäu, Oster-achtal, 1600 m, 27.viii.1949. Condition of type: left hind tarsus partly missing. Type no. ZSM-Hym-00834.

Valid name: *Ichneumon silaceus* Gravenhorst, 1829

emancipatus circalpinus (Ichneumon)

Ichneumon emancipatus circalpinus Heinrich, 1949a: 31–32. Holotype ♀, Germany, Berchtesgaden, 1200 m, Mai 1947. Condition of type: perfect. Type no. ZSM-Hym-00831.

Valid name: *Ichneumon emancipatus* Wesmael, 1845

empeyi (Jacotitypus)

Jacotitypus empeyi Heinrich, 1967c: 293–294. Holotype ♂, South Africa, Discovery, Transvaal, 8.11.1961, H. N. Empey. Condition of type: perfect. Type no. ZSM-Hym-00279.

Valid name: *Jacotitypus empeyi* Heinrich, 1967

erythrinus (Elasmognathias)

Elasmognathias erythrinus Heinrich, 1967c: 262–263, figs 67, 68. Holotype ♀, Angola, 30 km N of Quiculongo, Sept./Okt.1957. Condition of type: perfect. Type no. ZSM-Hym-00274.

Valid name: *Imeria erythrina* (Heinrich, 1967)

erythristicus (Setantops)

Setantops erythristicus Heinrich, 1968e: 1066–1067. Holotype ♂, Tanzania, S. Tanganyika, Rungwe Mts., 2600 m, 7.IX.62. Condition of type: perfect. Type no. ZSM-Hym-00573.

Valid name: *Setantops erythristicus* Heinrich, 1968

erythrocoxa (Platylabus)

Platylabus erythrocoxa Heinrich, 1962b: 719–720. Holotype ♀, U.S.A., Maine, Dryden, 6.IX.1951. Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00427.

Valid name: *Platylabus erythrocoxa* Heinrich, 1962

eurypus (Ichneumon)

Ichneumon eurypus Heinrich, 1961c: 325–326, fig. 24. Holotype ♀, Canada, Ontario, 20 km N of Nipigon, 2.VII.1956, G.H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00734.

Valid name: *Ichneumon eurypus* Heinrich, 1961

exaltatoria armenica (Callajoppa)

Callajoppa exaltatoria armenica Heinrich, 1978a: 12–13. Holotype ♂, Armenia, Vilajet Kars, Gele (Vic. Gole-Merdenik), 2300–2600 m, 10–15 VIII 1965. Condition of type: perfect. Type no. ZSM-Hym-00783.

Valid name: *Callajoppa exaltatoria armenica* Heinrich, 1980

excellens fuscator (Leptotogea)

Leptotogea excellens fuscator Heinrich, 1968d: 746. Holotype ♂, Tanzania, Tanganyika, Uluguru Mts., 28.XI.61, 1500–1800 m. Condition of type: perfect. Type no. ZSM-Hym-00471.

Valid name: *Leptotogea excellens fuscator* Heinrich, 1968

excelsior (Melanichneumon)

Melanichneumon excelsior Heinrich, 1962a: 627–628. Holotype ♀, U.S.A., Maine, Mt. Blue, 18.VI.1960. Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00226.

Valid name: *Barichneumon excelsior* (Heinrich, 1962)

excors (Cratichneumon)

Cratichneumon excors Heinrich, 1977: 156–157, Map 70. Holotype ♂, U.S.A., Tennessee, Henderson Co., Natchez Trail State Park, 6-VI-1972. G. Heinrich, D. Shaneck. Condition of type: perfect. Type no. ZSM-Hym-00403.

Valid name: *Cratichneumon excors* Heinrich, 1977

expers (Cratichneumon)

Cratichneumon expers Heinrich, 1972a: 178–180. Holotype ♀, U.S.A., Tall Timber Research Station, Tallahassee, Florida, 7.–17. May 1968. Condition of type: perfect. Type no. ZSM-Hym-00408.

Valid name: *Cratichneumon insulae* Heinrich, 1961

expers circumflavidus (Cratichneumon)

Cratichneumon expers circumflavidus Heinrich, 1972a: 180–181. Holotype ♀, U.S.A., Mississippi, Oktibbeh Co., Starkville, 30.V.–4.VI.1971. Condition of type: perfect. Type no. ZSM-Hym-00409.

Valid name: *Cratichneumon insulae* Heinrich, 1961

facetus astroriparius (Cratichneumon)

Cratichneumon facetus astroriparius Heinrich, 1977: 179, Map 83. Holotype ♀, U.S.A., Mississippi, Yalobusha Co., Water Valley, 6–20-X-70. M. Horan. Condition of type: perfect. Type no. ZSM-Hym-00419.

Valid name: *Cratichneumon facetus astroriparius* Heinrich, 1977

farquharsoni (Apatetorops)

Apatetorops farquharsoni Heinrich, 1967b: 84–85. Holotype ♂, South Africa, Northern Cape Province, King Williams Town, Peeree Forest, 6. III.62, leg. F. L. Farquharson. Condition of type: perfect. Type no. ZSM-Hym-00242.

Valid name: *Protoleptops farquharsoni* (Heinrich, 1967)

fasciata (Crathiorada)

Crathiorada fasciata Heinrich, 1965b: 155–156. Holotype ♀, Myanmar (Burma), Mt. Popa, 1000 m, Oktober [1937]. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00680.

Valid name: *Crathiorada fasciata* Heinrich, 1965

feriens (Ichneumon)

Ichneumon feriens Heinrich, 1961c: 321–322, figs 10, 34, 53. Holotype ♀, U.S.A., Maine, Dryden, G. H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00735.

- Valid name: *Ichneumon feriens* Heinrich, 1961
- flaschkai (Cratichneumon)***
Cratichneumon flaschkai Heinrich, 1973b: 463–464.
 Holotype ♀, U.S.A., Drake, Colorado, VII-1963,
 leg. H. Flaschka. Condition of type: wings apically slightly damaged, apex of right antenna missing. Type no. ZSM-Hym-00392.
- Valid name: *Cratichneumon flaschkai* Heinrich, 1973
- flavescens (Pseudeupalamus)***
Pseudeupalamus flavescens Heinrich, 1980a: 146–147.
 Holotype ♀, Myanmar (Burma), Kambaiti, 2000 m. Condition of type: apex of right antenna and right hind tarsus missing, right foretarsus damaged. Type no. ZSM-Hym-00682.
- Valid name: *Pseudeupalamus flavescens* Heinrich, 1980
- flavicarina (Melanichneumon)***
Melanichneumon flavicarina Heinrich, 1962b: 594–596.
 Holotype ♀, U.S.A., Maine, Dryden, 8.VIII.1952.
 Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00364.
- Valid name: *Melanichneumon flavicarina* (Heinrich, 1962)
- flavidoclarus (Platylabus)***
Platylabus flavidoclarus Heinrich, 1977: 275, Map 125.
 Holotype ♀, U.S.A., Louisiana, Evangeline Co., Chicot, 24-V-1971, G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00423.
- Valid name: *Platylabus flavidoclarus* Heinrich, 1977
- flavipectus mississippi (Cratichneumon)***
Cratichneumon flavipectus mississippi Heinrich, 1971: 989–991. Holotype ♀, U.S.A., Water Valley, Yalobusha Co., Mississ., 6 to 20-X-70, leg. M. Horan. Condition of type: perfect. Type no. ZSM-Hym-00418.
- Valid name: *Cratichneumon flavipectus* (Provancher, 1879)
- flaviscuta (Barichneumon)***
Barichneumon flaviscuta Heinrich, 1971: 1007–1009.
 Holotype ♀, U.S.A., Water Valley, Yalobusha Co., Mississippi, 6 to 20-X-70; leg. M. Horan. Condition of type: perfect. Type no. ZSM-Hym-00365.
- Valid name: *Barichneumon flaviscuta* Heinrich, 1977
- flavissimus (Cylindrophanes)***
Cylindrophanes flavissimus Heinrich, 1968e: 979–980.
 Holotype ♂, Tanzania, Tanganyika, Uluguru Mts., 1500–1800 m. (Apices of flagella missing). Condition of type: Apices of flagella and right hind tarsus missing. Type no. ZSM-Hym-00530.
- Valid name: *Afromevesia flavissima* (Heinrich, 1968)
- flavitarsis (Musakia)***
Musakia flavitarsis Heinrich, 1967b: 44–45. Holotype ♀, Angola, 30 km N of Quiculongo, Sept./Okt. 1957. Condition of type: perfect. Type no. ZSM-Hym-00453.
- Valid name: *Holcichneumon flavitarsis* (Heinrich, 1967)
- flavivertex (Tosquinetia)***
Tosquinetia flavivertex Heinrich, 1967c: 334–335. Holotype ♀, Angola, 30 km N of Quiculongo, Sept./Okt. 1957. Condition of type: perfect. Type no. ZSM-Hym-00288.
- Valid name: *Compsophorus flavivertex* (Heinrich, 1967)
- flavopicta (Gibbobystra)***
Gibbobystra flavopicta Heinrich, 1968e: 1204–1205, fig. 241. Holotype ♀, Tanzania, S. Tanganyika, Rungwe Mts., 2600 m, 9.XI.62. Condition of type: right hind leg missing. Type no. ZSM-Hym-00626.
- Valid name: *Gibbobystra flavopicta* Heinrich, 1968
- flavorufus (Achaius)***
Achaius flavorufus Heinrich, 1965a: 114–115. Holotype ♀, Myanmar (Burma), Mt. Victoria, 2800 m, Mai [1937 or 1938]. Condition of type: right middle tarsus partly missing. Type no. ZSM-Hym-00653.
- Valid name: *Achaius flavorufus* Heinrich, 1965
- floridanus (Barichneumon)***
Barichneumon floridanus Heinrich, 1972a: 198–199.
 Holotype ♂, U.S.A., Florida, Highlands Hammock State Park, 28.IV.1968. Condition of type: perfect. Type no. ZSM-Hym-00376.
- Valid name: *Barichneumon floridanus* Heinrich, 1972
- floridensis (Cratichneumon)***
Cratichneumon floridensis Heinrich, 1972a: 181–183.
 Holotype ♀, U.S.A., Archbold Biological Station, Lake Placid, Florida, 21.VI.1967. Condition of type: perfect. Type no. ZSM-Hym-00414.
- Valid name: *Cratichneumon floridensis* Heinrich, 1972
- foveatellum (Foveosculum)***
Foveosculum foveatellum Heinrich, 1967d: 563–564.
 Holotype ♀, Angola, 30 km S of Gabela, 5.VIII.54. Condition of type: perfect. Type no. ZSM-Hym-00346.
- Valid name: *Foveosculum foveatellum* Heinrich, 1967
- foxleei (Obtusodonta)***
Obtusodonta foxleei Heinrich, 1962c: 874–875. Holotype ♀, Canada, British Columbia, Robson, 7.VII.1956. H. R. Foxlee. Condition of type: perfect. Type no. ZSM-Hym-00197.
- Valid name: *Obtusodonta foxleei* Heinrich, 1962

foxleei (Melanichneumon)

Melanichneumon foxleei Heinrich, 1962a: 586–587.
Holotype ♂, Canada, British Columbia, Robson, 23.VI.1956, A. R. Foxlee. Condition of type: perfect. Type no. ZSM-Hym-00230.

Valid name: *Melanichneumon foxleei* Heinrich, 1962

foxleei (Platylabus)

Platylabus foxleei Heinrich, 1962b: 723–725. Holotype ♀, Canada, British Columbia, 11.V.1953, H. R. Foxlee. Condition of type: perfect. Type no. ZSM-Hym-00425.

Valid name: *Platylabus foxleei* Heinrich, 1962

foxleei (Coelichneumon)

Coelichneumon foxleei Heinrich, 1961a: 52–53. Holotype ♀, Canada, British Columbia, Robson, 9. VIII.1956 (H. R. Foxlee). Condition of type: perfect. Type no. ZSM-Hym-00702.

Valid name: *Coelichneumon foxleei* Heinrich, 1961

foxleei orientis (Platylabus)

Platylabus foxleei orientis Heinrich, 1975b: 777. Holotype ♀, U.S.A., Maine, Aroostook Co., Scraggly Lake, 27-6-1973. Condition of type: perfect. Type no. ZSM-Hym-00426.

Valid name: *Platylabus foxleei orientis* Heinrich, 1975

fraterculus (Platylabops)

Platylabops fraterculus Heinrich, 1962a: 644. Holotype ♀, U.S.A., New York, Mt. Marcey, 30.VII.1929. Condition of type: perfect. Type no. ZSM-Hym-00448.

Valid name: *Platylabops fraterculus* Heinrich, 1962

frontalis vulpina (Crytea)

Crytea frontalis vulpina Heinrich, 1968d: 889–890.
Holotype ♀, Angola, S of Gabela, 12.VIII.55. Condition of type: perfect. Type no. ZSM-Hym-00511.

Valid name: *Crytea frontalis vulpina* Heinrich, 1968

fumosops (Epijoppa)

Epijoppa fumosops Heinrich, 1967c: 359–360, fig. 102.
Holotype ♀, Zimbabwe, Chirinda Forest, Nov. 1930. Condition of type: right antenna, left foreleg partly missing. Type no. ZSM-Hym-00316.

Valid name: *Compsophorus fumosops* (Heinrich, 1967)

furciliatus (Acantholabus)

Acantholabus furciliatus Heinrich, 1974b: 160–162.
Holotype ♀, Myanmar (Burma), Kambaiti, 2000 m, 9.6.1934, Malaise. (Fühler grösstenteils fehlend). Condition of type: left forewing, right hind tarsus missing. Type no. ZSM-Hym-00668.

Valid name: *Acantholabus furciliatus* Heinrich, 1974

fuscatorius (Spinamblys)

Spinamblys fuscatorius Heinrich, 1968e: 1217–1218.
Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., 2100 m, 2.III.62. Condition of type: right foretarsus and left middle tarsus partly missing. Type no. ZSM-Hym-00628.

Valid name: *Spinamblys fuscatorius* Heinrich, 1968

fuscifrons torreyae (Ichneumon)

Ichneumon fuscifrons torreyae Heinrich, 1977: 66–67, Map 25. Holotype ♀, U.S.A., Georgia, Monroe Co., Forsyth, 20–5–VI-1971, F. Naumann. Condition of type: perfect. Type no. ZSM-Hym-00728.

Valid name: *Ichneumon fuscifrons torreyae* Heinrich, 1977

fuscior (Cratichneumon)

Cratichneumon fuscior Heinrich, 1971: 996–997. Holotype ♀, U.S.A., Homer, Banks Co., Georgia, 10-V-1970; leg. G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00402.

Valid name: *Cratichneumon w-album fuscior* Heinrich, 1971

fuscicutum (Cylindrophanes)

Cylindrophanes fuscicutum Heinrich, 1968e: 1003–1004. Holotype ♀, Tanzania, Tanganyika, Mt. Meru, 1800 m, 28.VI.1962. Condition of type: left foreleg missing. Type no. ZSM-Hym-00546.

Valid name: *Afromevesia fuscicutum* (Heinrich, 1968)

fuscosignatus (Barichneumon)

Barichneumon fuscosignatus Heinrich, 1972a: 197–198.
Holotype ♂, U.S.A., Archbold Biological Station, Lake Placid, Florida, 16.III.1968. Condition of type: perfect. Type no. ZSM-Hym-00378.

Valid name: *Barichneumon fuscosignatus* Heinrich, 1972

gabela (Hemibystra)

Hemibystra gabela Heinrich, 1968e: 1179–1180. Holotype ♂, Angola, 30 km S of Gabela, 15.VIII.54. Condition of type: perfect. Type no. ZSM-Hym-00614.

Valid name: *Hemibystra gabela* Heinrich, 1968

gabelincola (Crytea)

Crytea gabelincola Heinrich, 1968d: 923–925. Holotype ♀, Angola, 30 km S of Gabela, 31.VII.54. Condition of type: perfect. Type no. ZSM-Hym-00521.

Valid name: *Crytea gabelincola* Heinrich, 1968

geminus (Phaisurelllops)

Phaisurelllops geminus Heinrich, 1967c: 474. Holotype ♂, Tanzania, Tanganyika, E. Usambara Mts., Amani. Condition of type: perfect. Type no. ZSM-Hym-00331.

Valid name: *Phaisurelllops geminus* Heinrich, 1967

georgius (Cratichneumon) ich

Cratichneumon georgius Heinrich, 1971: 995–996.
Holotype ♀, U.S.A., Forsyth, Monroe Co., Georgia, 20–30 May 1968, G. Heinrich leg. Condition of type: perfect. Type no. ZSM-Hym-00398.

Valid name: *Cratichneumon georgius* Heinrich, 1971

gessi (Afrectopius)

Afrectopius gessi Heinrich, 1967c: 405–406. Holotype ♀, South Africa, Cape Town, 1.–4.IV.1963. Condition of type: perfect. Type no. ZSM-Hym-00297.

Valid name: *Afrectopius gessi* Heinrich, 1967

gilvicornis (Crytea)

Crytea gilvicornis Heinrich, 1968d: 864–865. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 28.XI.61, 1500–1800 m. Condition of type: perfect. Type no. ZSM-Hym-00497.

Valid name: *Crytea gilvicornis* Heinrich, 1968

gilvicornis albidiipes (Crytea)

Crytea gilvicornis albidiipes Heinrich, 1968d: 865. Holotype ♀, Tanzania, Tanganyika, Pare Mts., Chome, 2000 m. Condition of type: apex of left forewing damaged. Type no. ZSM-Hym-00498.

Valid name: *Crytea gilvicornis albidiipes* Heinrich, 1968

gilvicornis usambarica (Crytea)

Crytea gilvicornis usambarica Heinrich, 1968d: 865. Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., Magamba, 2100 m, 14.III.1962. Condition of type: perfect. Type no. ZSM-Hym-00499.

Valid name: *Crytea gilvicornis usambarica* Heinrich, 1968

glabricoxalis (Protichneumon)

Protichneumon glabricoxalis Heinrich, 1977: 27, Map 5. Holotype ♀, U.S.A., Tennessee, Henderson Co., Natchez Trail State park, 18.VI.1972, G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00697.

Valid name: *Protichneumon glabricoxalis* Heinrich, 1977

glaucatoriops (Melanichneumon)

Melanichneumon glaucatoriops Heinrich, 1972b: 91–92. Holotype ♀, Italy, Triest, Umgebung Conconeollo, K. Kusdas, 27.6–3.7.56. Condition of type: perfect. Type no. ZSM-Hym-00806.

Valid name: *Melanichneumon glaucatoriops* Heinrich, 1972

glaucopterus usambararum (Afromelanichneumon)

Afromelanichneumon glaucopterus usambararum Heinrich, 1967d: 538–539. Holotype ♀, Tanzania, Tanganyika, Western Usambara Mts., 2100 m, 24.III.1962. Condition of type: perfect. Type no. ZSM-Hym-00341.

Valid name: *Afromelanichneumon glaucopterus usambararum* Heinrich, 1967

glaucopygos (Ichneumon)

Ichneumon glaucoptogos Heinrich, 1961c: 248–249, fig. 65. Holotype ♀, U.S.A., Maine, Dryden, hibernating. Condition of type: perfect. Type no. ZSM-Hym-00737.

Valid name: *Ichneumon glaucoptogos* Heinrich, 1961

gracilicolor (Coeloleptops)

Coeloleptops gracilicolor Heinrich, 1967b: 69–70. Holotype ♀, Tanzania, Southern Tanganyika, Mbeya, 7.XII.62. Condition of type: perfect. Type no. ZSM-Hym-00237.

Valid name: *Coeloleptops gracilicolor* Heinrich, 1967

gracilicornops (Ichneumon)

Ichneumon gracilicornops Heinrich, 1961c: 278–279, fig. 42. Holotype ♀, Canada, Ontario, Raith, 20.VI.1956. Condition of type: perfect. Type no. ZSM-Hym-00722.

Valid name: *Ichneumon gracilicornops* Heinrich, 1961

gracilior (Ctenichneumon)

Ctenichneumon gracilior Heinrich, 1961d: 470–471. Holotype ♀, U.S.A., Maine, Dryden, 25.VI.1955, Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00185.

Valid name: *Ctenichneumon gracilior* Heinrich, 1961

gracilior (Cratichneumon)

Cratichneumon gracilior Heinrich, 1961d: 470–471. Holotype ♀, U.S.A., Maine, Dryden, 25.VI.1955, Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00405.

Valid name: *Cratichneumon gracilior* Heinrich, 1961

gracilipictor (Pseudocoelichneumon)

Pseudocoelichneumon gracilipictor Heinrich, 1967b: 151–152. Holotype ♀, South Africa, Cape Province, Grahamstown, Governors Kop. Condition of type: perfect. Type no. ZSM-Hym-00259.

Valid name: *Pseudocoelichneumon gracilipictor* Heinrich, 1967

graciliventer (Crytea)

Crytea graciliventer Heinrich, 1968d: 925–926. Holotype ♀, South Africa, Grahamstown, Cape Province, Jan. 1963. Condition of type: perfect. Type no. ZSM-Hym-00522.

Valid name: *Crytea graciliventer* Heinrich, 1968

gracilops (Stenaoplus)

Stenaoplus gracilops Heinrich, 1968e: 1135–1137. Holotype ♀, Tanzania, S. Tanganyika, Mdando Forest, 30 km S. of Njombe, 2400 m, 20.X.1962. Condition of type: perfect. Type no. ZSM-Hym-00601.

Valid name: *Stenaoplus gracilops* Heinrich, 1968

grandis (*Epijoppa*)

Epijoppa grandis Heinrich, 1967c: 353–354, fig. 109.
Holotype ♀, Tanzania, Tanganyika, E. Usambara Mts., Lungusa, 300 m. Condition of type: perfect. Type no. ZSM-Hym-00313.

Valid name: *Compsophorus grandis* (Heinrich, 1967)

grandis inornatior (*Protichneumon*)

Protichneumon grandis inornatior Heinrich, 1977: 22–23, Map 3. Holotype ♀, U.S.A., Florida, Lee Co., Orange River, Ft. Myers, 14–IV-1968. Condition of type: perfect. Type no. ZSM-Hym-00694.

Valid name: *Protichneumon grandis inornatior* Heinrich, 1977

gruenwaldti (*Thyrateles*)

Thyrateles gruenwaldti Heinrich, 1980c: 15–16. Holotype ♀, Spain, Prov. Malaga, San Pedro di Alcantara, 25.III.1975, leg. W. Gruenwaldt. Condition of type: right antenna missing. Type no. ZSM-Hym-00862.

Valid name: *Thyrateles gruenwaldti* Heinrich, 1980

guillarmodi (*Spanophatnus*)

Spanophatnus guillarmodi Heinrich, 1967c: 427–428, figs 132, 136. Holotype ♂, South Africa, Cape Province, Ladismith, 19 Sept. 1948. C.J. Guillarmod. Condition of type: perfect. Type no. ZSM-Hym-00323.

Valid name: *Spanophatnus guillarmodi* Heinrich, 1967

gusenleitneri (*Anisobas*)

Anisobas gusenleitneri Heinrich, 1980b: 231–232.
Holotype ♀, Turkey, Meram Konya, 14.VI.1968, J. Gusenleitner. Condition of type: left antenna and right hind tarsus missing. Type no. ZSM-Hym-00794.

Valid name: *Anisobas gusenleitneri* Heinrich, 1980

haematofemur (*Ichneumon*)

Ichneumon haematofemur Heinrich, 1980c: 19–20.
Holotype ♀, Turkey, Ürgüp, 11.VI.1973, K. Warncke. Condition of type: left foretarsus missing, right middle tarsus partly missing, apex of right forewing slightly damaged. Type no. ZSM-Hym-00846.

Valid name: *Ichneumon haematofemur* Heinrich, 1980

haeselbarthi (*Ichneumon*)

Ichneumon haeselbarthi Heinrich, 1973a: 51–52. Holotype ♀, Austria, Zederhaus, Lungau, 2100 m, 25.–27.7.1969, Hbfh. Auf Wiesen der alpinen Stufe (mit viel blühendem *Rhododendron hirsutum*) bei der Franz-Fischer-Hütte in den Radstätter Tauern. Condition of type: apex of left forewing slightly damaged. Type no. ZSM-Hym-00825.

Valid name: *Ichneumon haeselbarthi* Heinrich, 1973

hebrus floridae (*Phaeogenes*)

Phaeogenes hebrus floridae Heinrich, 1977: 302, Map 141. Holotype ♀, U.S.A., Florida, Highlands Co., Highlands Hammock State Park, 25-VI-1968, G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00450.

Valid name: *Phaeogenes hebrus floridae* Heinrich, 1977

hemerythrus (*Cratichneumon*)

Cratichneumon hemerythrus Heinrich, 1949a: 39–41, fig. 3a. Holotype ♀, Germany, Berchtesgaden, Hachelgraben, 1600 m, 30 Juni [1947]. Condition of type: the specimen covered with debris, left middle tarsus slightly damaged. Type no. ZSM-Hym-00809.

Valid name: *Cratichneumon vulpecula* (Kriechbaumer, 1875)

hemimelas (*Setantops*)

Setantops hemimelas Heinrich, 1968e: 1068–1069.
Holotype ♂, Tanzania, Tanganyika, W. Usambara Mts., 2100 m, 21.III.1962. Condition of type: perfect. Type no. ZSM-Hym-00574.

Valid name: *Setantops hemimelas* Heinrich, 1968

hibericus (*Baranisobas*)

Baranisobas hibericus Heinrich, 1972b: 94–95. Holotype ♂, Portugal, Douro-Rasende, 17.VII.1953. Condition of type: apex of right antenna missing, right hind leg partly missing. Type no. ZSM-Hym-00804.

Valid name: *Baranisobas hibericus* Heinrich, 1972

hiemans (*Eutanyacra*)

Eutanyacra hiemans Heinrich, 1961d: 436–437. Holotype ♀, U.S.A., Maine, Dryden, hibernating, Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00188.

Valid name: *Eutanyacra hiemans* Heinrich, 1961

hildegardae (*Tosquinetia*)

Tosquinetia hildegardae Heinrich, 1967c: 338–339.
Holotype ♀, Tanzania, Tanganyika, Mt. Meru, 1800 m, 15.II.63. Condition of type: apices of forewings slightly damaged. Type no. ZSM-Hym-00290.

Valid name: *Compsophorus hildegardae* (Heinrich, 1967)

hildegardae (*Thyridoplates*)

Thyridoplates hildegardae Heinrich, 1968d: 783–784, figs. 189, 190. Holotype ♀, Tanzania, Tanganyika, Chimala, ca. 70 km E. of Mbeya, 1400 m. Condition of type: perfect. Type no. ZSM-Hym-00484.

Valid name: *Thyridoplates hildegardae* Heinrich, 1968

hiltoni (*Ichneumon*)

Ichneumon hiltoni Heinrich, 1969b: 952–954. Holotype ♀, U.S.A., Maine, Mt. Blue, 8.VII.1968. Condition

of type: left middle leg partly missing. Type no. ZSM-Hym-00727.

Valid name: *Ichneumon hiltoni* Heinrich, 1969

hinzi (Platylabops)

Platylabops hinzi Heinrich, 1950a: 5–6. Holotype ♀, Ukraine, Dnjepropetrowsk, 31.8.43, R. Hinz. Condition of type: left middle tarsus and hind tarsus partly missing, right middle leg missing, apex of right forewing damaged. Type no. ZSM-Hym-00815.

Valid name: *Platylabops hinzi* Heinrich, 1950

hoerhammeri (Exephanes)

Exephanes hoerhammeri Heinrich, 1949b: 101–102. Holotype ♀, Germany, Haag a.d. Amper (Kreis Freising), Oberbayern, April 48. Condition of type: wing apices slightly damaged. Type no. ZSM-Hym-00821.

Valid name: *Exephanes riesei* (Habermehl, 1916)

holerythros (Epijoppa)

Epijoppa holerythros Heinrich, 1967c: 367–369. Holotype ♀, South Africa, East London, 27.VII.1961. Condition of type: perfect. Type no. ZSM-Hym-00320.

Valid name: *Compsophorus holerythros* (Heinrich, 1967)

holerythrus (Oxyjoppa)

Oxyjoppa holerythrus Heinrich, 1968e: 1228–1229. Holotype ♀, Guinea, Kankan, Condition of type: left middle and hind legs missing. Type no. ZSM-Hym-00280.

Valid name: *Compsophorus holerythrus* (Heinrich, 1968)

holerytreus (Afrectopius)

Afrctopius holerytreus Heinrich, 1967c: 469–470. Holotype ♂, South Africa, East London, 27. VII.1961. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00312.

Valid name: *Afrctopius holerytreus* Heinrich, 1967

holomelas (Ctenichneumon)

Ctenichneumon holomelas Heinrich, 1961d: 460–461. Holotype ♀, U.S.A., Manitoba, Cedar Lake, July, 1936. Condition of type: perfect. Type no. ZSM-Hym-00187.

Valid name: *Ctenichneumon holomelas* Heinrich, 1961

homorus (Ichneumon)

Ichneumon homorus Heinrich, 1961c: 322–323, fig. 52. Holotype ♀, Canada, Quebec, Poltimore, 4. XI.1956, hibernating, G.H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00736.

Valid name: *Ichneumon homorus* Heinrich, 1961

honestus milleri (Melanichneumon)

Melanichneumon honestus milleri Heinrich, 1972a: 205–207. Holotype ♀, U.S.A., Highlands Hammock, Highlands Co., Florida, 15–28.X.1969. Condition of type: perfect. Type no. ZSM-Hym-00234.

Valid name: *Melanichneumon honestus milleri* Heinrich, 1972

horani (Cratichneumon)

Cratichneumon horani Heinrich, 1972a: 180–181. Holotype ♀, U.S.A., Water Valley, Yalobusha Co., Mississ., 6.–20.X.1970. Michael Horan collected. Condition of type: perfect. Type no. ZSM-Hym-00410.

Valid name: *Cratichneumon horani* Heinrich, 1972

hostilis jugorum (Anisobas)

Anisobas hostilis jugorum Heinrich, 1949a: 53. Lectotype ♂, designated by Horstmann (2006), Germany, Berchtesgaden, Jenner-Torrener Joch, 1800 m, 25.VII.47. Condition of type: apex of left antenna missing, right hind leg partly missing. Type no. ZSM-Hym-00796.

Valid name: *Anisobas jugorum* Heinrich, 1949

hyperetus (Platylabus)

Platylabus hyperetus Heinrich, 1962b: 707–709. Holotype ♀, U.S.A., Maine, New Portland, 21.VIII.1958. Condition of type: perfect. Type no. ZSM-Hym-00424.

Valid name: *Platylabus hyperetus* Heinrich, 1962

idonea angolica (Ceratojoppa)

Ceratojoppa idonea angolica Heinrich, 1967b: 206–207. Holotype ♀, Angola, Cacolo, 1300 m, 23.Dec. 1957–27.Jan.1958. Condition of type: perfect. Type no. ZSM-Hym-00268.

Valid name: *Ceratojoppa idonea angolica* Heinrich, 1967

ileantapes (Xenojoppa)

Xenojoppa ileantapes Heinrich, 1975a: 491. Holotype ♀, Myanmar (Burma), Mt. Victoria, 1000 m, III.38, leg. G. Heinrich. Condition of type: right hind tarsus partly missing. Type no. ZSM-Hym-00673.

Valid name: *Compsophorus ileantapes* (Heinrich, 1975)

ilemae (Rhadinodonta)

Rhadinodonta ilemae Heinrich, 1968d: 825–826, figs 197, 203, 204, 205. Holotype ♀, South Africa, Fort Beaufort, Cape Province, 6.3.47, ex *Ilema punctifascia*. Condition of type: right antenna missing. Type no. ZSM-Hym-00493.

Valid name: *Rhadinodonta bella ilemae* Heinrich, 1968

***imbutops* (*Cylindrophanes*)**

Cylindrophanes imbutops Heinrich, 1968e: 985–986.
 Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., 2100 m, 14.–24.III.1962. Condition of type: perfect. Type no. ZSM-Hym-00535.

Valid name: *Afromevesia imbutops* (Heinrich, 1968)

***imbutus* (*Cylindrophanes*)**

Cylindrophanes imbutus Heinrich, 1968e: 984–985.
 Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., 2100 m, 14.–21.III.1962. Condition of type: right hind tarsus partly missing. Type no. ZSM-Hym-00534.

Valid name: *Afromevesia imbuta* (Heinrich, 1968)

***imitans* (*Platylabus*)**

Platylabus imitans Heinrich, 1962b: 725–726. Holotype ♀, U.S.A., Maine, Mt. Blue, 31.VII.1960. Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00429.

Valid name: *Platylabus imitans* Heinrich, 1962

***imitans* (*Setantops*)**

Setantops imitans Heinrich, 1968e: 1073–1074. Holotype ♀, Tanzania, Tanganyika, Mt. Meru, 1800 m, 15.VI.1962. Condition of type: perfect. Type no. ZSM-Hym-00578.

Valid name: *Setantops imitans* Heinrich, 1968

***immaculaticeps* (*Crytea*)**

Crytea immaculaticeps Heinrich, 1968d: 922–923.
 Holotype ♀, South Africa, Pietermaritzburg, 10.–16.II.63. Condition of type: perfect. Type no. ZSM-Hym-00520.

Valid name: *Crytea immaculaticeps* Heinrich, 1968

***impictus* (*Setantops*)**

Setantops impictus Heinrich, 1968e: 1070–1071. Holotype ♀, Tanzania, Tanganyika, Mt. Meru, 1800 m, 22.VII.1962. Condition of type: left middle and hind legs missing. Type no. ZSM-Hym-00575.

Valid name: *Setantops impictus* Heinrich, 1968

***impostor* (*Microlongichneumon*)**

Microlongichneumon impostor Heinrich, 1968e: 1012–1013. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1500–1600 m, 14.XII.61. Condition of type: left middle tarsus missing. Type no. ZSM-Hym-00549.

Valid name: *Microlongichneumon impostor* Heinrich, 1968

***indecoratus* (*Melanichneumon*)**

Melanichneumon indecoratus Heinrich, 1962a: 589–591.
 Holotype ♀, Canada, Ontario, Cobalt, 12.VII.1956.
 Gerd H. Heinrich. Condition of type: perfect.
 Type no. ZSM-Hym-00218.

Valid name: *Melanichneumon indecoratus* Heinrich, 1962

***indica* (*Losgna*)**

Losgna indica Heinrich, 1965b: 146–147. Holotype ♀, Myanmar (Burma), Maymyo, 800 m, XII.37.
 Condition of type: apex of right antenna missing.
 Type no. ZSM-Hym-00663.

Valid name: *Losgna indica* Heinrich, 1965

***indistinctum* (*Foveosculum*)**

Foveosculum indistinctum Heinrich, 1967d: 587–588.
 Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1500–1800 m, 4.XII.61. Condition of type: perfect. Type no. ZSM-Hym-00355.

Valid name: *Foveosculum indistinctum* Heinrich, 1967

***indosessor* (*Ichneumon*)**

Ichneumon indosessor Heinrich, 1965a: 90. Holotype ♀, Myanmar (Burma), Kambaiti, 2000 m, [1937 or 1938]. Condition of type: left hind tarsus partly missing. Type no. ZSM-Hym-00646.

Valid name: *Ichneumon indosessor* Heinrich, 1965

***inferior* (*Foveosculum*)**

Foveosculum inferior Heinrich, 1967d: 592–594. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., near Morogoro, 700 m, 5.I.1962. Condition of type: perfect. Type no. ZSM-Hym-00358.

Valid name: *Foveosculum inferior* Heinrich, 1967

***inferior* (*Naenarides*)**

Naenarides inferior Heinrich, 1966: 127–129. Holotype ♀, Myanmar (Burma), Mt. Victoria, Chinhills, 1400 m, III. u. IV. 1938, leg. G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00640.

Valid name: *Naenarides inferior* Heinrich, 1966

***infulata* (*Hemibystra*)**

Hemibystra infulata Heinrich, 1968e: 1176–1177. Holotype ♀, Angola, Roca Canzele, 30 km N of Quiculongo, III.54. Condition of type: apices of forewings damaged. Type no. ZSM-Hym-00612.

Valid name: *Hemibystra infulata* Heinrich, 1968

***infuscatus* (*Afrectopius*)**

Afrectopius infuscatus Heinrich, 1967c: 416–417. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1500–1800 m, 5.XII. Condition of type: perfect. Type no. ZSM-Hym-00307.

Valid name: *Afrectopius infuscatus* Heinrich, 1967

***ingae* (*Ichneumon*)**

Ichneumon ingae Heinrich, 1980c: 25. Holotype ♀, Italy, Südtirol, Kurtatsch, Oferfennberg, 1300 m, 1.6.1976, E. Diller. Condition of type: perfect.
 Type no. ZSM-Hym-00838.

Valid name: *Ichneumon ingae* Heinrich, 1980

inopinatus (*Vulgichneumon*)

Vulgichneumon inopinatus Heinrich, 1978b: 164. Holotype ♀, U.S.A., Maine, Dryden, 15–21.VIII.1977. Condition of type: perfect. Type no. ZSM-Hym-00225.

Valid name: *Vulgichneumon inopinatus* Heinrich, 1978

inopinus (*Diphyus*)

Diphyus inopinus Heinrich, 1972b: 86–89. Holotype, Germany, Berchtesgaden, Jennermassiv, 1200 m, Mai 1947. Condition of type: perfect. Type no. ZSM-Hym-00812.

Valid name: *Diphyus inopinus* Heinrich, 1972

inscopatus (*Cylindrophanes*)

Cylindrophanes inscopatus Heinrich, 1968e: 982. Holotype ♀, Tanzania, S.W. Tanganyika, Mbeya, 16.XII.62. Condition of type: perfect. Type no. ZSM-Hym-00532.

Valid name: *Afromevesia inscopata* (Heinrich, 1968)

instriata (*Tosquineta*)

Tosquineta instriata Heinrich, 1967c: 339–340. Holotype ♀, Angola, Quitundo, distr. Calulo, 11. VIII.–2.IX.1957. Condition of type: perfect. Type no. ZSM-Hym-00292.

Valid name: *Compsophorus instriatus* (Heinrich, 1967)

insulindicus javanicus (*Platylabus*)

Platylabus insulindicus javanicus Heinrich, 1934a: 244–245. Holotype ♀, Indonesia (Java), Gedeh, Tjibodas, 1400 m, 29.VII.30, M.A. Lieftinck. Condition of type: right fore- and hind legs missing. Type no. ZSM-Hym-00667.

Valid name: *Cratolabus insulindicus javanicus* (Heinrich, 1934)

interstinctus (*Pseudamblyteles*)

Pseudamblyteles interstinctus Heinrich, 1961d: 410–411. Holotype ♀, U.S.A., Maine, Dryden, hibernating, Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00207.

Valid name: *Diphyus interstinctus* (Heinrich, 1961)

iowae (*Melanichneumon*)

Melanichneumon iowae Heinrich, 1978b: 165–166. Holotype ♂, U.S.A., Iowa, Earlville, 22.VI.1977, R. Robinson. Condition of type: perfect. Type no. ZSM-Hym-00868.

Valid name: *Melanichneumon iowae* Heinrich, 1978

iowensis (*Barichneumon*)

Barichneumon iowensis Heinrich, 1978b: 166–167. Holotype ♀, U.S.A., Iowa, Earlville, 10.VII.1977, R. Robinson. Condition of type: perfect. Type no. ZSM-Hym-00366.

Valid name: *Barichneumon iowensis* Heinrich, 1978

jacoti (*Afromelanichneumon*)

Afromelanichneumon jacoti Heinrich, 1967d: 531–532. Holotype ♀, South Africa, Mamathes, Basutoland, on Calpurnia intrusa, X.1942. Condition of type: perfect. Type no. ZSM-Hym-00339.

Valid name: *Afromelanichneumon jacoti* Heinrich, 1967

jacoti (*Neotypus*)

Neotypus jacoti Heinrich, 1967c: 277–278, fig. 73. Holotype ♀, South Africa, Mamathes, Basutoland, 25.XII.1946, leg. C. Jacot-Guillarmod. Condition of type: perfect. Type no. ZSM-Hym-00277.

Valid name: *Neotypus jacoti* Heinrich, 1967

javae (*Listrodromus*)

Listrodromus javae Heinrich, 1975a: 459. Holotype ♂, Indonesia (Java), Palabuan Ratu, 30.V.1932. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00660.

Valid name: *Listrodromus javae* Heinrich, 1975

jugicola (*Ichneumon*)

Ichneumon jugicola Heinrich, 1949a: 25. Holotype ♀, Germany, Berchtesgaden, Jenner, 1800 m, 26.7. [1947]. Condition of type: left middle leg missing. Type no. ZSM-Hym-00849.

Valid name: *Ichneumon jugicola* Heinrich, 1949

kadzikistanus (*Ichneumon*)

Ichneumon kadzikistanus Heinrich, 1980c: 20–21. Holotype ♀, Tajikistan, Nissar Kamm, 1700 m, 24.V.1974, Rataj. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00850.

Valid name: *Ichneumon kadzikistanus* Heinrich, 1980

kenyae (*Leptotogea*)

Leptotogea kenyae Heinrich, 1968d: 753–754. Holotype ♀, Kenya, Nanyuki, 4.VI.32, leg. A. Seyrig. Condition of type: apex of right antenna, right fore- and hind tarsa missing. Type no. ZSM-Hym-00474.

Valid name: *Leptotogea kenyae* Heinrich, 1968

klapperichi (*Coelichneumon*)

Coelichneumon klapperichi Heinrich, 1957: 22–23. Holotype ♀, Afghanistan, Sarekanda, Badakshan, 4100 m, J. Klapperich. Condition of type: apices of forewings slightly damaged. Type no. ZSM-Hym-00638.

Valid name: *Coelichneumon klapperichi* Heinrich, 1957

kosempensis schanensis (*Coelichneumon*)

Coelichneumon kosempensis schanensis Heinrich, 1966: 228. Holotype ♀, Myanmar (Burma), Hpungan, März [1937 or 1938]. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00639.

Valid name: *Coelichneumon kosempensis schanensis* Heinrich, 1966

lacunae (*Ichneumon*)

Ichneumon lacunae Heinrich, 1969b: 948–950. Holotype ♀, U.S.A., Maine, Dryden, hibernating. Condition of type: perfect. Type no. ZSM-Hym-00172.

Valid name: *Ichneumon lacunae* Heinrich, 1969

lamellata klapperichi (*Aglaeojoppa*)

Aglaeojoppa lamellata klapperichi Heinrich, 1967a: 19. Holotype ♂, Afghanistan, Schira, Hochsteppe, Badakschan, 2900 m, 11.7.53, J. Klapperich. Condition of type: perfect. Type no. ZSM-Hym-00631.

Valid name: *Aglaeojoppa lamellata klapperichi* Heinrich, 1967

lamelligenus (*Thaumatoplites*)

Thaumatoplites lamelligenus Heinrich, 1968d: 777–778, fig. 191. Holotype ♀, Angola, Roca Canzele, 30 km N of Quiculongo, März 1954. Condition of type: apex of right antenna missing, wings apically slightly damaged. Type no. ZSM-Hym-00483.

Valid name: *Thaumatoplites lamelligenus* Heinrich, 1968

lateromacula (*Leptotogea*)

Leptotogea lateromacula Heinrich, 1968d: 756–758. Holotype ♀, Angola, Roca Canzele, 30 km N of Quiculongo, Sept./Okt. 1957. Condition of type: perfect. Type no. ZSM-Hym-00477.

Valid name: *Leptotogea lateromacula* Heinrich, 1968

laticoelus (*Stenaoplus*)

Stenaoplus laticoelus Heinrich, 1968e: 1127–1129. Holotype ♀, Tanzania, Tanganyika, E. Usambara Mts., Amani. 10.4.62. Condition of type: right middle leg missing. Type no. ZSM-Hym-00594.

Valid name: *Stenaoplus laticoelus* Heinrich, 1968

laticoelus carumbae (*Stenaoplus*)

Stenaoplus laticoelus carumbae Heinrich, 1968e: 1129. Holotype ♀, Angola, Lake Carumbo (Lunda). March 19.–29. 1958. Condition of type: apex of left antenna, hind tarsi partly missing. Type no. ZSM-Hym-00595.

Valid name: *Stenaoplus laticoelus carumbae* Heinrich, 1968

leucocoaxalis (*Ichneumon*)

Ichneumon leucocoaxalis Heinrich, 1961c: 266–267. Holotype ♂, U.S.A., Maine, Dryden, G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00180.

Valid name: *Ichneumon leucocoaxalis* Heinrich, 1961

leucographus (*Coelichneumon*)

Coelichneumon leucographus Heinrich, 1961a: 39. Holotype ♀, U.S.A., Maine, Dryden, 6.IX.1951. Condition of type: perfect. Type no. ZSM-Hym-00699.

Valid name: *Coelichneumon leucographus* Heinrich, 1961

leucopus (*Seyrigiopholites*)

Seyrigiopholites leucopus Heinrich, 1968d: 771–773. Holotype ♀, Angola, Roca Canzele, 30 km N of Quiculongo, 10.III.1957. Condition of type: perfect. Type no. ZSM-Hym-00480.

Valid name: *Seyrigiopholites leucopus* Heinrich, 1968

leucoscuta (*Procerochasmias*)

Procerochasmias leucoscuta Heinrich, 1967d: 548–549. Holotype ♀, Tanzania, Tanganyika, Western Usambara Mts., 1600 m, 5.II.1962. Condition of type: perfect. Type no. ZSM-Hym-00342.

Valid name: *Procerochasmias leucoscuta* Heinrich, 1967

leucoscuta ulugurorum (*Procerochasmias*)

Procerochasmias leucoscuta ulugurorum Heinrich, 1967d: 549–550. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1500–1800 m, 6.XII.1961. Condition of type: perfect. Type no. ZSM-Hym-00343.

Valid name: *Procerochasmias leucoscuta ulugurorum* Heinrich, 1967

linycops (*Cyclolabus*)

Cyclolabus linycops Heinrich, 1975b: 778–779. Holotype ♂, Canada, Newfoundland, Portland Creek, 3–8–1973. Condition of type: perfect. Type no. ZSM-Hym-00438.

Valid name: *Cyclolabus linycops* Heinrich, 1975

lisae (*Coelichneumon*)

Coelichneumon lisae Heinrich, 1977: 46–48, Map 17. Holotype ♀, U.S.A., Arkansas, Garland Co., Ouachita State Park, 22-V-1972, G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00708.

Valid name: *Coelichneumon lisae* Heinrich, 1977

lissogena (*Crytea*)

Crytea lissogena Heinrich, 1968d: 898–899. Holotype ♀, Tanzania, Tanganyika, Chimala, ca. 70 km E. of Mbeya, 1400 m, 18.I.63. Condition of type: right antenna missing. Type no. ZSM-Hym-00515.

Valid name: *Crytea lissogena* Heinrich, 1968

lissorufus radtkei (*Melanichneumon*)

Melanichneumon lissorufus radtkei Heinrich, 1975b: 768–769. Holotype ♀, Canada, Newfoundland, South Branch, 15–7–1974. Condition of type: perfect. Type no. ZSM-Hym-00214.

Valid name: *Melanichneumon lissorufus radtkei* Heinrich, 1975

lissospeculum (Microlongichneumon)

Microlongichneumon lissospeculum Heinrich, 1968e: 1013–1014. Holotype ♀, Angola, Roca Canzele, 30 km N of Quiculungo, Condition of type: perfect. Type no. ZSM-Hym-00550.

Valid name: *Microlongichneumon lissospeculum* Heinrich, 1968

lobatus (Cyclolabus)

Cyclolabus lobatus Heinrich, 1962b: 760–761. Holotype ♀, U.S.A., Maine, Mt. Blue, 18.VI.1960, Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00437.

Valid name: *Cyclolabus lobatus* Heinrich, 1962

longigena (Afrolongichneumon)

Afrolongichneumon longigena Heinrich, 1968e: 1026–1027. Holotype ♀, Tanzania, S.W. Tanganyika, Mbeya, 17.XI.62. Condition of type: left hind tarsus partly missing. Type no. ZSM-Hym-00556.

Valid name: *Afrolongichneumon longigena* Heinrich, 1968

louisianae (Cratichneumon)

Cratichneumon louisianae Heinrich, 1977: 154–156, Map 69. Holotype ♀, U.S.A., Louisiana, Avoyelles Co., Eola, 26-III-1972, D. Shaneck. Condition of type: perfect. Type no. ZSM-Hym-00404.

Valid name: *Cratichneumon louisianae* Heinrich, 1977

lucida ufiliae (Liojoppa)

Liojoppa lucida ufiliae Heinrich, 1967b: 144–145. Holotype ♀, Tanzania, Tanganyika, Ufipa Plateau, Mbesi Forest, 2500 m, Dec.1962. Condition of type: perfect. Type no. ZSM-Hym-00256.

Valid name: *Liojoppa lucida ufiliae* Heinrich, 1967

lucida ulugurorum (Liojoppa)

Liojoppa lucida ulugurorum Heinrich, 1967b: 144. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1500 m, 4.XII.1961. Condition of type: perfect. Type no. ZSM-Hym-00255.

Valid name: *Liojoppa lucida ulugurorum* Heinrich, 1967

lugubris albescens (Dentilabus)

Dentilabus lugubris albescens Heinrich, 1974b: 151–153. Holotype ♀, Myanmar (Burma), Kambaiti, 7000 ft, 14/3, R. Malaise. Condition of type: apex of right antenna, right hind tarsus missing. Type no. ZSM-Hym-00669.

Valid name: *Dentilabus lugubris albescens* Heinrich, 1974

lundae (Tosquinetia)

Tosquinetia lundae Heinrich, 1967c: 335–336. Holotype ♀, Angola, Cammissombo (Lunda), 4–13.II.1952. Condition of type: perfect. Type no. ZSM-Hym-00289.

Valid name: *Compsophorus lundae* (Heinrich, 1967)

maculapex (Procerochasmias)

Procerochasmias maculapex Heinrich, 1967d: 550–551. Holotype ♀, Tanzania, S.W. Tanganyika, Mbeya, 18.XI.1962. Condition of type: perfect. Type no. ZSM-Hym-00344.

Valid name: *Procerochasmias maculapex* Heinrich, 1967

maculicoxalis (Hemibystra)

Hemibystra maculicoxalis Heinrich, 1968e: 1171–1173. Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., Lushoto, 1600 m, 1.III.1962. Condition of type: left hind tarsus partly missing. Type no. ZSM-Hym-00610.

Valid name: *Hemibystra maculicoxalis* Heinrich, 1968

magnificus (Apatetorops)

Apatetorops magnificus Heinrich, 1967b: 81–83, fig. 13. Holotype ♀, Tanzania, Northern Tanganyika, Western Usambara, 1700 m, 19.II.1962. Condition of type: perfect. Type no. ZSM-Hym-00240.

Valid name: *Protoleptops magnificus* (Heinrich, 1967)

magnum (Foveosculum)

Foveosculum magnum Heinrich, 1967d: 589–591. Holotype ♀, Angola, Roca Canzele, 30 km N of Quiculungo, 25.III.55. Condition of type: perfect. Type no. ZSM-Hym-00356.

Valid name: *Foveosculum magnum* Heinrich, 1967

magus nearcticus (Homotherus)

Homotherus magus nearcticus Heinrich, 1975b: 766. Holotype ♀, Canada, Newfoundland, South Branch, 23-8-1973. Condition of type: perfect. Type no. ZSM-Hym-00383.

Valid name: *Homotherus magus* (Wesmael, 1855)

mainensis (Ichneumon)

Ichneumon mainensis Heinrich, 1962c: 880–881. Holotype ♀, U.S.A., Maine, Dryden, 25.VI.1961, Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00173.

Valid name: *Ichneumon mainensis* Heinrich, 1962

major (Setantops)

Setantops major Heinrich, 1968e: 1062–1063. Holotype ♀, Tanzania, Tanganyika, Mt. Meru, 1800 m, 30.VI.1962. Condition of type: perfect. Type no. ZSM-Hym-00570.

Valid name: *Setantops major* Heinrich, 1968

malaisei (Eupalamus)

Eupalamus malaisei Heinrich, 1980a: 126–127. Holotype ♀, Myanmar (Burma), Kambaiti, 2000 m, 14.V.1934. Condition of type: right middle tarsus partly missing. Type no. ZSM-Hym-00681.

Valid name: *Eupalamus malaisei* Heinrich, 1980

malaisei (Ichneumon)

Ichneumon malaisei Heinrich, 1965a: 85. Holotype ♀, Myanmar (Burma), Kambaiti, 2000 m, [1937 or 1938]. Condition of type: left hind wing damaged. Type no. ZSM-Hym-00649.

Valid name: *Ichneumon malaisei* Heinrich, 1965

malaisei (Togeella)

Togeella malaisei Heinrich, 1980a: 157–158. Holotype ♂, Myanmar (Burma), Kambaiti, 2000 m. Condition of type: left hind tarsus partly missing. Type no. ZSM-Hym-00685.

Valid name: *Togeella malaisei* Heinrich, 1980

malayana (Habrojoppa)

Habrojoppa malayana Heinrich, 1975b: 474–475. Holotype ♀, Indonesia (Java), Sukabumi. Condition of type: perfect. Type no. ZSM-Hym-00670.

Valid name: *Compsophorus malayanus* (Heinrich, 1975)

manyarae (Epijoppa)

Epijoppa manyarae Heinrich, 1967c: 356–358, figs 98, 99, 101. Holotype ♀, Tanzania, Tanganyika, W. of Lake Manyara, 1200 m, 6.VIII.1962. Condition of type: right middle leg missing. Type no. ZSM-Hym-00315.

Valid name: *Compsophorus apicalis manyarae* (Heinrich, 1967)

margaritae (Melanichneumon)

Melanichneumon margaritae Heinrich, 1973b: 464–465. Holotype ♀, U.S.A., Natchez Trail State Park, Henderson Co., Tennessee, 22–26-VI-1972. Condition of type: perfect. Type no. ZSM-Hym-00232.

Valid name: *Melanichneumon margaritae* Heinrich, 1973

mariannae (Limerodops)

Limerodops mariannae Heinrich, 1961d: 383–385, figs 44, 47. Holotype ♀, U.S.A., Maine, Dryden, 15.VIII.1955, Marianne Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00222.

Valid name: *Limerodops mariannae* Heinrich, 1961

maritimensis (Coelichneumon)

Coelichneumon maritimensis Heinrich, 1980c: 11. Holotype ♀, Russia, Maritime Prov., Russky I., Aiax Bay, 15.VII.74, W. Zherichin. Condition of type: apex of right antenna and hind leg missing. Type no. ZSM-Hym-00786.

Valid name: *Coelichneumon maritimensis* Heinrich, 1980

marlisae (Clitiga)

Clitiga marlisae Heinrich, 1965b: 166–167. Holotype ♀, Myanmar (Burma), Mt. Victoria, 1400 m, [1937 or 1938]. Condition of type: right foreleg missing. Type no. ZSM-Hym-00675.

Valid name: *Clitiga marlisae* Heinrich, 1965

maroccanus (Anisobas)

Anisobas maroccanus Heinrich, 1980b: 236–237. Holotype ♀, Morocco, Imlif Alto Atlante, Afr., 1600 m, 14.VII.1976, Dr Clanasso. Condition of type: apices of both antennae and left hind leg missing, apex of left forewing damaged. Type no. ZSM-Hym-00795.

Notes: On label: leg. Dr. Gianasso.

Valid name: *Anisobas hostilis* (Gravenhorst, 1820)

mbeyana (Crytea)

Crytea mbeyana Heinrich, 1968d: 883–884. Holotype ♀, Tanzania, S.W. Tanganyika, Mbeya, 17.XII.62. Condition of type: left hind tarsus missing. Type no. ZSM-Hym-00510.

Valid name: *Crytea mbeyana* Heinrich, 1968

mbeyana (Pseudischnojoppa)

Pseudischnojoppa mbeyana Heinrich, 1967b: 229–230, figs 50, 51, 52. Holotype ♀, Tanzania, S.W. Tanganyika, Mbeya, 20.XI.1962. Condition of type: perfect. Type no. ZSM-Hym-00271.

Valid name: *Pseudischnojoppa mbeyana* Heinrich, 1967

megamelas (Ctenichneumonops)

Ctenichneumonops megamelas Heinrich, 1967d: 664–665. Holotype ♂, Tanzania, Tanganyika, W. Usambara Mts., 2100 m, 20.III.1962. Condition of type: right foreleg and hind tarsus missing. Type no. ZSM-Hym-00461.

Valid name: *Ctenichneumonops megamelas* Heinrich, 1967

megapodus (Ichneumon)

Ichneumon megapodus Heinrich, 1949a: 27–28. Holotype ♀, Germany, Berchtesgaden, Priesbergalm, 1400 m, 26.5.[1947]. Condition of type: apex of right forewing slightly damaged. Type no. ZSM-Hym-00824.

Valid name: *Ichneumon megapodus* Heinrich, 1949

melanicisticus (Leptophatnus)

Leptophatnus melanicisticus Heinrich, 1967b: 111–112. Holotype ♀, Angola, Cacolo, 1300 m, 23.Dec. 1957–27.Jan.58. Condition of type: perfect. Type no. ZSM-Hym-00249.

Valid name: *Leptophatnus melanicisticus* Heinrich, 1967

melanisticus (Afrectopius)

Afrectopius melanisticus Heinrich, 1967c: 417–418.

Holotype ♂, Tanzania, Tanganyika, W. Usambara Mts., 2100 m, 12.III.1962. Condition of type: perfect. Type no. ZSM-Hym-00308.

Valid name: *Afrectopius melanisticus* Heinrich, 1967

melanisticus (Aoplus)

Aoplus melanisticus Heinrich, 1962a: 547–548. Holotype ♀, Canada, Ontario, Upsala, 22.VI.1956,

Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00719.

Valid name: *Aoplus melanisticus* Heinrich, 1962

melanocephalus (Stenobarichneumon)

Stenobarichneumon melanocephalus Heinrich, 1975b:

770–771. Holotype ♂, Canada, Newfoundland, Portland Cr., 7–8–1973. Condition of type: perfect. Type no. ZSM-Hym-00390.

Valid name: *Stenobarichneumon melanocephalus* Heinrich, 1975

melanoloba (Denticrytea)

Denticrytea melanoloba Heinrich, 1968d: 815–816.

Holotype ♀, Angola, Roca Canzele, 30 km N of Quiculungo, 15.IV.55. (Apices of flagella missing). Condition of type: apices of antennae missing. Type no. ZSM-Hym-00491.

Valid name: *Denticrytea melanoloba* Heinrich, 1968

melanopterops (Leptotogea)

Leptotogea melanopterops Heinrich, 1968d: 741–743.

Holotype ♀, South Africa, Pietermaritzburg, 10.–16.II.63. Condition of type: perfect. Type no. ZSM-Hym-00470.

Valid name: *Leptotogea melanopterops* Heinrich, 1968

melanopygus (Afrectopius)

Afrectopius melanopygus Heinrich, 1967c: 407–408.

Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., 2100 m, 14.–24.III.1962. Condition of type: perfect. Type no. ZSM-Hym-00299.

Valid name: *Afrectopius melanopygus* Heinrich, 1967

melanotarsis (Eutanyacra)

Eutanyacra melanotarsis Heinrich, 1972a: 176–177.

Holotype ♀, U.S.A., College Forest, Natchitoches Co., Louisiana, 17.VI.1971. Condition of type: perfect. Type no. ZSM-Hym-00194.

Valid name: *Eutanyacra melanotarsis* Heinrich, 1972

melli (Togeella)

Togeella melli Heinrich, 1980a: 157. Holotype ♀,

China, Kuang-Tung, 28.V, leg. Mell. Condition of type: apices of antennae missing, right middle and both hind tarsi partly missing. Type no. ZSM-Hym-00684.

Valid name: *Togeella melli* Heinrich, 1980

mercatorius cretae (Diphyus)

Diphyus mercatorius cretae Heinrich, 1978a: 50–51.

Holotype ♀, Greece, Crete, Phaistos, 4–7.IV.1961, R. Benden. Condition of type: right foreleg missing, left hind tarsus partly missing. Type no. ZSM-Hym-00813.

Valid name: *Diphyus mercatorius cretae* Heinrich, 1978

mercatorius ponticus (Diphyus)

Diphyus mercatorius ponticus Heinrich, 1978a: 50–51.

Holotype ♀, Turkey, Kulp Condition of type: left hind tarsus partly missing. Type no. ZSM-Hym-00814.

Valid name: *Diphyus mercatorius ponticus* Heinrich, 1978

meridionalis (Afrobystra)

Afrobystra meridionalis Heinrich, 1968e: 1157–1158,

fig. 230. Holotype ♀, South Africa, Grahamstown, 28.II.–14.III.1963. Condition of type: perfect. Type no. ZSM-Hym-00606.

Valid name: *Afrobystra meridionalis* Heinrich, 1968

merucapitis (Nimboleira)

Nimboleira merucapitis Heinrich, 1968d: 934. Holotype ♀, Tanzania, Tanganyika, Mt. Meru, 2700 m,

10.–17.VII.1962. Condition of type: perfect. Type no. ZSM-Hym-00525.

Valid name: *Cratichneumon merucapitis* (Heinrich, 1968)

meruensis (Afrectopius)

Afrectopius meruensis Heinrich, 1967c: 406–407. Holotype ♀, Tanzania, Tanganyika, Mt. Meru,

1800 m, 30.VI.1962. Condition of type: perfect. Type no. ZSM-Hym-00298.

Valid name: *Afrectopius meruensis* Heinrich, 1967

meruensis (Diphyus)

Diphyus meruensis Heinrich, 1967d: 654–655. Holotype ♂, Tanzania, Tanganyika, Mt. Meru, 1800 m,

20.VI.1962. Condition of type: perfect. Type no. ZSM-Hym-00457.

Valid name: *Diphyus meruensis* Heinrich, 1967

meruensis (Setantops)

Setantops meruensis Heinrich, 1968e: 1063–1064.

Holotype ♂, Tanzania, Tanganyika, Mt. Meru, 1800 m, 28.VI.1962. Condition of type: left hind tarsus partly missing. Type no. ZSM-Hym-00869.

Valid name: *Setantops meruensis* Heinrich, 1968

merumontis (Afromelanichneumon)

Afromelanichneumon merumontis Heinrich, 1967d:

527–529. Holotype ♀, Tanzania, Tanganyika, Mt. Meru, 2700 m, 10.–17.VII.1962. Condition of type: perfect. Type no. ZSM-Hym-00337.

Valid name: *Afromelanichneumon merumontis* Heinrich, 1967

merusilvae (*Cylindrophanes*)

Cylindrophanes merusilvae Heinrich, 1968e: 998–1000.
Holotype ♀, Tanzania, Tanganyika, Mt. Meru,
1800 m, 28.VI.1962. Condition of type: perfect.
Type no. ZSM-Hym-00542.

Valid name: *Afromevesia merusilvae* (Heinrich, 1968)

merusilvae mbeyae (*Cylindrophanes*)

Cylindrophanes merusilvae mbeyae Heinrich, 196e: 1000.
Holotype ♀, Tanzania, S.W. Tanganyika, Mbeya,
18.XII.62. Condition of type: perfect. Type no.
ZSM-Hym-00543.

Valid name: *Afromevesia merusilvae mbeyae* (Heinrich,
1968)

mesolineatus (*Stenaoplus*)

Stenaoplus mesolineatus Heinrich, 1968e: 1126–1127.
Holotype ♀, Tanzania, S. Tanganyika, Mdando
Forest, 30 km S of Njombe, 2400 m, 20.X.1962.
Condition of type: midtarsi missing. Type no.
ZSM-Hym-00593.

Valid name: *Stenaoplus mesolineatus* Heinrich, 1968

mesomelas (*Crytea*)

Crytea mesomelas Heinrich, 1968d: 882–883. Holotype
♀, South Africa, King Williamstown, Peeree
Forest, 6.III.63. Condition of type: perfect. Type
no. ZSM-Hym-00509.

Valid name: *Crytea mesomelas* Heinrich, 1968

mesomelas (*Lissolongichneumon*)

Lissolongichneumon mesomelas Heinrich, 1968e: 1038–
1039. Holotype ♀, Angola, Roca Canzele, 30 km
N of Quiculongo, III.54. Condition of type: per-
fect. Type no. ZSM-Hym-00561.

Valid name: *Lissolongichneumon mesomelas* Heinrich,
1968

michaelis (*Neolinycus*)

Neolinycus michaelis Heinrich, 1971: 1025–1026. Ho-
lotype ♀, U.S.A., Water Valley, Lafayette Co.,
Missis., 5–10–VIII-1970; leg. Michael Horan.
Condition of type: perfect. Type no. ZSM-
Hym-00443.

Valid name: *Neolinycus m. michaelis* Heinrich, 1971

michaelis arkansae (*Neolinycus*)

Neolinycus michaelis arkansae Heinrich, 1977: 282, Map
131. Holotype ♂, U.S.A., Arkansas, Garland Co.,
Ouchita State Park, 9–17–V-1972. Condition of
type: perfect. Type no. ZSM-Hym-00445.

Valid name: *Neolinycus michaelis arkansae* Heinrich,
1977

michaelis georgianus (*Neolinycus*)

Neolinycus michaelis georgianus Heinrich, 1972a: 210.
Holotype ♀, U.S.A., Forsyth, Monroe Co., Geor-
gia, 7.–28.VIII.1971; leg. F. Naumann. Condition
of type: perfect. Type no. ZSM-Hym-00444.

Valid name: *Neolinycus michaelis georgianus* Heinrich,
1971

micra (*Afrobystra*)

Afrobystra micra Heinrich, 1968e: 1154–1156. Holo-
type ♀, South Africa, Pietermaritzburg, 10.–16.
II.62. Condition of type: perfect. Type no. ZSM-
Hym-00604.

Valid name: *Afrobystra sinuata micra* Heinrich, 1968

micramoenus (*Pseudamblyteles*)

Pseudamblyteles micramoenus Heinrich, 1961d: 420–
421. Holotype ♀, U.S.A., Maine, Weld, 27.VI.1955.
Gerd H. Heinrich. Condition of type: perfect.
Type no. ZSM-Hym-00204.

Valid name: *Diphyus micramoenus* (Heinrich, 1961)

microferiens (*Ichneumon*)

Ichneumon microferiens Heinrich, 1961c: 323–324, fig.
12. Holotype ♀, Canada, Ontario, Upsala, 26.
VI.1956, G. H. Heinrich. Condition of type: per-
fect. Type no. ZSM-Hym-00733.

Valid name: *Ichneumon microferiens* Heinrich, 1961

militarius leucopus (*Stenichneumon*)

Stenichneumon militarius leucopus Heinrich, 1962a:
525–526, figs 4, 7, 10. Holotype ♀, U.S.A., Maine,
Dryden, 13.IX.1951, G. H. Heinrich. Condition of type:
perfect. Type no. ZSM-Hym-00713.

Valid name: *Stenichneumon militarius leucopus* Hein-
rich, 1962

minima (*Tosquinetia*)

Tosquinetia minima Heinrich, 1967c: 339–340. Holo-
type ♂, Tanzania, Tanganyika, Mt. Meru, 1800 m,
2.VII.1962. Condition of type: apex of left anten-
na missing. Type no. ZSM-Hym-00291.

Valid name: *Compsophorus minimus* (Heinrich, 1967)

minor (*Ctenichneumon*)

Ctenichneumon minor Heinrich, 1961d: 458–460. Ho-
lotype ♀, U.S.A., New York, Richfield Springs,
9.IX.1952, Gerd H. Heinrich. Condition of type:
perfect. Type no. ZSM-Hym-00184.

Valid name: *Ctenichneumon minor* Heinrich, 1961

minor (*Leptophatnus*)

Leptophatnus minor Heinrich, 1967b: 108–110, fig. 17.
Holotype ♀, Tanzania, S.W. Tanganyika, Mbea,
17.XII.62. Condition of type: perfect. Type no.
ZSM-Hym-00247.

Valid name: *Leptophatnus minor* Heinrich, 1967

minor (*Liojoppa*)

Liojoppa minor Heinrich, 1967b: 148–149. Holotype
♀, Angola, Quitondo, Distr. Caludo, 11.8.–2.9.
1957. Condition of type: perfect. Type no. ZSM-
Hym-00257.

Valid name: *Liojoppa minor* Heinrich, 1967

***minuta* (*Aeneonaenaria*)**

Aeneonaenaria minuta Heinrich, 1974a: 425–426. Holotype ♀, Myanmar (Burma), Kambaiti, 7000 ft, 28.IV.1935, R. Malaise. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00658.

Valid name: *Aeneonaenaria minuta* Heinrich, 1974

***miraculosa* (*Eutanyacra*)**

Eutanyacra miraculosa Heinrich, 1961d: 434–435. Holotype ♀, U.S.A., Maine, Dryden, 30.VII.1959. Condition of type: perfect. Type no. ZSM-Hym-00193.

Valid name: *Eutanyacra miraculosa* Heinrich, 1961

***mitchelli* (*Tricholabus*)**

Tricholabus mitchelli Heinrich, 1961d: 395–396. Holotype ♀, U.S.A., New Jersey, Oceanville, 1.VII.1950, R. T. Mitchell. Condition of type: perfect. Type no. ZSM-Hym-00223.

Valid name: *Tricholabus mitchelli* Heinrich, 1961

***mocoensis* (*Hemibystra*)**

Hemibystra mocoensis Heinrich, 1968e: 1180–1182. Holotype ♂, Angola, Mt. Moco, 2000 m, 1.X.54. Condition of type: hind tarsi partly missing. Type no. ZSM-Hym-00615.

Valid name: *Hemibystra mocoensis* Heinrich, 1968

***monomaculatus* (*Stenaoplus*)**

Stenaoplus monomaculatus Heinrich, 1968e: 1131–1132. Holotype ♀, Tanzania, S.W. Tanganyika, Mbeya, 20.XII.62. Condition of type: perfect. Type no. ZSM-Hym-00597.

Valid name: *Stenaoplus monomaculatus* Heinrich, 1968

***monotonus* (*Platylabus*)**

Platylabus monotonus Heinrich, 1962b: 741–742. Holotype ♀, U.S.A., Maine, Aroostook Co., Scraggly Lake, 13.IX.1959. Gerd H. Heinrich. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00433.

Valid name: *Platylabus monotonus* Heinrich, 1962

***monotonus* (*Monodontichneumon*)**

Monodontichneumon monotonus Heinrich, 1968e: 1096, figs 225, 226. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1500–1800 m. Condition of type: perfect. Type no. ZSM-Hym-00586.

Valid name: *Monodontichneumon monotonus* Heinrich, 1968

***montana* (*Obtusodonta*)**

Obtusodonta montana Heinrich, 1962c: 875–877. Holotype ♀, U.S.A., Maine, Mt. Blue, 11.VI.1960. G. H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00196.

Valid name: *Obtusodonta restricta* (Cresson, 1877)

***montanum* (*Foveosculum*)**

Foveosculum montanum Heinrich, 1967d: 571–573, figs 144, 145. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1500–1600 m, 17.XII.61. Condition of type: perfect. Type no. ZSM-Hym-00350.

Valid name: *Foveosculum montanum* Heinrich, 1967

***montanus* (*Leptops*)**

Leptops montanus Heinrich, 1968e: 1019–1020. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1500–1800 m, 28.XI.61. Condition of type: perfect. Type no. ZSM-Hym-00553.

Valid name: *Leptops montanus* Heinrich, 1968

***montanus* (*Rhyssolabus*)**

Rhyssolabus montanus Heinrich, 1951b: 278–279, fig. 6. Lectotype ♀, designated by Hilpert et al. (1993), Germany. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00800.

Notes: The original description does not give locality data, but Hilpert et al. (1993) designated a lectotype with the following label data: Stmk. [Steiermark] Kreuzkogel, Südhang, 1600 m, 9.6.50.

Valid name: *Platymischos atriventris* (Pic, 1914)

***montecapitis* (*Hybophorellus*)**

Hybophorellus montecapitis Heinrich, 1949a: 50–51. Holotype ♀, Germany, Berchtesgaden, Jenner-Massiv, 1700 m, 22.7.47. Condition of type: perfect. Type no. ZSM-Hym-00801.

Valid name: *Hybophorellus injucundus* *montecapitis* Heinrich, 1949

***montexephanes* (*Ichneumon*)**

Ichneumon montexephanes Heinrich, 1951b: 270. Holotype ♀, Austria, Steiermark, Nied. Tauern, Bösensteinmassiv, 2000 m, 20.7.50. Condition of type: right hind tarsus partly missing. Type no. ZSM-Hym-00843.

Valid name: *Ichneumon oblitteratus* Wesmael, 1855

***montexephanes* (*submontanicola*) (*Ichneumon*)**

Ichneumon montexephanes submontanicola Heinrich, 1951b: 271. Holotype ♀, Austria, Steiermark, Kaiserau bei Admont, 1200 m, 2.7.50. Condition of type: perfect. Type no. ZSM-Hym-00842.

Valid name: *Ichneumon berninae* (Habermehl, 1916)

***mudgei* (*Homotherus*)**

Homotherus mudgei Heinrich, 1978b: 163. Holotype ♀, U.S.A., Maine, Strong, 21.VII.1976, J. Mudge. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00382.

Valid name: *Homotherus mudgei* Heinrich, 1978

***mystificans* (*Melanichneumon*)**

Melanichneumon mystificans Heinrich, 1972a: 207–208. Holotype ♂, U.S.A., Forsyth, Monroe Co., Geor-

- gia, 10–20.VII.1970. Condition of type: perfect.
Type no. ZSM-Hym-00216.
- Valid name: *Melanichneumon mystificans* Heinrich, 1972
- mystificans* (*Ichneumon*)**
- Ichneumon mystificans* Heinrich, 1961c: 342–343.
Holotype ♂, U.S.A., Maine, Dryden, 4.VIII.1955.
Condition of type: perfect. Type no. ZSM-Hym-00732.
- Valid name: *Ichneumon mystificans* Heinrich, 1961
- nairobiensis perrubra* (*Crytea*)**
- Crytea nairobiensis perrubra* Heinrich, 1968d: 903–904.
Holotype ♀, South Africa, Grahamstown, 28.II.–14.III.1963. Condition of type: perfect. Type no. ZSM-Hym-00517.
- Valid name: *Crytea nairobiensis perrubra* Heinrich, 1968
- nairobiensis rubricaput* (*Crytea*)**
- Crytea nairobiensis rubricaput* Heinrich, 1968d: 902–903. Holotype ♀, Tanzania, S. Tanganyika, Rungwe Mts., 2600 m, 12.XI.62. Condition of type: perfect. Type no. ZSM-Hym-00516.
- Valid name: *Crytea nairobiensis rubricaput* Heinrich, 1968
- nanusniger* (*Ichneumon*)**
- Ichneumon nanusniger* Heinrich, 1975b: 760–761.
Holotype ♂, Canada, Newfoundland, Portland Creek, 12–8–1973. Condition of type: perfect. Type no. ZSM-Hym-00174.
- Valid name: *Ichneumon nanusniger* Heinrich, 1975
- natalensis* (*Pseudophatnus*)**
- Pseudophatnus natalensis* Heinrich, 1967b: 120–122.
Holotype ♀, South Africa, Natal, Pietermaritzburg, 10–16.II.63. Condition of type: perfect. Type no. ZSM-Hym-00251.
- Valid name: *Leptophatnus glabrinotor* (Morley, 1919)
- naumannii* (*Cratichneumon*)**
- Cratichneumon naumannii* Heinrich, 1971: 994–995.
Holotype ♀, U.S.A., Forsyth, Monroe Co., Georgia, 20–30 May, 1968, leg. G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00411.
- Valid name: *Cratichneumon naumannii* Heinrich, 1971
- navus albidior* (*Coelichneumon*)**
- Coelichneumon navus albidior* Heinrich, 1977: 44–45, Map 15. Holotype ♂, U.S.A., Florida, Highlands Co., Lake Placid, Archbold Biological Station, 16-V-1967, G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00709.
- Valid name: *Coelichneumon navus albidior* Heinrich, 1977
- neocretatus* (*Coelichneumon*)**
- Coelichneumon neocretatus* Heinrich, 1961a: 51–52, fig. 20. Holotype ♀, U.S.A., Maine, Mt. Blue, 30.IX.1956. Condition of type: perfect. Type no. ZSM-Hym-00711.
- Valid name: *Coelichneumon neocretatus* Heinrich, 1961
- neoleiviculops* (*Melanichneumon*)**
- Melanichneumon neoleiviculops* Heinrich, 1971: 1015–1017. Holotype ♀, U.S.A., Dryden, Maine, 19 August 1965. Condition of type: perfect. Type no. ZSM-Hym-00233.
- Valid name: *Melanichneumon neoleiviculops* Heinrich, 1971
- neosarcitor* (*Ichneumon*)**
- Ichneumon neosarcitor* Heinrich, 1961c: 244–246. Holotype ♀, U.S.A., Maine, Bangor. Condition of type: apices of both forewings slightly damaged. Type no. ZSM-Hym-00721.
- Valid name: *Ichneumon neosarcitor* Heinrich, 1961
- neosorex* (*Barichneumon*)**
- Barichneumon neosorex* Heinrich, 1972a: 195–196.
Holotype ♂, U.S.A., Orange River, Ft. Myers, Lee Co., Florida, 7.IV.1968. Condition of type: perfect. Type no. ZSM-Hym-00374.
- Valid name: *Barichneumon neosorex* Heinrich, 1972
- nereni emigrator* (*Ichneumon*)**
- Ichneumon nereni emigrator* Heinrich, 1961c: 289–290.
Holotype ♀, U.S.A., Maine, Dryden, 21.VIII.1955.
Condition of type: perfect. Type no. ZSM-Hym-00178.
- Valid name: *Ichneumon sculpturatus emigrator* Heinrich, 1961
- nigerrimus* (*Stenaoplus*)**
- Stenaoplus nigerrimus* Heinrich, 1968e: 1122–1123.
Holotype ♂, Tanzania, Tanganyika, W. Usambara Mts., 2100 m, 6.III.1962. Condition of type: perfect. Type no. ZSM-Hym-00590.
- Valid name: *Stenaoplus nigerrimus* Heinrich, 1968
- nigrifrons* (*Afrolongichneumon*)**
- Afrolongichneumon nigrifrons* Heinrich, 1968e: 1027–1028. Holotype ♀, Tanzania, S.W. Tanganyika, Mbeya, 2000 m, 24.X.62. Condition of type: left foreleg missing. Type no. ZSM-Hym-00557.
- Valid name: *Afrolongichneumon nigrifrons* Heinrich, 1968
- nigrita* (*Losgna*)**
- Losgna nigrita* Heinrich, 1965b: 140–141. Holotype ♀, Indonesia (Java), Soekaboemi. Condition of type: perfect. Type no. ZSM-Hym-00665.
- Valid name: *Losgna nigrita* Heinrich, 1965

***nigrithorax* (*Afrectopius*)**

Afrectopius nigrithorax Heinrich, 1967c: 419–420.
Holotype ♂, Tanzania, S. Tanganyika, Uluguru Mts., 1600 m, 17.XII. Condition of type: right fore leg missing. Type no. ZSM-Hym-00311.
Valid name: *Afrectopius nigrithorax* Heinrich, 1967

***nigrosparsa* (*Hemibystra*)**

Hemibystra nigrosparsa Heinrich, 1968e: 1187–1189.
Holotype ♀, Angola, Mt. Moco, 2000 m, 10.X.54.
Condition of type: apex of right antenna missing.
Type no. ZSM-Hym-00619.

Valid name: *Hemibystra nigrosparsa* Heinrich, 1968

***nigrostramineus* (*Cornutoplilus*)**

Cornutoplilus nigrostramineus Heinrich, 1957: 24.
Holotype ♀, Afghanistan, von Sarekanda, 4100 m, Badakschan, 28.7.1953, leg. J. Klapperich. Condition of type: perfect. Type no. ZSM-Hym-00820.
Valid name: *Cornutoplilus nigrostramineus* Heinrich, 1957

***nimbosilvae* (*Setantops*)**

Setantops nimbosilvae Heinrich, 1968e: 1064–1066, fig. 222. Holotype ♀, Tanzania, S. Tanganyika, Rungwe Mts., 2600 m, 5.XI.62. Condition of type: perfect. Type no. ZSM-Hym-00571.

Valid name: *Setantops nimbosilvae* Heinrich, 1968

***nimbosilvae mbesicus* (*Setantops*)**

Setantops nimbosilvae mbesicus Heinrich, 1968e: 1066.
Holotype ♂, Tanzania, Tanganyika, Ufipa Plateau, Mbesi Forest, 2500 m, Dec. 1962. Condition of type: perfect. Type no. ZSM-Hym-00572.

Valid name: *Setantops nimbosilvae mbesicus* Heinrich, 1968

***nimbosilvana* (*Pseudotogea*)**

Pseudotogea nimbosilvana Heinrich, 1968e: 1080–1082.
Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1500–1800 m, 14.XII.61. Condition of type: perfect. Type no. ZSM-Hym-00579.

Valid name: *Pseudotogea nimbosilvana* Heinrich, 1968

***nimbosilvana amaniensis* (*Pseudotogea*)**

Pseudotogea nimbosilvana amaniensis Heinrich, 1968e: 1082. Holotype ♂, Tanzania, Tanganyika, E. Usambara Mts., Amani, 1200 m, 10.4.62. Condition of type: perfect. Type no. ZSM-Hym-00580.
Valid name: *Pseudotogea cordata amaniensis* Heinrich, 1968

***nimbosilvana tsitsicamana* (*Pseudotogea*)**

Pseudotogea nimbosilvana tsitsicamana Heinrich, 1968e: 1082. Holotype ♂, South Africa, Storms River, Tsitsikama Forest. March 1963. Condition of type: perfect. Type no. ZSM-Hym-00581.

Valid name: *Pseudotogea cordata tsitsicamana* Heinrich, 1968

***nivosocoxa* (*Cylindrophanes*)**

Cylindrophanes nivosocoxa Heinrich, 1968e: 986–987.
Holotype ♀, Tanzania, S. Tanganyika, Rungwe Mts., 2600 m, 12.XI.62. Condition of type: left hind tarsus partly missing. Type no. ZSM-Hym-00536.

Valid name: *Afromevesia nivosocoxa* (Heinrich, 1968)

***nivosus* (*Coelichneumon*)**

Coelichneumon nivosus Heinrich, 1966: 212–214. Holotype ♀, Myanmar (Burma), Mt. Victoria, 2800 m, April 1938. Condition of type: perfect. Type no. ZSM-Hym-00635.

Valid name: *Coelichneumon nivosus* Heinrich, 1966

***normops* (*Vulgichneumon*)**

Vulgichneumon normops Heinrich, 1967d: 618–620.
Holotype ♀, South Africa, Grahamstown, 28.II.–14.III.1953. Condition of type: perfect. Type no. ZSM-Hym-00362.

Valid name: *Vulgichneumon normops* Heinrich, 1967

***novaescotiae nigrimembris* (*Platylabops*)**

Platylabops novaescotiae nigrimembris Heinrich, 1975b: 773. Holotype ♀, Canada, Newfoundland, Portland Creek, 2–8–1973. Condition of type: perfect. Type no. ZSM-Hym-00449.

Valid name: *Platylabops novaescotiae* Heinrich, 1962

***novanana* (*Crytea*)**

Crytea novanana Heinrich, 1968d: 897–898. Holotype ♀, Tanzania, Tanganyika, Dar es Salaam, 18.XI.1961, G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00514.

Valid name: *Crytea novanana* Heinrich, 1968

***nudimago* (*Stenaoplus*)**

Stenaoplus nudimago Heinrich, 1968e: 1137–1138.
Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 15.XII.61, 1500–1800 m. Condition of type: apex of left tarsus missing. Type no. ZSM-Hym-00602.

Valid name: *Stenaoplus nudimago* Heinrich, 1968

***nuevoleonis* (*Netanyacra*)**

Netanyacra nuevoleonis Heinrich, 1968d: 711–712.
Holotype ♂, Mexico, Nuevo Leon, 1700 m, 10.VIII.1953. Collection G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00210.

Valid name: *Netanyacra nuevoleonis* Heinrich, 1968

***oblitus* (*Ichneumon*)**

Ichneumon oblitus Heinrich, 1961c: 234–235, fig. 73.
Holotype ♀, U.S.A., Maine, Weld, 26.VI.1955, G. H. Heinrich. Condition of type: wings slightly damaged. Type no. ZSM-Hym-00731.

Valid name: *Ichneumon oblitus* Heinrich, 1961

obscuratus (Coelichneumon)

Coelichneumon obscuratus Heinrich, 1961a: 45. Holotype ♀, Canada, British Columbia, Robson, 10. IX.1955, H. R. Foxlee. Condition of type: perfect. Type no. ZSM-Hym-00701.

Valid name: *Coelichneumon obscuratus* Heinrich, 1961

obscuricolor (Spilichneumon)

Spilichneumon obscuricolor Heinrich, 1961b: 195–196. Holotype ♀, U.S.A., Maine, Dryden, 20.IX.1951. Condition of type: perfect. Type no. ZSM-Hym-00195.

Valid name: *Obtusodonta obscuricolor* (Heinrich, 1961)

obscuricolor (Jacotitypus)

Jacotitypus obscuricolor Heinrich, 1967c: 290–291, fig. 74. Holotype ♀, South Africa, Mahlatsa, Basutoland, 1.1.1953; leg. C. Jacot-Guillarmod. Condition of type: perfect. Type no. ZSM-Hym-00278.

Valid name: *Jacotitypus obscuricolor* Heinrich, 1967

obscurifrons (Cylindrophanes)

Cylindrophanes obscurifrons Heinrich, 1968e: 991–992. Holotype ♀, Angola, Roca Canzele, 30 km N of Quiculongo, III.54. Condition of type: perfect. Type no. ZSM-Hym-00538.

Valid name: *Afromevesia obscurifrons* (Heinrich, 1968)

observandus (Ichneumon)

Ichneumon observandus Heinrich, 1951b: 265. Holotype ♀, Austria, Steiermark, Kreuzkogel bei Admont, 1700 m, 21.6.50. Condition of type: hind tarsi partly missing, apex of right forewing slightly damaged. Type no. ZSM-Hym-00841.

Valid name: *Ichneumon observandus* Heinrich, 1951

occidentale (Foveosculum)

Foveosculum occidentale Heinrich, 1967d: 586–587. Holotype ♀, Angola, Roca Canzele, 30 km N of Quiculongo, III.54. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00354.

Valid name: *Foveosculum occidentale* Heinrich, 1967

occidentalis (Leptops)

Leptops occidentalis Heinrich, 1968e: 1018–1019, fig. 212. Holotype ♀, Angola, Roca Canzele, 30 km N of Quiculongo, III.54. Condition of type: margin of wings slightly damaged. Type no. ZSM-Hym-00552.

Valid name: *Leptops occidentalis* Heinrich, 1968

oehlkei (Platylabus)

Platylabus oehlkei Heinrich, 1972b: 95–97. Holotype ♀, Czech Republic, Moravia: Pouzdrany, 19. VII.66. Condition of type: perfect. Type no. ZSM-Hym-00798.

Valid name: *Platylabus oehlkei* Heinrich, 1972

opaculus americanus (Platylabus)

Platylabus opaculus americanus Heinrich, 1962b: 730. Holotype ♀, U.S.A., Maine, Alagash, 25.VIII.1960. Bernd Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00428.

Valid name: *Platylabus opaculus americanus* Heinrich, 1962

orichalcum (Lareiga)

Lareiga orichalcum Heinrich, 1980a: 166–167. Holotype ♂, Myanmar (Burma), Chin Hills, Mt. Victoria, 2800 m, April, 1938. Condition of type: apex of right antenna and of right forewing missing. Type no. ZSM-Hym-00687.

Valid name: *Lareiga orichalcum* Heinrich, 1980

orientalis (Oxyjoppa)

Oxyjoppa orientalis Heinrich, 1975a: 472. Holotype ♀, Indonesia (Java), Sukabumi. Condition of type: apices of antennae missing. Type no. ZSM-Hym-00671.

Valid name: *Compsophorus orientalis* (Heinrich, 1975)

ostentator (Ichneumon)

Ichneumon ostentator Heinrich, 1978a: 41. Holotype ♀, Turkey, Gürün, 4.VI.1970. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00863.

Valid name: *Ichneumon ostentator* Heinrich, 1978

oxypygus (Neischnus)

Neischnus oxypygus Heinrich, 1952: 1068. Holotype ♀, Germany, Allgäu, Osterachtal, 1100 m, 22.ix. 1949. Condition of type: apex of the right antenna and legs on the right side are missing. Type no. ZSM-Hym-00807.

Valid name: *Neischnus germari* (Ratzeburg, 1849)

oxyscutellatus (Seyrigioplites)

Seyrigioplites oxyscutellatus Heinrich, 1968d: 774–775. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., near Morogoro, 700 m, 12.–14.I.1962. Condition of type: perfect. Type no. ZSM-Hym-00482.

Valid name: *Seyrigioplites oxyscutellatus* Heinrich, 1968

palaeartops (Ichneumon)

Ichneumon palaeartops Heinrich, 1975b: 761–762. Holotype ♂, Canada, Newfoundland, Portland Creek, 4–8.1973. Condition of type: wings partly covered with fungi. Type no. ZSM-Hym-00176.

Valid name: *Ichneumon palaeartops* Heinrich, 1975

paradisea (Aglaojoppa)

Aglaojoppa paradisea Heinrich, 1967a: 29–30. Holotype ♀, India, Simla Hills, Narkanda, 9000 Fuss, 4.X.62, leg. V. Gupta. Condition of type: perfect. Type no. ZSM-Hym-00633.

Valid name: *Aglaojoppa paradisea* Heinrich, 1967

paramajops (*Ichneumon*)

Ichneumon paramajops Heinrich, 1975b: 757. Holotype ♀, Canada, Newfoundland, Port aux Basques, South Branch, 19-7-1974. Condition of type: perfect. Type no. ZSM-Hym-00724.

Valid name: *Ichneumon paramajops* Heinrich, 1975

paratus pseudovinnulus (*Cratichneumon*)

Cratichneumon paratus pseudovinnulus Heinrich, 1961b: 137-138. Holotype ♀, U.S.A., North Carolina, Raleigh, 10.VI.1951. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00413.

Valid name: *Cratichneumon parata* (Say, 1829)

parensis (*Afrectopius*)

Afrectopius parensis Heinrich, 1967c: 413-414. Holotype ♂, Tanzania, Northern Tanganyika, Pare Mts., near Chome, 1900 m, 30.V.62. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00304.

Valid name: *Afrectopius parensis* Heinrich, 1967

paulofuscus (*Lissolongichneumon*)

Lissolongichneumon paulofuscus Heinrich, 1968e: 1035-1036. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1500-1800 m, XII.61. Condition of type: perfect. Type no. ZSM-Hym-00559.

Valid name: *Lissolongichneumon paulofuscus* Heinrich, 1968

peloponesius (*Spilichneumon*)

Spilichneumon peloponesius Heinrich, 1972b: 89-91. Holotype ♀, Greece, Chelmos, Pelopones, 2100 m, 1.VI.1962, leg. Max Schwarz. Condition of type: left middle tarsus and right hind tarsus partly missing, apex of right forewing slightly damaged. Type no. ZSM-Hym-00818.

Valid name: *Spilichneumon peloponesius* Heinrich, 1972

peloponnesus (*Ichneumon*)

Ichneumon peloponnesus Heinrich, 1980c: 17-18. Holotype ♀, Greece, Peloponnes, 6.6.1960, leg. K. Kusdas. Condition of type: left hind tarsus missing, right hind tarsus partly missing. Type no. ZSM-Hym-00848.

Valid name: *Ichneumon peloponnesus* Heinrich, 1980

pennator argutus (*Trogus*)

Trogus pennator argutus Heinrich, 1977: 298. Holotype ♀, U.S.A., Maine, Franklin Co., Dryden, 17-IX-1951. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00691.

Valid name: *Trogus pennator argutus* Heinrich, 1977

peramoenus (*Melanichneumon*)

Melanichneumon peramoenus Heinrich, 1962a: 631-632. Holotype ♂, Canada, Quebec, Gatineau, 17.X.1956. Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00372.

Valid name: *Barichneumon peramoenus* (Heinrich, 1962)

peramoenus calliandros (*Barichneumon*)

Barichneumon peramoenus calliandros Heinrich, 1972a: 193-194. Holotype ♀, U.S.A., Fort Myers, Florida, 27.V.1967. Condition of type: perfect. Type no. ZSM-Hym-00373.

Valid name: *Barichneumon peramoenus calliandros* Heinrich, 1972

pere exiguum (*Platylabus*)

Platylabus pere exiguum Heinrich, 1973a: 54-55. Holotype ♀, Italy, Nord-West-Italien, Lillaz Cogne, 1700 m, 25.7.1970. Condition of type: apex of right forewing slightly damaged. Type no. ZSM-Hym-00799.

Valid name: *Platylabus pere exiguum* Heinrich, 1973

perflavescens (*Setantops*)

Setantops perflavescens Heinrich, 1968e: 1071-1072. Holotype ♂, Tanzania, Tanganyika, W. Usambara Mts., 1600 m, 2.III.1962. Condition of type: perfect. Type no. ZSM-Hym-00577.

Valid name: *Setantops perflavescens* Heinrich, 1968

pergracilis (*Stenobarichneumon*)

Stenobarichneumon pergracilis Heinrich, 1962a: 635-636. Holotype ♀, U.S.A., Maine, Mt. Blue, 22.IX.1956. Gerd H. Heinrich. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00385.

Valid name: *Stenobarichneumon pergracilis* Heinrich, 1962

permutable (*Aoplus*)

Aoplus permutable Heinrich, 1962a: 541. Holotype ♀, U.S.A., Maine, Dryden, 3.VI.1952, Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00717.

Valid name: *Aoplus permutable* Heinrich, 1962

permutable leucorbis (*Aoplus*)

Aoplus permutable leucorbis Heinrich, 1962a: 542. Holotype ♀, U.S.A., Missouri, Hannibal, 15.IX.1952, Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00718.

Valid name: *Aoplus permutable leucorbis* Heinrich, 1962

pernigricornis (*Spilichneumon*)

Spilichneumon pernigricornis Heinrich, 1971: 977-979. Holotype ♀, U.S.A., Grand Teton, Nat. Pk. Wyo., Snake R., 5 mi S. Elk, H. E. and M. A. Evans, 6600',

- VIII-4/10-64. Condition of type: perfect. Type no. ZSM-Hym-00199.
 Valid name: *Spilichneumon pernigricornis* Heinrich, 1971
- perturbator* (*Linycus*)**
Linycus perturbator Heinrich, 1971: 1022–1024. Holotype ♂, U.S.A., North Berwick, southern Maine, July 1964. Condition of type: perfect. Type no. ZSM-Hym-00442.
 Valid name: *Carlsonia perturbator* (Heinrich, 1971)
- petrophilus* (*Ichneumon*)**
Ichneumon petrophilus Heinrich, 1951b: 264–265. Holotype ♀, Austria, Steiermark, Niedere Trauern, Bösensteinmassiv, 2000 m, 21.7.1950. Condition of type: perfect. Type no. ZSM-Hym-00826.
 Valid name: *Ichneumon alias* Tischbein, 1879
- phaenomenon* (*Coelichneumon*)**
Coelichneumon phaenomenon Heinrich, 1961a: 35–36. Holotype ♀, U.S.A., Maine, Dryden, 18.X.1953. Condition of type: right antenna partly missing, wings slightly damaged. Type no. ZSM-Hym-00712.
 Valid name: *Coelichneumon phaenomenon* Heinrich, 1961
- phaeogenops* (*Vulgichneumon*)**
Vulgichneumon phaeogenops Heinrich, 1972a: 209. Holotype ♀, U.S.A., Torreyo State Park, Liberty Co., Florida, 11.V.1968. Condition of type: perfect. Type no. ZSM-Hym-00229.
 Valid name: *Vulgichneumon phaeogenops* Heinrich, 1972
- physcoteloides* (*Spilichneumon*)**
Spilichneumon physcoteloides Heinrich, 1961b: 191–192. Holotype ♀, U.S.A., Maine, Dryden, 22.IX.1951. Condition of type: perfect. Type no. ZSM-Hym-00202.
 Valid name: *Spilichneumon physcoteloides* Heinrich, 1961
- piceipes* (*Cratichneumon*)**
Cratichneumon piceipes Heinrich, 1961b: 130–131, fig. 34. Holotype ♀, U.S.A., Maine, Mt. Blue, 9.IX.1956. Condition of type: perfect. Type no. ZSM-Hym-00401.
 Valid name: *Cratichneumon piceipes* Heinrich, 1961
- pictifrons* (*Seyrighoplites*)**
Seyrighoplites pictifrons Heinrich, 1968d: 768–770. Holotype ♀, Tanzania, S.W. Tanganyika, Mbeya, 19.XI.62. Condition of type: perfect. Type no. ZSM-Hym-00478.
 Valid name: *Seyrighoplites p. pictifrons* Heinrich, 1968
- pictifrons dispersus* (*Seyrighoplites*)**
Seyrighoplites pictifrons dispersus Heinrich, 1968d: 770. Holotype ♀, South Africa, East London, 27.VII.1961. Condition of type: perfect. Type no. ZSM-Hym-00479.
 Valid name: *Seyrighoplites pictifrons dispersus* Heinrich, 1968
- pictiscuta* (*Coelapetator*)**
Coelapetator pictiscuta Heinrich, 1967b: 65–66. Holotype ♀, Tanzania, Southern Tanganyika, Chimala, 1400 m, 17.I.1963. Condition of type: perfect. Type no. ZSM-Hym-00236.
 Valid name: *Coelapetator pictiscutus* Heinrich, 1967
- pictoptera* (*Callajoppa*)**
Callajoppa pictoptera Heinrich, 1980c: 12–13. Holotype ♀, Russia, Ussuri Bay, East Coast, near Kamen, 27.III.74, leg. Zherichin. Condition of type: apex of right antenna missing, right hind leg glued on card. Type no. ZSM-Hym-00784.
 Valid name: *Callajoppa pictoptera* Heinrich, 1980
- poecilicolor* (*Leptophatnus*)**
Leptophatnus poecilicolor Heinrich, 1967b: 107–108. Holotype ♀, South Africa, Grahamstown, IX.51, R. Gossen leg. Condition of type: right middle tarsus missing. Type no. ZSM-Hym-00246.
 Valid name: *Leptophatnus lucifer* (Morley, 1917)
- poecilipictus* (*Liojoppites*)**
Liojoppites poecilipictus Heinrich, 1967b: 150. Holotype ♂, South Africa, Northern Cape Province, King Williamstown, Peeree Forest, 5.III.1963. Condition of type: perfect. Type no. ZSM-Hym-00258.
 Valid name: *Liojoppites poecilipictus* Heinrich, 1967
- politior* (*Lissolongichneumon*)**
Lissolongichneumon politior Heinrich, 1968e: 1036–1037. Holotype ♀, Angola, Quitondo, District Calulo, 11.8–2.9.1957. (Apices of flagella missing). Condition of type: right antenna missing. Type no. ZSM-Hym-00560.
 Valid name: *Lissolongichneumon politior* Heinrich, 1968
- pomiliaeneus* (*Coelichneumon*)**
Coelichneumon pomiliaeneus Heinrich, 1961a: 50. Holotype ♀, U.S.A., Maine, Dryden, 26.IX.1958. Condition of type: perfect. Type no. ZSM-Hym-00704.
 Valid name: *Coelichneumon pomiliaeneus* Heinrich, 1961
- popae* (*Coelichneumon*)**
Coelichneumon popae Heinrich, 1966: 230–233. Holotype ♀, Myanmar (Burma), Mt. Popa, 600–1000 m, Sept. 37. Condition of type: perfect. Type no. ZSM-Hym-00636.

Valid name: *Coelichneumon popae* Heinrich, 1966

popae (Luteocoelius)

Luteocoelius popae Heinrich, 1968b: 209–210. Holotype ♀, Myanmar (Burma), Upper Burma, Mt. Popa, 600–1000 m, X. und XI.37, leg. G. Heinrich. Condition of type: right hind tarsus partly missing. Type no. ZSM-Hym-00867.

Valid name: *Luteocoelius popae* Heinrich, 1968

pratincola (Cratichneumon)

Cratichneumon pratincola Heinrich, 1952: 1062–1063. Holotype ♂, Germany, Berchtesgaden, 1400 m, 26.v.1947. Condition of type: left hind tarsus, right foretarsus and right middle tarsus partly missing. Type no. ZSM-Hym-00810.

Valid name: *Cratichneumon pratincola* Heinrich, 1952

priesneri (Linycus)

Linycus priesneri Heinrich, 1972b: 97–99. Holotype ♀, Austria, Unken, Salzburg, 15.IX.1962, leg. Dr. H. Priesner. Condition of type: perfect. Type no. ZSM-Hym-00793.

Valid name: *Linycus flavitarsis* (Heinrich, 1937)

prominens (Coelapator)

Coelapator prominens Heinrich, 1967b: 70–71. Holotype ♀, Tanzania, Southern Tanganyika, Mbeya, 19.XI.1962. Condition of type: perfect. Type no. ZSM-Hym-00238.

Valid name: *Coelapator prominens* Heinrich, 1967

provancheri flavidior (Spilichneumon)

Spilichneumon provancheri flavidior Heinrich, 1977: 111–113, Map 50. Holotype ♂, U.S.A., Georgia, Monroe Co., Forsyth, 20–30.V.1968. G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00198.

Valid name: *Diphysus provancheri flavidior* (Heinrich, 1977)

pseudexcavata (Aethianoplis)

Aethianoplis pseudexcavata Heinrich, 1968c: 708, fig. 164. Holotype ♀, Angola, Roca Ganzele, 30 km N of Quiculungo, III.54. Condition of type: perfect. Type no. ZSM-Hym-00462.

Valid name: *Aethianoplis excavata pseudexcavata* Heinrich, 1968

pseudexcellens (Leptotogea)

Leptotogea pseudexcellens Heinrich, 1968d: 746–747. Holotype ♂, Tanzania, S.W. Tanganyika, Mbeya, 18.XII.62. Condition of type: perfect. Type no. ZSM-Hym-00472.

Valid name: *Leptotogea pseudexcellens* Heinrich, 1968

pseudocaloscelis (Ichneumon)

Ichneumon pseudocaloscelis Heinrich, 1949a: 26–27. Holotype ♀, Germany, Berchtesgaden, Jenner, 200 m, 25. Mai.[1947]. Condition of type: perfect. Type no. ZSM-Hym-00844.

Valid name: *Ichneumon pseudocaloscelis* Heinrich, 1949

pseudocomplacita (Leptotogea)

Leptotogea pseudocomplacita Heinrich, 1968d: 755–756, fig. 181. Holotype ♀, Angola, Roca Canzele, 30 km N of Quiculungo, Sept./Okt. 1957. Condition of type: left foretarsus missing. Type no. ZSM-Hym-00475.

Valid name: *Leptotogea pseudocomplacita* Heinrich, 1968

pseudocynthiae (Ichneumon)

Ichneumon pseudocynthiae Heinrich, 1980c: 22–23. Holotype ♀, Austria, Steiermark, 2200 m, 1.VII. 74, Schladm. Tauern, Hagenkarsp. Condition of type: apex of left antenna missing, right antenna missing, left hind tarsus partly missing. Type no. ZSM-Hym-00833.

Valid name: *Ichneumon cynthiae* Kriechbaumer, 1888

pseudomercator (Diphysus)

Diphysus pseudomercator Heinrich, 1978a: 51–52. Holotype ♂, Italy, South Tirol, Vintschgau, 1900 m, VIII 1971 (E. Diller). Condition of type: apex of left antenna missing, right middle tarsus partly missing, apex of right hind wing slightly damaged. Type no. ZSM-Hym-00816.

Valid name: *Diphysus p. pseudomercator* Heinrich, 1978

pseudomercator hexaleucus (Diphysus)

Diphysus pseudomercator hexaleucus Heinrich, 1978a: 52. Holotype ♀, Armenia, Achalzik, VIII. 1971, (E. Diller) Condition of type: left fore tarsus and tibia missing, apex of right forewing damaged. Type no. ZSM-Hym-00817.

Valid name: *Diphysus pseudomercator hexaleucus* Heinrich, 1978

pseudominor (Leptophatnus)

Leptophatnus pseudominor Heinrich, 1967b: 110–111, fig. 18. Holotype ♀, Tanzania, S.W. Tanganyika, Mbea, 18.XII.62. Condition of type: perfect. Type no. ZSM-Hym-00248.

Valid name: *Leptophatnus pseudominor* Heinrich, 1967

pseudoporcelariae (Homotherus)

Homotherus pseudoporcelariae Heinrich, 1971: 1001–1002. Holotype ♂, U.S.A., Alagash Maine, 25.VIII–60. Condition of type: apex of left antenna, left hind tarsus partly missing. Type no. ZSM-Hym-00739.

Valid name: *Homotherus pseudoporcelariae* Heinrich, 1971

pseudovelox (Aoplus)

Aoplus pseudovelox Heinrich, 1962a: 556–558. Holotype ♀, Canada, Quebec, St. Sauveur, 22.VIII.1959, Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00716.

Valid name: *Aoplus pseudovelox* Heinrich, 1962

pseudovivax (Ichneumon)

Ichneumon pseudovivax Heinrich, 1961c: 286. Holotype ♀, U.S.A., Maine, Dryden, 20.VI.1952. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00730.

Valid name: *Ichneumon pseudovivax* Heinrich, 1961

pseudowalleyi (Coelichneumon)

Coelichneumon pseudowalleyi Heinrich, 1977: 54–55, Map 21. Holotype ♀, U.S.A., Florida, Highlands Co., Highlands Hammock State park, 13-IV-1970, G. Heinrich. Condition of type: right middle leg missing, left hind tarsus partly missing. Type no. ZSM-Hym-00706.

Valid name: *Coelichneumon pseudowalleyi* Heinrich, 1977

pseudowinkleyi (Ichneumon)

Ichneumon pseudowinkleyi Heinrich, 1961c: 252–253. Holotype ♀, U.S.A., Maine, Dryden, G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00177.

Valid name: *Ichneumon pseudowinkleyi* Heinrich, 1961

pumilio (Losgna)

Losgna pumilio Heinrich, 1965b: 148–149. Holotype ♀, Myanmar (Burma), Maymyo, 800 m, XII.37. Condition of type: perfect. Type no. ZSM-Hym-00666.

Valid name: *Losgna pumilio* Heinrich, 1965

pumilioniger (Cylindrophanes)

Cylindrophanes pumilioniger Heinrich, 1968e: 974–975. Holotype ♀, Tanzania, Tanganyika, Ufipa Plateau, Mbesi Forest, 2500 m, Dec. 1962. Condition of type: perfect. Type no. ZSM-Hym-00527.

Valid name: *Afromevesia pumilioniger* (Heinrich, 1968)

pumilionobilis (Coelichneumon)

Coelichneumon pumilionobilis Heinrich, 1951b: 251–252. Holotype ♀, Germany, Bayerischer Wald, Waldmünchen, 800 m, 14.9.48. Condition of type: perfect. Type no. ZSM-Hym-00787.

Valid name: *Coelichneumon pumilionobilis* Heinrich, 1951

puncticoxa (Cratichneumon)

Cratichneumon puncticoxa Heinrich, 1961b: 133–134. Holotype ♀, U.S.A., Maine, Dryden, 10.VII.1959.

Condition of type: perfect. Type no. ZSM-Hym-00412.

Valid name: *Cratichneumon puncticoxa* Heinrich, 1961

pusillamoenus (Ichneumon)

Ichneumon pusillamoenus Heinrich, 1961c: 272–273. Holotype ♀, Canada, Quebec, Ontario, Kazubazu, hibernating. Condition of type: perfect. Type no. ZSM-Hym-00175.

Valid name: *Ichneumon pusillamoenus* Heinrich, 1961

pygmaeops (Stenobarichneumon)

Stenobarichneumon pygmaeops Heinrich, 1962a: 637–638. Holotype ♀, U.S.A., Maine, Dryden, 18.VIII.1951. Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00387.

Valid name: *Stenobarichneumon pygmaeops* Heinrich, 1962

pygmaeops insulanus (Stenobarichneumon)

Stenobarichneumon pygmaeops insulanus Heinrich, 1975b: 771. Holotype ♀, Canada, Newfoundland, South Branch, 10 to 25-7-1973. Condition of type: perfect. Type no. ZSM-Hym-00388.

Valid name: *Stenobarichneumon pygmaeops* Heinrich, 1962

pygmaeus (Spilichneumon)

Spilichneumon pygmaeus Heinrich, 1978b: 161–162. Holotype ♀, U.S.A., Wisconsin, Jackson Co., 8–15.VII.1975. Condition of type: perfect. Type no. ZSM-Hym-00200.

Valid name: *Spilichneumon p. pygmaeus* Heinrich, 1978

pygmaeus rufescens (Spilichneumon)

Spilichneumon pygmaeus rufescens Heinrich, 1978b: 162. Holotype ♀, Canada, Ontario, Stittsville, 5–9.VII.1976, M. Sanborn. Condition of type: perfect. Type no. ZSM-Hym-00201.

Valid name: *Spilichneumon pygmaeus rufescens* Heinrich, 1978

pygolissus (Ichneumon)

Ichneumon pygolissus Heinrich, 1951b: 269–270. Holotype ♀, Austria, Steiermark, Kreuzkogel (Südhang), 1600 m, 14.VI.50. Condition of type: apex of right antenna is missing. Type no. ZSM-Hym-00852.

Valid name: *Ichneumon pygolissus* Heinrich, 1951

quadrigilvata (Crytea)

Crytea quadrigilvata Heinrich, 1968d: 872–873. Holotype ♀, South Africa, East London, 27.VII.1961. Condition of type: perfect. Type no. ZSM-Hym-00502.

Valid name: *Crytea quadrigilvata* Heinrich, 1968

***quaestor* (*Ichneumon*)**

Ichneumon quaestor Heinrich, 1951b: 262. Holotype ♀, Austria, Steiermark, Kaiserau, Admont, 1200 m, 10.6.50. Condition of type: apex of right antenna missing, right forewing slightly damaged. Type no. ZSM-Hym-00829.

Valid name: *Ichneumon quaestorius* Linnaeus, 1761

***quinquicincta* (*Losgna*)**

Losgna quinquecincta Heinrich, 1965b: 144–145. Holotype ♀, Myanmar (Burma), Mt. Victoria, Chin-hills, 1400 m, III.38. Condition of type: hind tarsi partly missing. Type no. ZSM-Hym-00662.

Valid name: *Losgna quinquecincta* Heinrich, 1965

***radtkeorum* (*Protichneumon*)**

Protichneumon radtkeorum Heinrich, 1972a: 174–175. Holotype ♀, U.S.A., Florida, Fort Myers, 1.V.1968. Condition of type: perfect. Type no. ZSM-Hym-00695.

Valid name: *Protichneumon radtkeorum* Heinrich, 1972

***rASNITSYNI* (*Coelichneumon*)**

Coelichneumon rASNITSYNI Heinrich, 1980c: 11–12. Holotype ♀, Russia, Primorie, Suvorovo Vill. (Tadushe Riv.), 6.VII.72, leg. A. RASNITSYN. Condition of type: perfect. Type no. ZSM-Hym-00789.

Valid name: *Coelichneumon rASNITSYNI* Heinrich, 1980

***remanens* (*Cratichneumon*)**

Cratichneumon remanens Heinrich, 1961b: 157–158. Holotype ♂, U.S.A., Maine, Dryden, June, 1959. Condition of type: left hind tarsus missing. Type no. ZSM-Hym-00415.

Valid name: *Cratichneumon remanens* Heinrich, 1961

***revulnerator* (*Ichneumon*)**

Ichneumon revulnerator Heinrich, 1951b: 268–269. Holotype ♀, Germany, Berchtesgaden, Jenner-massiv, 1200 m, Mai 1947. Condition of type: apex of left antenna missing, right hind tarsus partly missing. Type no. ZSM-Hym-00856.

Valid name: *Ichneumon vulneratorius revulnerator* Heinrich, 1951

***rhinoceros* (*Genaemirum*)**

Genaemirum rhinoceros Heinrich, 1967b: 137–139. Holotype ♀, Uganda, Zika Forest, Mengo, 2600 m, XI.18. '63, G.A. Lancaster. Condition of type: perfect. Type no. ZSM-Hym-00254.

Valid name: *Genaemirum rhinoceros* Heinrich, 1967

***rhododendron* (*Ichneumon*)**

Ichneumon rhododendron Heinrich, 1965a: 84–85. Holotype ♀, Myanmar (Burma), Kambaiti, 2000 m [1937 or 1938]. Condition of type: perfect. Type no. ZSM-Hym-00647.

Valid name: *Ichneumon rhododendron* Heinrich, 1965

***ritus* (*Cratichneumon*)**

Cratichneumon ritus Heinrich, 1961b: 143–144, figs 8, 27, 31. Holotype ♀, U.S.A., Michigan, Ann Arbor, 2.VI.1959. Condition of type: perfect. Type no. ZSM-Hym-00407.

Valid name: *Cratichneumon ritus* Heinrich, 1961

***robinsoni* (*Cyclolabus*)**

Cyclolabus robinsoni Heinrich, 1978b: 167–168. Holotype ♂, U.S.A., Iowa, Earville, 4.VII.1977, R. Robinson. Condition of type: perfect. Type no. ZSM-Hym-00439.

Valid name: *Cyclolabus robinsoni* Heinrich, 1978

***robusticeps* (*Phaisura*)**

Phaisura robusticeps Heinrich, 1967c: 441–442. Holotype ♂, South Africa, King Williamstown, Peeree Forest, 8.III.63. Condition of type: perfect. Type no. ZSM-Hym-00326.

Valid name: *Phaisura effigies robusticeps* Heinrich, 1967

***rogenhoferops* (*Ichneumon*)**

Ichneumon rogenhoferops Heinrich, 1980c: 24–25. Holotype ♀, Germany, Allgäu, Immenstadt, 4.X. 1949. Condition of type: left hind tarsus partly missing. Type no. ZSM-Hym-00835.

Valid name: *Ichneumon rogenhoferops* Heinrich, 1980

***ruberior* (*Catadelphus*)**

Catadelphus ruberius Heinrich, 1971: 968–969. Holotype ♀, U.S.A., Mississippi. W.W. Peter, Agr. Coll Miss. IV-1918. (One leg and antenna missing). Condition of type: left antenna, right middle leg, left hind tarsus partly missing. Type no. ZSM-Hym-00692.

Valid name: *Catadelphus ruberius* Heinrich, 1971

***rubricops* (*Cratichneumon*)**

Cratichneumon rubricops Heinrich, 1961b: 167–168. Holotype ♀, U.S.A., Maine, Phillips, 15.VIII.1958. Condition of type: perfect. Type no. ZSM-Hym-00421.

Valid name: *Cratichneumon rubricops* Heinrich, 1961

***rubriscutula* (*Denticrytea*)**

Denticrytea rubriscutula Heinrich, 1968d: 813–815. Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., 1600 m, 1.III.1962. Condition of type: left wings slightly damaged, right hind tarsus missing. Type no. ZSM-Hym-00490.

Valid name: *Denticrytea rubriscutula* Heinrich, 1968

***rubrosicarius* (*Sycaonia*)**

Sycaonia rubrosicarius Heinrich, 1980a: 176–178. Holotype ♀, Myanmar (Burma), Kambaiti, 2000 m, leg. Malaise. Condition of type: Antennae and right foretarsus partly missing. Type no. ZSM-Hym-00688.

Valid name: *Sycaonia rubrosicarius* Heinrich, 1980

rufa merumontis (Tosquinetia)

Tosquinetia rufa merumontis Heinrich, 1967c: 329.
Holotype ♀, Tanzania, Tanganyika, Mt. Meru,
1800 m, 26.VI.1962. Condition of type: perfect.
Type no. ZSM-Hym-00285.

Valid name: *Compsophorus rufus merumontis* (Heinrich, 1967)

rufa usambaricus (Tosquinetia)

Tosquinetia rufa usambaricus Heinrich, 1967c: 329.
Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts.,
1600 m, 27.II.1962. Condition of type:
apex of the left fore wing damaged, right hind
tarsus partly missing. Type no. ZSM-Hym-00284.

Valid name: *Compsophorus rufus usambaricus* (Heinrich, 1967)

rufescens (Rimbusia)

Rimbusia rufescens Heinrich, 1980a: 187. Holotype ♀,
Myanmar (Burma), Kambaiti, 2000 m. Condition
of type: right hind tarsus partly missing. Type
no. ZSM-Hym-00690.

Valid name: *Rimbusia rufescens* Heinrich, 1980

rufibasis (Ctenichneumon)

Ctenichneumon rufibasis Heinrich, 1961d: 469–470.
Holotype ♀, U.S.A., Maine, Dryden, 6.VIII.1959,
Gerd H. Heinrich. Condition of type: perfect.
Type no. ZSM-Hym-00186.

Valid name: *Ctenichneumon rufibasis* Heinrich, 1961

ruficaput (Ichneumon)

Ichneumon ruficaput Heinrich, 1965a: 89. Holotype ♀,
Myanmar (Burma), Kambaiti, 2000 m [1937 or
1938]. Condition of type: perfect. Type no. ZSM-
Hym-00648.

Valid name: *Ichneumon ruficaput* Heinrich, 1965

ruficollis alpina (Ichneumon)

Ichneumon ruficollis alpina Heinrich, 1951b: 256–257.
Lectotype ♀, designated by Hilpert (1992), Ger-
many, Berchtesgaden. Condition of type: perfect.
Type no. ZSM-Hym-00827.

Valid name: *Ichneumon rufigena* Kriechbaumer,
1875

ruficollis karpatica (Ichneumon)

Ichneumon ruficollis karpatica Heinrich, 1951b: 257.
Holotype ♀, Slovakia, Karpathen, Hohe Tatra.
Condition of type: apex of left antenna missing,
apices of forewings slightly damaged. Type no.
ZSM-Hym-00840.

Valid name: *Ichneumon karpaticus* Heinrich, 1951

rufifemur (Afrectopius)

Afrectopius rufifemur Heinrich, 1967c: 411–412. Ho-
lotype ♀, Tanzania, Tanganyika, Uluguru Mts.,

1600 m, 26.XII. Condition of type: perfect. Type
no. ZSM-Hym-00302.

Valid name: *Afrectopius rufifemur* Heinrich, 1967

rufithorax capensis (Ctenochares)

Ctenochares rufithorax capensis Heinrich, 1967d: 637–
638. Holotype ♀, South Africa, East London,
27.VII.1961. Condition of type: apex of left an-
tenna missing. Type no. ZSM-Hym-00455.

Valid name: *Ctenochares rufithorax capensis* Heinrich,
1967

rufofemorata burmae (Lareiga)

Lareiga rufofemorata burmae Heinrich, 1980a: 162.
Holotype ♂, Myanmar (Burma), Chin Hills, Mt.
Victoria, 1400 m. Condition of type: left middle
leg missing. Type no. ZSM-Hym-00686.

Valid name: *Lareiga rufofemorata burmae* Heinrich,
1980

rufoniger (Pseudocillimops)

Pseudocillimops rufoniger Heinrich, 1969a: 122–123.
Holotype ♀, Myanmar (Burma), Mt. Victoria,
Chinhills, 1400 m, III. u. IV.38. Condition of type:
antennae glued on card. Type no. ZSM-Hym-
00643.

Valid name: *Pseudocillimops rufoniger* Heinrich, 1969

rugicollis (Tosquinetia)

Tosquinetia rugicollis Heinrich, 1967c: 332. Holotype
♀, Tanzania, Tanganyika, Uluguru Mts., 28.XI.
1961. Condition of type: perfect. Type no. ZSM-
Hym-00286.

Valid name: *Compsophorus rugicollis* (Heinrich, 1967)

rugicollis piriensis (Tosquinetia)

Tosquinetia rugicollis piriensis Heinrich, 1967c: 332–
333. Holotype ♀, South Africa, King Williams-
town, Peeree Forest, 6.III.63. Condition of type:
perfect. Type no. ZSM-Hym-00287.

Valid name: *Compsophorus rugicollis piriensis* (Hein-
rich, 1967)

rugifrons (Phaisurellops)

Phaisurellops rugifrons Heinrich, 1967c: 473–474.
Holotype ♂, Angola, Roca Canzele, 30 km N of
Quiculongo, III.54. Condition of type: perfect.
Type no. ZSM-Hym-00329.

Valid name: *Phaisurellops rugifrons* Heinrich, 1967

rugifrons dorado (Phaisurellops)

Phaisurellops rugifrons dorado Heinrich, 1967c: 473–
474. Holotype ♂, Angola, Roca Canzele, 30 km
N of Quiculongo, III.54. Condition of type: apex
of left antenna missing. Type no. ZSM-Hym-
00330.

Valid name: *Phaisurellops rugifrons dorado* Heinrich,
1967

rungwecola (Afrectopius)

Afrectopius rungwecola Heinrich, 1967c: 414–416.
Holotype ♀, Tanzania, S. Tanganyika, Rungwe Mts., 2600 m, 12.XI.62. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00305.

Valid name: *Afrectopius r. rungwecola* Heinrich, 1967

rungwecola mdandoensis (Afrectopius)

Afrectopius rungwecola mdandoensis Heinrich, 1967c: 416.
Holotype ♀, Tanzania, S. Tanganyika, Mdando Forest, 30 mi. south of Njombe, 2400 m, 20.X.62. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00306.

Valid name: *Afrectopius rungwecola mdandoensis* Heinrich, 1967

rungweense (Foveosculum)

Foveosculum rungweense Heinrich, 1967d: 579–580.
Holotype ♀, Tanzania, Tanganyika, Rungwe Mts., 2600 m, 10.XI.62. Condition of type: perfect.
Type no. ZSM-Hym-00353.

Valid name: *Foveosculum rungweense* Heinrich, 1967

rungweensis (Afrectopius)

Afrectopius rungweensis Heinrich, 1967c: 418–419.
Holotype ♂, Tanzania, S. Tanganyika, Rungwe Mts., 2600 m, 11.–15.XI.62. Condition of type: perfect. Type no. ZSM-Hym-00309.

Valid name: *Afrectopius rungweensis* Heinrich, 1967

rungweensis (Setantops)

Setantops rungweensis Heinrich, 1968e: 1060–1061.
Holotype ♀, Tanzania, S. Tanganyika, Rungwe Mts., 2600 m, 14.XI.62. Condition of type: perfect.
Type no. ZSM-Hym-00568.

Valid name: *Setantops r. rungweensis* Heinrich, 1968

rungweensis mdando (Afrectopius)

Afrectopius rungweensis mdando Heinrich, 1967c: 419.
Holotype ♂, Tanzania, S. Tanganyika, Mdando Forest, 30 mi. south of Njombe, 2400 m, 20.X.1962. Condition of type: Middle tarsi gamaged. Type no. ZSM-Hym-00310.

Valid name: *Afrectopius rungweensis mdando* Heinrich, 1967

rungweensis ufipae (Setantops)

Setantops rungweensis ufipae Heinrich, 1968e: 1061–1062.
Holotype ♀, Tanzania, S. W. Tanganyika, Ufipa Plateau, Mbesi Forest, 2500 m, 1. Dec. 1962. Condition of type: perfect. Type no. ZSM-Hym-00569.

Valid name: *Setantops rungweensis ufipae* Heinrich, 1968

rungwemontis (Diphyus)

Diphyus rungwemontis Heinrich, 1967d: 653–654.
Holotype ♀, Tanzania, S. Tanganyika, Rungwe Mts., 2600 m, 5.XI.62. Condition of type: perfect.
Type no. ZSM-Hym-00456.

Valid name: *Diphyus rungwemontis* Heinrich, 1967

rungwemontis (Hemibystra)

Hemibystra rungwemontis Heinrich, 1968e: 1193–1194.
Holotype ♂, Tanzania, S. Tanganyika, Rungwe Mts., 2600 m, 14.XI.62. Condition of type: perfect.
Type no. ZSM-Hym-00623.

Valid name: *Hemibystra rungwemontis* Heinrich, 1968

ruttneri (Ichneumon)

Ichneumon ruttneri Heinrich, 1944a: 111–112.
Holotype ♀, Austria, Lunz am See (Niederdonau [= Niederösterreich], 700 m (Tal Seehof-Mittersee), 15–30. Juli 1944, leg. G. Heinrich. Condition of type: apex of left forewing slightly damaged.
Type no. ZSM-Hym-00828.

Valid name: *Ichneumon ruttneri* Heinrich, 1944

saecularis (Provancherides)

Provancherides saecularis Heinrich, 1968d: 704–707.
Holotype ♀, Mexico, Nuevo Leon, 1700 m, 10. VIII.1953. Collection G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00213.

Valid name: *Provancherides saecularis* Heinrich, 1968

sanfordi birmanicus (Poecilojoppoides)

Poecilojoppoides sanfordi birmanicus Heinrich, 1969a: 115.
Holotype ♀, Myanmar (Burma), Mt. Victoria, Chinhills, 1400 m, III.38. Condition of type: perfect. Type no. ZSM-Hym-00642.

Valid name: *Poecilojoppoides sanfordi birmanicus* Heinrich, 1969

sartoris (Protichneumon)

Protichneumon sartoris Heinrich, 1971: 961–962.
Holotype ♀, U.S.A., Mississippi, Oktibbeha Co., Starkville, 14–20.VII.1970. Collected by C. F. Sartor. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00696.

Valid name: *Protichneumon effigies* Heinrich, 1961

schachti (Ichneumon)

Ichneumon schachti Heinrich, 1980c: 18.
Holotype ♀, France, Hautes Alpes, 2000 m, 3.VIII.73, W. Schacht. Condition of type: perfect. Type no. ZSM-Hym-00837.

Valid name: *Ichneumon formosus* Gravenhorst, 1829

schizoaspis (Ctenocalus)

Ctenocalus schizoaspis Heinrich, 1967c: 381–382, figs 127, 130.
Holotype ♀, Tanzania, Tanganyika, Dar es Salaam, 20.IX.1961. Condition of type: perfect.
Type no. ZSM-Hym-00321.

Valid name: *Ctenocalus schizoaspis* Heinrich, 1967

***scopamferens* (*Stenaoplus*)**

Stenaoplus scopamferens Heinrich, 1968e: 1132–1133.
Holotype ♀, Tanzania, S. W. Tanganyika, Ufipa Plateau, Mbesi Forest, 2500 m, Dec. 1962. Condition of type: perfect. Type no. ZSM-Hym-00598.
Valid name: *Stenaoplus s. scopamferens* Heinrich, 1968

***scopamferens mbeyae* (*Stenaoplus*)**

Stenaoplus scopamferens mbeyae Heinrich, 1968e: 1134.
Holotype ♀, Tanzania, S. W. Tanganyika, Mbeya, 2000 m, 21.XII.62. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00599.
Valid name: *Stenaoplus scopamferens mbeyae* Heinrich, 1968

***scopatus* (*Cylindrophanes*)**

Cylindrophanes scopatus Heinrich, 1968e: 980–981, fig. 240. Holotype ♀, Tanzania, Tanganyika, Mt. Meru, 2700 m, 10.–17.X.1962. Condition of type: perfect. Type no. ZSM-Hym-00531.

Valid name: *Afromevesia scopatus* (Heinrich, 1968)

***secundus* (*Heresiarches*)**

Heresiarches secundus Heinrich, 1970: 75–77. Holotype ♀, Myanmar (Burma), Mt. Victoria, Chinhills, 1400 m, III. u. IV.38. Condition of type: perfect. Type no. ZSM-Hym-00645.

Valid name: *Heresiarches secundus* Heinrich, 1970

***semelalbus* (*Cylindrophanes*)**

Cylindrophanes semelalbus Heinrich, 1968e: 977–978.
Holotype ♀, Angola, 30 km N of Quiculongo, Sept./Okt. 1957. Condition of type: perfect. Type no. ZSM-Hym-00529.

Valid name: *Afromevesia semelalba* (Heinrich, 1968)

***sebiaoplus* (*Homotherus*)**

Homotherus semiaoplus Heinrich, 1961b: 173–175.
Holotype ♀, U.S.A., Maine, Dryden, 23.VII.1959.
Condition of type: perfect. Type no. ZSM-Hym-00379.

Valid name: *Homotherus semiaoplus* Heinrich, 1961

***seticornutus* (*Barichneumon*)**

Barichneumon seticornutus Heinrich, 1971: 1011–1013.
Holotype ♀, U.S.A., Athens, Nicholson, Georgia, 5–31-VIII-1970; leg. H. Hermann. Condition of type: perfect. Type no. ZSM-Hym-00227.

Valid name: *Virgichneumon seticornutus* (Heinrich, 1971)

***sexmaculatae* (*Platylabus*)**

Platylabus sexmaculatae Heinrich, 1962:b 749. Holotype ♀, U.S.A., Maine, Brownsville, 20.IX.1954, ex *Semiothisa sexmaculata* Pack. Condition of type: perfect. Type no. ZSM-Hym-00435.

Valid name: *Platylabus sexmaculatae* Heinrich, 1962

***sexmaculatae postermus* (*Platylabus*)**

Platylabus sexmaculatae postermus Heinrich, 1975b: 776. Holotype ♂, Canada, Newfoundland, South Branch, 10 to 25-7-1973. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00436.

Valid name: *Platylabus sexmaculatae* Heinrich, 1962

***seyrigi* (*Anisobas*)**

Anisobas seyrigi Heinrich, 1934b: 158–159. Lectotype ♂, designated by Selfa and Diller (2001), Spain, Sierra Morena, 17.IV.1927, A. Seyrig. Condition of type: left antenna missing, only basal segments of right antenna are intact, left fore- and middle legs, fore- and hind wings are missing, right forewing broken, tarsus of right middle leg missing, tarsa of hind legs missing. Type no. ZSM-Hym-00797.

Valid name: *Anisobas seyrigi* Heinrich, 1934

***sierraemorenae* (*Paracoelichneumon*)**

Paracoelichneumon sierraemorenae Heinrich, 1980c: 13.
Holotype ♀, Spain, Sierra Morena, El Soldado, 16.V.1926, leg. Seyring. Condition of type: right antenna missing except for scapus, pedicellus and flagelomeres 1 to 3, right hind tarsomeres 4 and 5 missing. Type no. ZSM-Hym-00791.

Valid name: *Paracoelichneumon sierraemorenae* Heinrich, 1980

***silvaemontis* (*Nimbalabus*)**

Nimbalabus silvaemontis Heinrich, 1967c: 471. Holotype ♂, Tanzania, S. Tanganyika, Rungwe Mts., 2600 m, 30.X.62. Condition of type: apex of left forewing slightly damaged. Type no. ZSM-Hym-00324.

Valid name: *Afrectopius silvaemontis* (Heinrich, 1967)

***silvaemontis* (*Afromelanichneumon*)**

Afromelanichneumon silvaemontis Heinrich, 1967d: 525–527. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1600 m, 10.XII.61. Condition of type: perfect. Type no. ZSM-Hym-00336.

Valid name: *Afromelanichneumon silvaemontis* Heinrich, 1967

***similior* (*Coelichneumon*)**

Coelichneumon similior Heinrich, 1961a: 44–45. Holotype ♀, Canada, Ontario, Nipigon, 7.VII.1956. Condition of type: perfect. Type no. ZSM-Hym-00700.

Valid name: *Coelichneumon similior* Heinrich, 1961

***simplex* (*Leptophatnus*)**

Leptophatnus simplex Heinrich, 1967b: 113–114. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 700 m, 5.I.62. Condition of type: perfect. Type no. ZSM-Hym-00250.

Valid name: *Leptophatnus simplex* Heinrich, 1967

***simplicicolor* (*Phaisura*)**

Phaisura simplicicolor Heinrich, 1967c: 444–445. Holotype ♂, Tanzania, Tanganyika, Morogoro, 16.XII.1961. G. H. Heinrich. Condition of type: apex of right antenna damaged. Type no. ZSM-Hym-00327.

Valid name: *Phaisura simplicicolor* Heinrich, 1967

***simpligena* (*Aethioplitops*)**

Aethioplitops simpligena Heinrich, 1968d: 726–728. Holotype ♀, South Africa, King Williamstown, Peeree Forest, 6.III.63. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00466.

Valid name: *Aethioplitops simpligena* Heinrich, 1968

***sinuata inornata* (*Afrobystra*)**

Afrobystra sinuata inornata Heinrich, 1968e: 1152–1153. Holotype ♀, Tanzania, Tanganyika, Mt. Meru, 1800 m, 28.VI.1962. Condition of type: right hind tarsus partly missing. Type no. ZSM-Hym-00867.

Valid name: *Afrobystra sinuata inornata* Heinrich, 1968

***sinuatops* (*Afrobystra*)**

Afrobystra sinuatops Heinrich, 1968e: 1153–1154. Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., 2100 m, 23.III.1962. Condition of type: perfect. Type no. ZSM-Hym-00603.

Valid name: *Afrobystra sinuatops* Heinrich, 1968

***smileyi* (*Homotherus*)**

Homotherus smileyi Heinrich, 1968d: 717–719. Holotype ♀, U.S.A., Lake Mohonk, New Paltz, New York, 1.VIII.1966. Collection G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00381.

Valid name: *Homotherus smileyi* Heinrich, 1968

***solitaria* (*Eutanyacra*)**

Eutanyacra solitaria Heinrich, 1961d: 442–443, figs 20, 22, 24, 34, 38. Holotype ♀, Canada, Ontario, Ottawa, hibernating, Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00192.

Valid name: *Eutanyacra solitaria* Heinrich, 1961

***sorex* (*Melanichneumon*)**

Melanichneumon sorex Heinrich, 1962a: 624–626. Holotype ♀, U.S.A., Maine, Mt. Blue, 18.VI.1960. Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00370.

Valid name: *Barichneumon sorex* (Heinrich, 1962)

***speculatus* (*Microlongichneumon*)**

Microlongichneumon speculatus Heinrich, 1968e: 1014–1015. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1500–1800 m, 5.XII.1961. Condition of type: right hind leg missing. Type no. ZSM-Hym-00551.

Valid name: *Microlongichneumon speculatus* Heinrich, 1968

***sphageti* (*Barichneumon*)**

Barichneumon sphageti Heinrich, 1971: 1008–1009. Holotype ♀, U.S.A., Maine, Chesterville, 12–9–65; leg. G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00367.

Valid name: *Barichneumon sphageti* Heinrich, 1977

***sphageti* (*Platylabus*)**

Platylabus sphageti Heinrich, 1971: 1020–1021. Holotype ♀, U.S.A., Maine, Chesterville, 30–VII–1967, peat bog, leg. G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00434.

Valid name: *Platylabus sphageti* Heinrich, 1971

***sphinx* (*Aoplus*)**

Aoplus sphinx Heinrich, 1949a: 42. Holotype ♀, Germany, Berchtesgaden, 30.6.[1947]. Condition of type: left hind wing slightly damaged, right hind tarsus missing. Type no. ZSM-Hym-00802.

Valid name: *Aoplus theresae* (Berthoumieu, 1896)

***spiniventris* (*Isandria*)**

Isandria spiniventris Heinrich, 1970: 70–71. Holotype ♀, Myanmar (Burma), Mt. Victoria, Chinhills, 1400 m, III. u. IV.38. Condition of type: perfect. Type no. ZSM-Hym-00644.

Valid name: *Isandria spiniventris* Heinrich, 1970

***sporadicus* (*Afromelanichneumon*)**

Afromelanichneumon sporadicus Heinrich, 1967d: 521–523. Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., Lushoto, 1600 m, 27.II.1962. Condition of type: perfect. Type no. ZSM-Hym-00335.

Valid name: *Afromelanichneumon transvaalensis rubicundus* Heinrich, 1967

***sputatorops* (*Patrocloides*)**

Patrocloides sputatorops Heinrich, 1980c: 15. Holotype ♀, Russia, Chukotsk. Peninsula, Anadyr, 1.VI.1898. Condition of type: right foreleg missing, forewings damaged. Type no. ZSM-Hym-00858.

Valid name: *Patrocloides sputatorops* Heinrich, 1980

***stuckenbergi* (*Epijoppa*)**

Epijoppa stuckenbergi Heinrich, 1967c: 361–362. Holotype ♀, South Africa, Pietermaritzburg, 10.–16.II.63. Condition of type: perfect. Type no. ZSM-Hym-00317.

Valid name: *Compsophorus s. stuckenbergi* (Heinrich, 1967)

***stuckenbergi littoralis* (*Epijoppa*)**

Epijoppa stuckenbergi littoralis Heinrich, 1967c: 361–362. Holotype ♀, South Africa, East London, 27.VII.1961. Condition of type: perfect. Type no. ZSM-Hym-00318.

- Valid name: *Compsophorus stuckenbergi littoralis* (Heinrich, 1967)
- subalpinus (Triptognathus)**
- Triptognathus subalpinus* Heinrich, 1949a: 47–48. Holotype ♀, Germany, Berchtesgaden, 1600 m (Hachelgraben), 27.Juli.[1947]. Condition of type: perfect. Type no. ZSM-Hym-00819.
- Valid name: *Triptognathus subalpinus* Heinrich, 1949
- subfilatus (Cratichneumon)**
- Cratichneumon subfilatus* Heinrich, 1961b: 131–132. Holotype ♀, Canada, Quebec, Wakefield, 7. IX.1959. Condition of type: perfect. Type no. ZSM-Hym-00399.
- Valid name: *Cratichneumon subfilatus* Heinrich, 1961
- submontanus (Barichneumon)**
- Barichneumon submontanus* Heinrich, 1951b: 273–275. Holotype ♀, Germany, Oberlaussa, Ost Alpen, H. Franz. Condition of type: half of left antenna glued on card, right foretarsus partly missing. Type no. ZSM-Hym-00811.
- Valid name: *Barichneumon submontanus* Heinrich, 1951
- suburbanus (Ichneumon)**
- Ichneumon suburbanus* Heinrich, 1961c: 307–309, figs 14, 16, 37. Holotype ♀, U.S.A., Maine, Dryden, hibernating, G. Heinrich. Condition of type: left middle tarsus partly missing. Type no. ZSM-Hym-00720.
- Valid name: *Ichneumon suburbanus* Heinrich, 1961
- subversatus (Ichneumon)**
- Ichneumon subversatus* Heinrich, 1961c: 283–284. Holotype ♀, Canada, Quebec, Poltimore. Condition of type: perfect. Type no. ZSM-Hym-00723.
- Valid name: *Ichneumon subversatus* Heinrich, 1961
- sulcatorius (Ichneumon)**
- Ichneumon sulcatorius* Heinrich, 1949a: 30–31. Holotype ♀, Germany, Berchtesgaden, Jenner, 1200 m, 5 Mai.[1947]. Condition of type: left hind tarsus partly missing. Type no. ZSM-Hym-00854.
- Note: Preoccupied by *Ichneumon sulcatorius* Thunberg, 1824.
- Valid name: *Ichneumon sulcatoriops* Hilpert, 1992
- superbula (Crytea)**
- Crytea superbula* Heinrich, 1968d: 930–931. Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., 2100 m, 23.III.1962. Condition of type: right fore leg, left middle leg, right hind tarsus missing. Type no. ZSM-Hym-00523.
- Valid name: *Crytea superbula* Heinrich, 1968
- superbula (Afrobystra)**
- Afrobystra superbula* Heinrich, 1968e: 1156–1157. Holotype ♂, Tanzania, Tanganyika, Uluguru Mts., 1500–1800 m, 17.XII.1961. Condition of type: perfect. Type no. ZSM-Hym-00605.
- Valid name: *Afrobystra superbula* Heinrich, 1968
- superbus (Calleupalamus)**
- Calleupalamus superbus* Heinrich, 1968d: 839–840. Holotype ♀, Zaire, N of Alb. Edw. See, Ruwenzori Fuss, Westseite, 2.08. Condition of type: apices of both fore wings slightly damaged. Type no. ZSM-Hym-00495.
- Valid name: *Calleupalamus superbus* Heinrich, 1968
- superior (Foveosculum)**
- Foveosculum superior* Heinrich, 1967c: 391–392. Holotype ♀, Tanzania, Tanganyika, Mt. Meru, 2700 m, 17.VIII.63. Condition of type: perfect. Type no. ZSM-Hym-00357.
- Valid name: *Foveosculum superior* Heinrich, 1967
- supersanguineus (Ichneumon)**
- Ichneumon supersanguineus* Heinrich, 1952: 1059–1061. Holotype ♀, Germany, Allgäu, Immenstadt, Rauhenzell, 600 m, 29.ix.1949. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00847.
- Valid name: *Ichneumon connectens* Roman, 1904
- tanganyikae (Procerochasmias)**
- Procerochasmias tanganyikae* Heinrich, 1967d: 551–552. Holotype ♂, Tanzania, S. Tanganyika, Rungwe Mts., 2600 m, 8.XI.1962. Condition of type: perfect. Type no. ZSM-Hym-00345.
- Valid name: *Procerochasmias tanganyikae* Heinrich, 1967
- tanzanica (Depressopyga)**
- Depressopyga tanzanica* Heinrich, 1968e: 1050. Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 700–1800 m, XII.1961.–I.1962, Gerd Heinrich. Condition of type: apex of left antenna, all legs on the left side missing. Type no. ZSM-Hym-00567.
- Valid name: *Depressopyga tanzanica* Heinrich, 1968
- tanzanicus (Afrolongichneumon)**
- Afrolongichneumon tanzanicus* Heinrich, 1968e: 1024–1026, figs 211, 215. Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., 2100 m, 14.–24. III.1962. Condition of type: perfect. Type no. ZSM-Hym-00555.
- Valid name: *Afrolongichneumon tanzanicus* Heinrich, 1968
- tauma (Coelichneumon)**
- Coelichneumon tauma* Heinrich, 1951b: 253–254. Holotype ♀, Austria, Steiermark, Kaiserau bei

Admont, 1100 m, 10.6.50. Condition of type: perfect. Type no. ZSM-Hym-00861.

Valid name: *Syspasis tauma* (Heinrich, 1951)

***teberdensis* (*Ichneumon*)**

Ichneumon teberdensis Heinrich, 1980c: 26–27. Holotype ♀, Russia, Caucasus, Teberda Reservation, 20.VII.1969, A. Tikhomirova. Condition of type: apex of right antenna missing, wings slightly damaged. Type no. ZSM-Hym-00839.

Valid name: *Ichneumon bucculentus teberdensis* Heinrich, 1980

***tegelensis* (*Barichneumon*)**

Barichneumon tegelensis Heinrich, 1951a: 351. Holotype ♀, Netherlands, Tegelen bei Venlo, 4–10–1941, leg. Teunissen. Condition of type: apex of left antenna, right fore- and middle legs missing, right hind tarsus partly missing. Type no. ZSM-Hym-00805.

Valid name: *Stenobarichneumon tegelensis* (Heinrich, 1951)

***temporalis* (*Linyicus*)**

Linyicus temporalis Heinrich, 1971: 1024. Holotype ♂, U.S.A., Maine, Mt. Blue, 8–VI–1960. Condition of type: perfect. Type no. ZSM-Hym-00440.

Valid name: *Linyicus temporalis* Heinrich, 1971

***tenuicornutus* (*Ichneumon*)**

Ichneumon tenuicornutus Heinrich, 1949a: 28–29, fig. 2. Holotype ♀, Germany, Berchtesgaden, Jenner, 1200 m, 12.5.[1947]. Condition of type: left hind tarsus partly missing. Type no. ZSM-Hym-00836.

Valid name: *Ichneumon cinctiae* Kriechbaumer, 1890

***terminalis carolinensis* (*Melanichneumon*)**

Melanichneumon terminalis carolinensis Heinrich, 1962a: 619. Holotype ♀, U.S.A., North Carolina, Raleigh, 10.VI.1951. Condition of type: perfect. Type no. ZSM-Hym-00228.

Valid name: *Vulgichneumon terminalis carolinensis* (Heinrich, 1962)

***teunisseni* (*Ectopoides*)**

Ectopoides teunisseni Heinrich, 1951b: 280–281. Holotype ♀, France, Pyrenäen, Col du Tourmalet, 2000 m, leg. Teunissen. Condition of type: left hind wing slightly damaged at apex. Type no. ZSM-Hym-00792.

Valid name: *Ectopoides brevicornis* (Kriechbaumer, 1890)

***thyridiens mbeyana* (*Hemiphaisura*)**

Hemiphaisura thyridiens mbeyana Heinrich, 1967c: 451. Holotype ♀, Tanzania, S.W. Tanganyika, Mbeya, 17.XI.62. Condition of type: perfect. Type no. ZSM-Hym-00328.

Valid name: *Hemiphaisura thyridiens mbeyana* Heinrich, 1967

***tigris* (*Aglaojoppa*)**

Aglaojoppa tigris Heinrich, 1967a: 22–23. Holotype ♀, Myanmar (Burma), Kambaiti, 7000 Fuss, 17.V, leg. R. Malaise. Condition of type: right antenna partly missing, wings marginally slightly damaged. Type no. ZSM-Hym-00630.

Valid name: *Aglaojoppa tigris* Heinrich, 1967

***totorufus* (*Cylindrophanes*)**

Cylindrophanes totorufus Heinrich, 1968e: 971–972. Holotype ♀, Tanzania, Tanganyika, Chimala, ca. 70 km E. of Mbeya, 1400 m. Condition of type: apex of right antenna, right middle and hind tarsi missing. Type no. ZSM-Hym-00526.

Valid name: *Afromevesia totorufa* (Heinrich, 1968)

***townesi* (*Homotherus*)**

Homotherus townesi Heinrich, 1961b: 175–176, figs 14, 39. Holotype ♀, U.S.A., Maine, Dryden, 12. VIII.1959. Condition of type: perfect. Type no. ZSM-Hym-00380.

Valid name: *Homotherus townesi* Heinrich, 1961

***townesi tsitsikamae* (*Parvaoplus*)**

Parvaoplus townesi tsitsikamae Heinrich, 1968e: 1214. Holotype ♂, South Africa, Storms River, Cape Province, 14.III.1963, G. Heinrich. Condition of type: left fore- and middle tarsi missing. Type no. ZSM-Hym-00627.

Valid name: *Parvaoplus townesi tsitsikamae* Heinrich, 1968

***transvaalensis benguellensis* (*Afromelanichneumon*)**

Afromelanichneumon transvaalensis benguellensis Heinrich, 1967d: 518. Holotype ♂, Angola, Mt. Moco, 2000 m, Okt. 54. Condition of type: perfect. Type no. ZSM-Hym-00333.

Valid name: *Afromelanichneumon transvaalensis benguellensis* Heinrich, 1967

***transvaalensis rubicundus* (*Afromelanichneumon*)**

Afromelanichneumon transvaalensis rubicundus Heinrich, 1967d: 516–518. Holotype ♀, Angola, S of Gabela, Rio Cuvo, 15.VII. Condition of type: perfect. Type no. ZSM-Hym-00332.

Valid name: *Afromelanichneumon transvaalensis rubicundus* Heinrich, 1967

***triangulifer congica* (*Tosquinetia*)**

Tosquinetia triangulifer congica Heinrich, 1967c: 324–325. Holotype ♀, Congo, Elisabethville, 24. XII.1938. H.J. Brede. II Condition of type: right middle and hind legs partly missing. Type no. ZSM-Hym-00283.

Valid name: *Compsophorus triangulifer congicus* (Heinrich, 1967)

trianguliferens (Phaeogenes)

Phaeogenes trianguliferens Heinrich, 1977: 304–305, Map 143. Holotype ♀, U.S.A., Arkansas, Garland Co., Ouachita State Park, 10–18-V-1972, G. Heinrich, D. Shaneck. Condition of type: perfect. Type no. ZSM-Hym-00451.

Valid name: *Phaeogenes trianguliferens* Heinrich, 1977

tricolor (Afrectopius)

Afrectopius tricolor Heinrich, 1967c: 412–413. Holotype ♂, Tanzania, Tanganyika, Uluguru Mts., 1500–1800 m, 14.XII. Condition of type: perfect. Type no. ZSM-Hym-00303.

Valid name: *Afrectopius tricolor* Heinrich, 1967

tricolor (Naenarosculum)

Naenarosculum tricolor Heinrich, 1967d: 596–597. Holotype ♀, Tanzania, S.W. Tanganyika, Mbeya, 17.XII.62. Condition of type: perfect. Type no. ZSM-Hym-00359.

Valid name: *Naenarosculum tricolor* Heinrich, 1967

tricolorata (Crytea)

Crytea tricolorata Heinrich, 1968d: 878–880. Holotype ♂, Tanzania, Tanganyika, W. Usambara Mts., 1800 m, 15.III.1962. Condition of type: perfect. Type no. ZSM-Hym-00507.

Valid name: *Crytea tricolorata* Heinrich, 1968

tricoloratus (Stenaoplus)

Stenaoplus tricoloratus Heinrich, 1968e: 1118–1120. Holotype ♀, Tanzania, S.W. Tanganyika, Mbeya, XI.62. Condition of type: left foreleg missing. Type no. ZSM-Hym-00588.

Valid name: *Stenaoplus t. tricoloratus* Heinrich, 1968

tricoloratus kenyae (Stenaoplus)

Stenaoplus tricoloratus kenyae Heinrich, 1968e: 1120. Holotype ♀, Kenya, Nairobi, 14.II.63. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00589.

Valid name: *Stenaoplus tricoloratus kenyae* Heinrich, 1968

trilobatus (Seyrigiopholites)

Seyrigiopholites trilobatus Heinrich, 1968d: 773–774, fig. 188. Holotype ♀, Tanzania, S.W. Tanganyika, Mbeya, 24.XII.62. Condition of type: perfect. Type no. ZSM-Hym-00481.

Valid name: *Seyrigiopholites trilobatus* Heinrich, 1968

trilobatus (Stenaoplus)

Stenaoplus trilobatus Heinrich, 1968e: 1129–1131. Holotype ♀, South Africa, King Williamstown, Peeree Forest, 6.III.63. Condition of type: perfect. Type no. ZSM-Hym-00596.

Valid name: *Stenaoplus trilobatus* Heinrich, 1968

truncatum (Foveosculum)

Foveosculum truncatum Heinrich, 1967d: 570–571. Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., 1600 m, 2.III.1962. Condition of type: perfect. Type no. ZSM-Hym-00349.

Valid name: *Foveosculum truncatum* Heinrich, 1967

tsitsikamae (Crytea)

Crytea tsitsikamae Heinrich, 1968d: 880–881. Holotype ♀, South Africa, Stoms River, Cape Province, 16.III.1963, G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00508.

Valid name: *Crytea tsitsikamae* Heinrich, 1968

tsitsikamae (Leptops)

Leptops tsitsikamae Heinrich, 1968e: 1021–1022, fig. 213. Holotype ♀, South Africa, Tsitsikama Forest, Stoms River, March 1963. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00554.

Valid name: *Leptops tsitsikamae* Heinrich, 1968

tyloidifer (Cratichneumon)

Cratichneumon tyloidifer Heinrich, 1961b: 115. Holotype ♂, U.S.A., Michigan, Ann Arbor, 6.VI.1959. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00393.

Valid name: *Cratichneumon tyloidifer* Heinrich, 1961

ufipiae (Foveosculum)

Foveosculum ufiiae Heinrich, 1967d: 578–579. Holotype ♀, Tanzania, Tanganyika, Ufipa Plateau, Mbesi Forest, 2500 m, Dec. 1962. Condition of type: perfect. Type no. ZSM-Hym-00352.

Valid name: *Foveosculum ufiiae* Heinrich, 1967

ufipasilvae (Cylindrophanes)

Cylindrophanes ufiipasilvae Heinrich, 1968e: 995–996. Holotype ♀, Tanzania, Tanganyika, Ufipa Plateau, Mbesi Forest, 2500 m, Dec. 1962. Condition of type: left hind tarsus missing. Type no. ZSM-Hym-00539.

Valid name: *Afromevesia ufiipasilvae* (Heinrich, 1968)

ufipicola (Hemibystra)

Hemibystra ufiipicola Heinrich, 1968e: 1173–1174. Holotype ♀, Tanzania, S.W. Tanganyika, Ufipa Plateau, Mbesi Forest, 2500 m, 1. Dec. 1962. Condition of type: left middle tarsus partly missing. Type no. ZSM-Hym-00611.

Valid name: *Hemibystra ufiipicola* Heinrich, 1968

ufipicus (Afrolongichneumon)

Afrolongichneumon ufiipicus Heinrich, 1968e: 1029–1031. Holotype ♀, Tanzania, Tanganyika, Ufipa Plateau, Mbesi Forest, 2500 m, Dec. 1962. Condition of type: perfect. Type no. ZSM-Hym-00558.

Valid name: *Afrolongichneumon ufiipicus* Heinrich, 1968

ulugurensis (Afrectopius)

Afrectopius ulugurensis Heinrich, 1967c: 408–410.
Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1600–1800 m, 20.XII.1961. Condition of type: perfect. Type no. ZSM-Hym-00300.

Valid name: *Afrectopius ulugurensis* Heinrich, 1967

ulugurensis (Hemibystra)

Hemibystra ulugurensis Heinrich, 1968e: 1194–1196.
Holotype ♂, Tanzania, Tanganyika, Uluguru Mts., 1500–1800 m. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00624.

Valid name: *Hemibystra ulugurensis* Heinrich, 1968

ulugurorum (Foveosculum)

Foveosculum ulugurorum Heinrich, 1967d: 576–577.
Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 1500–1800 m, 19.XII.1961. Condition of type: perfect. Type no. ZSM-Hym-00351.

Valid name: *Foveosculum ulugurorum* Heinrich, 1967

ulugurus (Leptophatnus)

Leptophatnus ulugurus Heinrich, 1967b: 106–107.
Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 700 m, 30.XII.1961. Condition of type: perfect. Type no. ZSM-Hym-00245.

Valid name: *Leptophatnus ulugurus* Heinrich, 1967

ulugurusphinx (Cylindrophanes)

Cylindrophanes ulugurusphinx Heinrich, 1968e: 996–997.
Holotype ♂, Tanzania, Tanganyika, Uluguru Mts., 1500–1800 m, 15.XII.61. Condition of type: perfect. Type no. ZSM-Hym-00540.

Valid name: *Afromevesia ulugurusphinx* (Heinrich, 1968)

uranius birmanicus (Platylabus)

Platylabus uranius birmanicus Heinrich, 1974b: 117.
Holotype ♀, Myanmar (Burma), Kambaiti, 7000 ft, 25.5.37. R. Malaise. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00678.

Valid name: *Platylabus uranius birmanicus* Heinrich, 1974

usambararum (Leptotogea)

Leptotogea usambararum Heinrich, 1968d: 737–738.
Holotype ♀, Tanzania, Tanganyika, E. Usambara Mts., 1150 m, 21.4.62. Condition of type: perfect. Type no. ZSM-Hym-00468.

Valid name: *Leptotogea usambararum* Heinrich, 1968

usambarica (Rhadinodonta)

Rhadinodonta usambarica Heinrich, 1968d: 824–825, figs 195, 196.
Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., 1600 m, 14.II.1962. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00492.

Valid name: *Rhadinodonta usambarica* Heinrich, 1968

usambaricus (Afrectopius)

Afrectopius usambaricus Heinrich, 1967c: 410–411, fig. 133.
Holotype ♀, Tanzania, Tanganyika, W. Usambara Mts., 2100 m, 11.III.1962. Condition of type: perfect. Type no. ZSM-Hym-00301.

Valid name: *Afrectopius usambaricus* Heinrich, 1967

ussuriensis (Stenichneumon)

Stenichneumon ussuriensis Heinrich, 1980c: 14.
Holotype ♀, Russia, 15 km west of Vladivostok, Kedrovaja Pad, 2.V.1962. Condition of type: left foretarsus partly missing, right leg missing. Type no. ZSM-Hym-00860.

Valid name: *Stenichneumon ussuriensis* Heinrich, 1980

vaccinii (Cratichneumon)

Cratichneumon vaccinii Heinrich, 1961b: 141–142.
Holotype ♂, Canada, Ontario, Stonecliffe, 16.VI.1956. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00397.

Valid name: *Cratichneumon vaccinii* Heinrich, 1961

valdefuscus (Cratichneumon)

Cratichneumon valdefuscus Heinrich, 1972a: 177–178.
Holotype ♂, U.S.A., Highlands Hammock State Park, Florida, 25.IV.1968. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00394.

Valid name: *Cratichneumon pseudanisotae* Heinrich, 1961

valdepictus (Setantops)

Setantops valdepictus Heinrich, 1968e: 1069–1070.
Holotype ♀, Tanzania, Tanganyika, Uluguru Mts., 4.XII.61, 1500–1800 m. Condition of type: apex of right antenna, left foretarsus missing. Type no. ZSM-Hym-00576.

Valid name: *Setantops valdepictus* Heinrich, 1968

valderubra (Semitogea)

Semitogea valderubra Heinrich, 1968d: 806–807.
Holotype ♀, Angola, Quitundo, Distr. Calulo, 11.8.–2.9.1957. Condition of type: apex of left antenna missing. Type no. ZSM-Hym-00488.

Valid name: *Semitogea valderubra* Heinrich, 1968

valdopacus (Ichneumon)

Ichneumon valdopacus Heinrich, 1961c: 287–288.
Holotype ♀, U.S.A., Maine, Greenville. Condition of type: perfect. Type no. ZSM-Hym-00726.

Valid name: *Ichneumon valdopacus* Heinrich, 1961

varicornis albidos (Crytea)

Crytea varicornis albidos Heinrich, 1968d: 863–864.
Holotype ♀, South Africa, East London, 27.VII.1961. Condition of type: perfect. Type no. ZSM-Hym-00496.

Valid name: *Crytea varicornis albidos* Heinrich, 1968

***variegaticeps* (*Hemibystra*)**

Hemibystra variegaticeps Heinrich, 1968e: 1165–1166, figs 232, 233. Holotype ♀, Tanzania, S.W. Tanganyika, Mbeya, 21.XII.62. Condition of type: perfect. Type no. ZSM-Hym-00607.

Valid name: *Hemibystra variegaticeps* Heinrich, 1968

***variegatus euxoae* (*Diphyus*)**

Diphyus variegatus euxoae Heinrich, 1969b: 960–962. Holotype ♀, Canada, Alberta, ex *Euxoa ochrogaster*. Condition of type: perfect. Type no. ZSM-Hym-00211.

Valid name: *Diphyus euxoae* Heinrich, 1969

***variegatus fuscovariegator* (*Cratichneumon*)**

Cratichneumon variegatus fuscovariegator Heinrich, 1977: 142–143, figs 33, 34, Map 62. Holotype ♀, U.S.A., Florida, Highlands Co., Lake Placid, Archbold Biological Station, 21-IV-1968. G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00396.

Valid name: *Cratichneumon w-album* (Cresson, 1864)

***variegatus insignitus* (*Cratichneumon*)**

Cratichneumon variegatus insignitus Heinrich, 1971: 985. Holotype ♀, U.S.A., Forsyth, Monroe Co., Georgia, 20–30 May 1968, leg. G. Heinrich. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00395.

Valid name: *Cratichneumon w-album* (Cresson, 1864)

***variegatus orientis* (*Diphyus*)**

Diphyus variegatus orientis Heinrich, 1969b: 962–963. Holotype ♀, U.S.A., Maine, Mt. Blue, near Weld, 4.VII.1968. Condition of type: perfect. Type no. ZSM-Hym-00212.

Valid name: *Diphyus euxoae* Heinrich, 1969

***verecunda angolae* (*Epijoppa*)**

Epijoppa verecunda angolae Heinrich, 1967c: 350, figs 107, 112, 116, 120, 124. Holotype ♀, Angola, S of Gabela, 28.VII.54. Condition of type: perfect. Type no. ZSM-Hym-00294.

Valid name: *Compsophorus verecundus angolae* (Heinrich, 1967)

***verecunda occidentalis* (*Epijoppa*)**

Epijoppa verecunda occidentalis Heinrich, 1967c: 350–351. Holotype ♀, Ivory Coast, Makono, 5.–6.I. 1957. J. de Beaumont. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00295.

Valid name: *Compsophorus verecundus occidentalis* (Heinrich, 1967)

***verecunda tanzanica* (*Epijoppa*)**

Epijoppa verecunda tanzanica Heinrich, 1967c: 349–350, fig. 105. Holotype ♀, Tanzania, Tanganyika, Dar es Salaam, 14.9.1961. G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00293.

Valid name: *Compsophorus verecundus tanzanicus* (Heinrich, 1967)

***victoriae* (*Pseudamblyteles*)**

Pseudamblyteles victoriae Heinrich, 1965a: 97–98. Holotype ♀, Myanmar (Burma), Mt. Victoria, 2800 m, Mai [1937 or 1938]. Condition of type: apex of left antenna and left foreleg missing, left hind leg partly missing. Type no. ZSM-Hym-00652.

Valid name: *Diphyus victoriae* (Heinrich, 1965)

***victoriae* (*Spilichneumon*)**

Spilichneumon victoriae Heinrich, 1965a: 91–92. Holotype ♀, Myanmar (Burma), Mt. Victoria, 2800 m, Mai [1937 or 1938]. Condition of type: apex of right antenna missing. Type no. ZSM-Hym-00654.

Valid name: *Spilichneumon victoriae* Heinrich, 1965

***victoriae* (*Aeneonaenaria*)**

Aeneonaenaria victoriae Heinrich, 1974a: 426–427. Holotype ♀, Myanmar (Burma), Mt. Victoria, Chinhills, 2400–2800 m, V.38, G. Heinrich. Condition of type: forewings marginally slightly damaged. Type no. ZSM-Hym-00657.

Valid name: *Aeneonaenaria victoriae* Heinrich, 1974

***vilissima* (*Eutanyacra*)**

Eutanyacra vilissima Heinrich, 1961d: 439–441, figs 19, 21, 23, 31, 55. Holotype ♀, U.S.A., Maine, Dryden, G. H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00189.

Valid name: *Eutanyacra vilissima* Heinrich, 1961

***vilissima rubricosa* (*Eutanyacra*)**

Eutanyacra vilissima rubricosa Heinrich, 1961d: 441–442. Holotype ♀, U.S.A., Maryland, College Park, hibernating, Gerd. H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00190.

Valid name: *Eutanyacra vilissima rubricosa* Heinrich, 1961

***vilissimops* (*Eutanyacra*)**

Eutanyacra vilissimops Heinrich, 1971: 980–982. Holotype ♀, Canada, Kazubazua, Quebec, hibernating, 21–10–1956, leg. G. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00191.

Valid name: *Eutanyacra vilissimops* Heinrich, 1971

***violaceipennis* (*Aethianoplis*)**

Aethianoplis violaceipennis Heinrich, 1968d: 715–716, fig. 167. Holotype ♀, Guinea, Ifan, Mt. Nimba N.E., 500–700 m, 1946, A. Villiers. Condition of type: right antenna missing, right wings damaged. Type no. ZSM-Hym-00465.

Valid name: *Aethianoplis violaceipennis* Heinrich, 1968

volens borealis (Cratichneumon)

Cratichneumon volens borealis Heinrich, 1977: 184–186.

Holotype ♂, U.S.A., Maine, Livermore Falls, 25-VII-1956. Condition of type: perfect. Type no. ZSM-Hym-00422.

Valid name: *Cratichneumon brevipennis* (Cresson, 1864)

vulcanicola (Genaemirum)

Genaemirum vulcanicola Heinrich, 1967b: 135–136, figs 27, 34. Holotype ♀, Tanzania, Tanganyika, Rungwe Mts., 2600 m, 12.XI.62. Condition of type: perfect. Type no. ZSM-Hym-00253.

Valid name: *Genaemirum vulcanicola* Heinrich, 1967

warnckeii (Coelichneumon)

Coelichneumon warnckeii Heinrich, 1980c: 10–11. Holotype ♀, Turkey, Horassan, Arastal, 14.VI.73, leg. Kl. Warncke. Condition of type: perfect. Type no. ZSM-Hym-00788.

Valid name: *Coelichneumon erythromerus* (Rudow, 1888)

zebraticolor (Pseudamblyteles)

Pseudamblyteles zebraticolor Heinrich, 1962c: 882–883.

Holotype ♀, Canada, Ontario, Orient bay, 19.VI.1956. Gerd H. Heinrich. Condition of type: perfect. Type no. ZSM-Hym-00208.

Valid name: *Diphysus zebraticolor* (Heinrich, 1962)

zebratus robsonicus (Virgichneumon)

Virgichneumon zebratus robsonicus Heinrich, 1977: 225.

Holotype ♂, Canada, British Columbia, Robson. Condition of type: perfect. Type no. ZSM-Hym-00224.

Valid name: *Virgichneumon zebratus robsonicus* Heinrich, 1977

Acknowledgements

The project was supported by the German Federal Ministry of Education and Research (Bundesministerium für Bildung und Forschung). We thank Erich Diller (Munich), Klaus Horstmann (Würzburg) and Martin Schwarz (Linz) for their kind help.

References

- Berthoumieu, V. 1896. Ichneumonides. Description d'espèces nouvelles. *Revue Scientifique du Bourbonnais* 9: 193–196.
- 1899. 4^e supplément aux Ichneumonides d'Europe [Hymén.]. *Bulletin de la Société Entomologique de France* 1899: 135–138.
- Carlson, R. W. 1979. Family Ichneumonidae. Stephanidae. Pp. 315–741 in: Krombein, K. V., Hurd Jr., P. D., Smith, D. R. & Burks, B. D. Catalog of Hymenoptera in America north of Mexico. Washington (Smithsonian Institution Press.).
- Cresson, E. T. 1864. Descriptions of North American Hymenoptera in the collection of the Entomological Society of Philadelphia. *Proceedings of the Entomological Society of Philadelphia* 3: 131–196.
- 1868. A list of the Ichneumonidae of North America, with descriptions of new species. *Transactions of the American Entomological Society* 2: 89–114.
- 1877. Notes on the species belonging to the subfamily Ichneumonides, found in America north of Mexico. *Transactions of the American Entomological Society* 6: 129–212.
- Diller, E. 1992. Die Sektion Hymenoptera der Zoologischen Staatssammlung München. *Spixiana Suppl.* 17: 83–100.
- Gravenhorst, J. L. C. 1829. *Ichneumonologia Europaea. Pars I.* 827 pp., Vratislaviae.
- Gupta, V. K. 1991. The parasitic Hymenoptera and biological control and our knowledge of the African Ichneumonidae. *Insect Science and its Application* 12: 9–18.
- Habermehl, H. 1916. Beiträge zur Kenntnis der palaearktischen Ichneumonidenfauna. *Zeitschrift für Wissenschaftliche Insektenbiologie* 12: 232–237, 280–287.
- 1918. Beiträge zur Kenntnis der palaearktischen Ichneumonidenfauna. *Zeitschrift für Wissenschaftliche Insektenbiologie* 14: 48–55, 118–119, 145–152.
- Harrington, W. H. 1894. Canadian Hymenoptera No. 5. *Canadian Entomologist* 26: 209–214.
- Heinrich, G. H. 1934a. Die Ichneumoninae von Celebes. *Mitteilungen aus dem Zoologischen Museum in Berlin* 20: 1–263.
- 1934b. Zur Systematik der Ichneumoninae Stenopneusticae VI. *Mitteilungen aus dem Zoologischen Museum in Berlin* 19: 154–165.
- 1944a. Ichneumoninae Niederdonaus. *Mitteilungen der Deutschen Entomologischen Gesellschaft* 13: 108–113.
- 1944b. Ichneumoninae Niederdonaus. *Mitteilungen der Deutschen Entomologischen Gesellschaft* 13: 114–115.
- 1949a. Ichneumoniden des Berchtesgadener Gebietes. (Hym.). *Mitteilungen der Münchner Entomologischen Gesellschaft* 35–39: 1–101.
- 1949b. Neue und interessante Schlußwespen aus Bayern (Hym.). *Mitteilungen der Münchner Entomologischen Gesellschaft* 35–39: 101–127.
- 1949c. *Stenichneumon ceaurei* spec. nov. *Nachrichten des Naturwissenschaftlichen Museums der Stadt Aschaffenburg. Mitteilungen der Sammelstelle für Schmarotzerbestimmung des V.D.E.V.* 24: 1–4.
- 1950a. Eine neue Ichneumonidae aus der Ukraine. *Nachrichten des Naturwissenschaftlichen Museums der Stadt Aschaffenburg. Mitteilungen der Sammelstelle für Schmarotzerbestimmung* 27: 4–6.
- 1950b. Neue deutsche Ichneumoniden. *Nachrichten des Naturwissenschaftlichen Museums der Stadt Aschaffenburg* 28: 14–23.

- 1951a. *Barichneumon tegelensis* spec. nov. ♀. Entomologische Berichten 316(13): 351.
- 1951b. Ichneumoniden der Steiermark (Hym.). Bonner Zoologische Beiträge 2: 235–290.
- 1952. Ichneumonidae from the Allgäu – Bavaria. Annals and Magazine of Natural History 12(5): 1052–1089.
- 1957. Einige Ichneumonidae von Afghanistan. Entomologische Zeitschrift 67(2): 20–23.
- 1961a. Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the north-eastern region (Hymenoptera). Part I. Introduction, key to Nearctic genera of Ichneumoninae Stenopneusticae, and Synopsis of the Protichneumonini North of Mexico. Canadian Entomologist, Suppl. 15 (1960): 1–88.
- 1961b. Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the north-eastern region (Hymenoptera). Part II. Synopsis of the Ichneumonini: Genera *Orgichneumon*, *Cratichneumon*, *Homotherus*, *Aculichneumon*, *Spilichneumon*. Canadian Entomologist, Suppl. 18 (1960): 89–206.
- 1961c. Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to northeastern region (Hymenoptera). Part III. Synopsis of the Ichneumonini: Genera *Ichneumon* and *Thyrateles*. Canadian Entomologist, Suppl. 21: 207–368.
- 1961d. Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the north-eastern region (Hymenoptera). Part IV. Synopsis of the Ichneumonini: Genera *Chasmias*, *Neamblymorphia*, *Anisopygus*, *Limerodops*, *Eupalamus*, *Tricholabus*, *Pseudamblyteles*, *Eutanyacra*, *Ctenichneumon*, *Exephanes*, *Ectopimorpha*, *Pseudoamblyteles*. Canadian Entomologist, Suppl. 23: 369–506.
- 1962a. Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the north-eastern region (Hymenoptera). Part V. Synopsis of the Ichneumonini: Genera *Protopelmus*, *Patrocloides*, *Probolus*, *Stenichneumon*, *Aoplus*, *Limonethe*, *Hybophorellus*, *Rubicundiella*, *Melanichneumon*, *Stenobarichneumon*, *Platylabops*, *Hoplismenus*, *Hemihoplis*, *Trogomorpha*. Canadian Entomologist, Suppl. 26: 507–672.
- 1962b. Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the north-eastern region (Hymenoptera). Part VI. Synopsis of the Ichneumonini (Genus *Plagiotypes*), Acanthojoppini, Listrodromini and Platylabini. Canadian Entomologist, Suppl. 27: 675–802.
- 1962c. Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to northeastern region (Hymenoptera). Part VII. Synopsis of the Trogini. Addenda and corrigenda. Canadian Entomologist, Suppl. 29: 803–886.
- 1965a. Burmesische Ichneumoninae I. [Tribus Ichneumonini (1. Teil)]. Entomologisk Tidskrift 86: 74–130.
- 1965b. Burmesische Ichneumoninae II. [Tribus Ichneumonini (2. Teil)]. Entomologisk Tidskrift 86: 133–177.
- 1966. Burmesische Ichneumoninae III. Tribus Protichneumonini (1. Teil). Entomologisk Tidskrift 87: 184–247.
- 1967a. Burmesische Ichneumoninae III. [Tribus Protichneumonini contd.]. Entomologisk Tidskrift 88: 1–32.
- 1967b. Synopsis and reclassification of the Ichneumoninae Stenopneusticae of Africa south of Sahara (Hym.). Vol. I. Pp. 1–250, Maine (Farmington State College Press).
- 1967c. Synopsis and reclassification of the Ichneumoninae Stenopneusticae of Africa south of Sahara (Hym.). Vol. II. Pp. 251–480, Maine (Farmington State College Press).
- 1967d. Synopsis and reclassification of the Ichneumoninae Stenopneusticae of Africa south of Sahara (Hym.). Vol. III. Pp. 481–692, Maine (Farmington State College Press).
- 1968a. Burmesische Ichneumoninae IV. [A. Nachträge. B. Fortsetzung]. Entomologisk Tidskrift 89: 77–106.
- 1968b. Burmesische Ichneumoninae V. [A. Nachträge. B. Fortsetzung]. Entomologisk Tidskrift 89: 197–228.
- 1968c. Contributions to the knowledge of North America Ichneumoninae. Naturaliste Canadien 95: 703–722.
- 1968d. Synopsis and reclassification of the Ichneumoninae Stenopneusticae of Africa south of Sahara (Hym.). Vol. IV. Pp. 693–942, Maine (Farmington State College Press).
- 1968e. Synopsis and reclassification of the Ichneumoninae Stenopneusticae of Africa south of Sahara (Hym.). Vol. V. Pp. 943–1258, Maine (Farmington State College Press).
- 1969a. Burmesische Ichneumoninae VI. Tribus Protichneumonini. 2. Subtribus Apatetorina Heinrich. Entomologisk Tidskrift 90: 100–130.
- 1969b. Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to northeastern region (Hymenoptera). Suppl. 1. Naturaliste Canadien 96: 935–963.
- 1970. Burmesische Ichneumoninae VII. 3. Subtribus Heresiarchina Ashmead. Entomologisk Tidskrift 91: 68–102.
- 1971. Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the north-eastern region (Hymenoptera). Suppl. 2. Naturaliste Canadien 98: 959–1026.
- 1972a. Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the north-eastern region (Hymenoptera). Suppl. 3. Naturaliste Canadien 99: 173–211.
- 1972b. Zur Systematik der Ichneumoninae Stenopneusticae IX. Eine Spaetlese (Hymenoptera, Ichneumonidae). Mitteilungen der Münchner Entomologischen Gesellschaft 60: 80–101.
- 1973a. Bemerkenswerte Ichneumoninae aus dem Gebiet der Südalpen. Nachrichtenblatt der Bayerischen Entomologen 22: 49–56.

- 1973b. Synopsis of Nearctic Ichneumoninae Stenopneusticæ with particular reference to the north-eastern region (Hymenoptera). Suppl. 4. Naturaliste Canadien 100: 461–465.
- 1974a. Burmesische Ichneumoninae VIII. [I. Nachträge. II. Fortsetzung von Tribus Ichneumonini, Subtribus Amblytelina & Tribus Eurylabin]. Annales Zoologici 31: 407–457.
- 1974b. Burmesische Ichneumoninae IX. Tribus Platylabini. Annales Zoologici 32: 103–197.
- 1975a. Burmesische Ichneumoninae X. Tribus Ichneumonini (4. Teil); Listrodromini, Compsophorini und Goedartiini. Annales Zoologici 32: 441–514.
- 1975b. Synopsis of Nearctic Ichneumoninae Stenopneusticæ with particular reference to the north-eastern region (Hymenoptera). Suppl. 5: Ichneumoninae of the island of Newfoundland. Naturaliste Canadien 102: 753–782.
- 1977. Arthropods of Florida and neighboring areas. Vol. 9. Ichneumoninae of Florida and neighboring states. Contribution No. 400, Florida Department of Agriculture and Consumer Services.
- 1978a. [Eastern Palearctic Hymenopterous insects of the subfamily Ichneumoninae.] (in Russian). 81 pp., Leningrad.
- 1978b. Synopsis of Nearctic Ichneumoninae Stenopneusticæ, with particular reference to the north-eastern region (Hymenoptera). Suppl. 6. Naturaliste Canadien 105: 159–168.
- 1980a. Burmesische Ichneumoninae XI. Tribus Ichneumonini (5. Teil) Subtribus Cratichneumonina Heinrich. Annales Zoologici 35: 117–192.
- 1980b. Contribution to the knowledge of the western Palaearctic species of *Anisobas* Wesmael (Ichneumonidae, Ichneumoninae). Spixiana 3: 225–238.
- 1980c. Neue Ichneumoninae Stenopneusticæ aus der palaearktischen Region (Hymenoptera, Ichneumonidae). Mitteilungen der Münchner Entomologischen Gesellschaft 69: 9–27.
- Hilpert, H. 1992. Zur Systematik der Gattung *Ichneumon* Linnaeus, 1758 in der Westpalaearktis (Hymenoptera, Ichneumonidae, Ichneumoninae). Entomofauna, Suppl. 6: 1–389.
- , Hinz, R., & Horstmann, K. 1993. Typenrevision der von Maurice Pic beschriebenen Ichneumoninae (ohne Phaeogenini) (Hymenoptera, Ichneumonidae). Spixiana 16(2): 173–187.
- Holmgren, A. E. 1864. Ichneumonologia Suecica. Tomus Primus. Ichneumonides Oxypygi. 213 pp., Holmiae.
- Kriechbaumer, J. 1875. Neue Schlupfwespen. Correspondenz-Blatt des Zoologisch-Mineralogischen Vereines in Regensburg 29: 149–158.
- 1888. Neue Ichneumoniden des Wiener Museums. Annalen des Naturhistorischen Hofmuseums in Wien 3: 23–36.
- 1890. Ichneumoniden-Studien. 33–36. Entomologische Nachrichten 16(13): 199–204.
- 1890. Ichneumoniden-Studien. Neue Ichneumoniden des Wiener Museums. II. Annalen des Naturhistorischen Hofmuseums Wien 5: 479–491.
- 1894. Hymenoptera Ichneumonidae a medico nau-tico Dr. Joh. Brauns in itinere secundo ad oras Africae lecta. Berliner Entomologische Zeitschrift 39: 297–318.
- Linnaeus, C. von 1761. Fauna Svecica. Editio altera. Laurentii Salvii. 578 pp., Stockholmiae.
- Morley, C. 1917. On some South African Ichneumonidae in the collection of the South African Museum. Annals of the South African Museum 17: 191–229.
- 1919. On some equatorial and other species and genera of African Ichneumoninae contained in the collection of the British Museum. Proceedings of the Zoological Society of London 1919: 117–171.
- Pic, M. 1914. Diagnoses de divers Ichneumoniens. Échange 30: 69–70.
- Provancher, L. 1879. Faune canadienne. Les insectes – Hyménoptères. Naturaliste Canadien 11: 129–143.
- 1886. Additions et corrections au Volume II de la Faune Entomologique du Canada. Traitant des Hyménoptères. Ichneumonoidea in pp. 29–157, Québec.
- Ratzeburg, J. T. C. 1849. Parasitologische Beiträge. Entomologische Zeitung Stettin 10: 131–134.
- Roman, A. 1904. Sibirische Ichneumonen im Schwedi-schen Reichsmuseum. Entomologisk Tidskrift 25: 138–150.
- Rudow, F. 1888. Einige neue Ichneumoniden. Entomo-logische Nachrichten 14(6): 83–92.
- Say, T. 1829. A description of some new species of Hymenoptera of the United States. Contributions of the Maclurian Lyceum to the Arts and Sciences 1(1828): 67–83.
- Selfa, J. & Diller, E. 2001. Lectotype designations of Ichneumoninae from Spain (Hymenoptera: Ichneu-monidae). Entomofauna 22(16): 377–380.
- Strobl G. 1901. Ichneumoniden Steiermarks (und der Nachbarländer). Mitteilungen des Naturwissen-schaftlichen Vereines für Steiermark 37: 132–257.
- Thunberg C. P. 1824. Ichneumonidea, Insecta Hymeno-ptera, illustrata. Mémoires de l'Académie Imperiale des Sciences de Saint Petersbourg 9: 285–368.
- Tischbein, P. F. L. 1879. Zusätze und Bemerkungen zu der Übersicht der europäischen Arten des Genus *Ichneumon* Gr. Stettiner Entomologische Zeitung 40: 20–40.
- Townes, H. K. 1969. The genera of Ichneumonidae. Part I. Memoirs of the American Entomological Institute 11: i-ii, 1–300.
- Weems, H. V. 1977. Foreword. In: Heinrich, G. H. Ichneumoninae of Florida and neighboring states (Hymenoptera: Ichneumonidae, subfamily Ichneu-moninae). Dryden, Maine, USA (Florida Dept. of Agriculture and Consumer Services).
- Wesmael, C. 1855. Ichneumonologica miscellana. Bul-letin de l'Académie Royale des Sciences, Belgique 22(2): 362–435.
- Yu, D. S., van Achterberg, K. & Horstmann, K. 2005. World Ichneumonoidea 2004. Taxonomy, biology, morphology and distribution. Taxapad 2005: 1–96 + DVD.

Buchbesprechungen

5. Bergbauer, M. 2011. Was lebt in heimischen Seen. Ein Bestimmungsbuch für Taucher und Schnorchler. – Kosmos Naturführer, Franckh-Kosmos Verlag, Stuttgart, 223 Seiten, 210 Abbildungen. ISBN 978-3-440-12312-6.
6. Bezzel, E. 2011. Deutschlands Vögel: Faszinierendes Leben zwischen Küste und Gebirge. – Franckh-Kosmos Verlag, Stuttgart, 159 Seiten, 250 Farbfotos. ISBN 978-3-440-12404-8.

Da sich das Tauchen und Schnorcheln in heimischen Süßwasserregionen immer größerer Beliebtheit erfreut, ist ein Führer für die Lebewelt dieser Regionen ein sehr nützliches Handwerkszeug zur Zuordnung der Tiere. Im vorliegenden Bändchen wird ein breites Spektrum an Tieren vorgestellt, wobei verständlicherweise die Wirbeltiere und im besonderen die Fische einen herausragenden Platz einnehmen. Neben einer allgemeinen Beschreibung der Lebensweise wird die Größe der behandelten Art sowie deren Merkmale und Vorkommen beschrieben. Dabei werden auch die vielfach eingeschleppten oder eingewanderten Arten mit behandelt. Abschließend werden unter der Rubrik "Wissenswertes" Besonderheiten vorgestellt ebenso wie besondere Tipps für Taucher, die weitgehende Beobachtungshinweise geben. Eine besondere Ausstattung erfährt das Buch durch die vielen guten Fotos, die die Arten in ihrem Lebensraum zeigen, so wie sie der Taucher bei guter Sicht auch im See oder großen Fluss zu sehen bekommt. Dies gilt auch für die Wirbellosen, wie Muscheln, Schnecken, Insekten und Krebse. Dabei sei hinzugefügt, dass sicher kaum ein Taucher oder Schnorchler etwa dem Kiemenfußkrebs *Triops* begegnen wird, da dieser in temporären Kleingewässern lebt. Leider hat sich bei der Beschreibung des Rückenschwimmers ein falsches Bild, nämlich das einer Ruderwanze (*Corixidae*) eingeschlichen. Zudem fehlt der Hinweis, dass der Rückenschwimmer auch den Taucher und Schnorchler empfindlich stechen kann, wenn er etwa zwischen den Fingern eingeklemmt wird. Im Volksmund heißt er darum auch Wasserbiene. Leider werden nur wenige der nicht nur kleinen Vertreter der faszinierenden Wasserinsekten vorgestellt. Ansonsten handelt es sich bei diesem "Bestimmungsbuch" um ein Nachschlagebuch für einen Teil der Süßwasserlebewelt, wobei gerade einige Neozoenen auch besondere Erwähnung finden. Der Bildvergleich mag es möglich machen, einige der Arten anzusprechen, eine direkte Bestimmung ist allerdings in vielen Fällen weder durch das Bild noch durch den beschreibenden Text möglich.

E.-G. Burmeister

Jedes neue Vogelbuch muss auf dem reich beschickten Markt seine Nische finden: Der etwas reiferisch gemachte Klappentext des bei aufwendiger Gestaltung doch preiswerten Werkes ist mit dem angeführten Konglomerat aus Superlativen, Höhepunkten und Extremen der Vogelwelt unseres Landes verführerisch und löst beim Kaufinteressenten positive Emotionen aus: "Die größte Eule der Welt und der kleinste Vogel Europas leben in Deutschland: der Uhu in den Bergen, das Wintergoldhähnchen in unseren Wäldern. Das Drehkreuz des internationalen Vogelzugs liegt in unserem Wattenmeer an der Nordseeküste. So unterschiedlich die Landschaften, so vielfältig unsere Vogelwelt und ihre Besonderheiten. Der Kolkrabe, der größte Singvogel der Welt, kann gar nicht richtig singen und ist trotzdem ein wahres Stimmwunder. Die Küstenseeschwalbe fliegt jedes Jahr auf ihrem Zugweg bis in die Antarktis und zurück – unglaubliche Entfernung von bis zu 30 000 Kilometer. Der Fichtenkreuzschnabel brütet dann, wenn andere Tiere ums Überleben kämpfen: mitten im Winter. Die spektakuläre Balz des Auerhahns endet wie das Knallen eines Sektkorkens. Dieser Bildband zeigt in brillanten Aufnahmen die Schönheit und Vielfalt unserer heimischen Vogelwelt. Dazu erzählt der erfahrene Vogelkundler Dr. Ewald Bezzel Unterhaltsames, Wissenswertes und Spektakuläres und unterstreicht wie wichtig es ist, diesen Reichtum zu schützen."

Das von einem renommierten Ornithologen verfasste und hübsch bebilderte Buch wendet sich, wie rasch erkennbar, mit seinem modernen und saloppen Text in erster Linie an ornithologische Laien. Dies ist zu vermuten, weil nur eine Auswahl von Vogelarten im Buch vorkommt und neuere taxonomische Änderungen wie z. B. die Trennung unserer Meisenarten in diverse Gattungen auch als Querverweis nicht übernommen wurden. Wissbegierige Ornithologen werden enttäuscht, denn die im Kapitel Silbermöwe abgehandelte Mittelmeermöwe, obwohl seit einigen Jahren Brutvogel an süddeutschen Gewässern, wird noch lediglich als Gast aus dem Süden betrachtet.

Positiv ist zu sehen, dass bei Vogelarten mit Existenzproblemen wie z. B. Gartenrotschwanz und Haussperling auch auf die Ursachen des Rückgangs hingewiesen wird und auch für die Gruppe der Verfemten, zu denen die Greifvögel, die Krähenvögel und die fischfressenden Vogelarten zu rechnen sind, erfolgen Richtigstellungen aus der Sicht des Biologen und Vogelschützers.

Der gefällig aufgemachte Band eignet sich als Geschenk insbesondere für Einsteiger in die Vogelkunde, da diesem Personenkreis gleich zu Beginn aktuelle Informationen über viele einheimische Vogelarten in sympathischer Form gegeben werden.

M. Siering