

Freshwater fishes of the Anatolian Midwestern Black Sea basin

Baran Yoğurtçuoglu*, Cüneyt Kaya** and Jörg Freyhof***

The freshwater fish diversity of the Anatolian Midwestern Black Sea basin is studied. Twenty-seven species belonging to 18 genera and 9 families were recorded. The most representative families are Leuciscidae with eight species (30 %), followed by Cyprinidae with six species (22 %). The sub-basins sampled are clustered in three well-distinguished groups (Coastal Streams, Filyos and Kızılırmak) based on the similarity estimation of the species composition. The highest species richness was recorded in Kızılırmak River drainage, likely due to its greater size and higher habitat diversity. An updated set of fish occurrence data has been documented, resulting in new ranges of distribution and new records of species, accompanied by short comments.

Introduction

Anatolia hosts a remarkably diverse freshwater fish fauna but the majority of its freshwater habitats face high anthropogenic pressure (e.g. water abstraction, dam construction, pollution) causing a growing challenge for preventing dramatic changes in the ecosystem health and integrity (Şekercioğlu et al., 2011; Smith et al., 2014). However, these changes are often poorly known and observations are based on occasional field surveys. Therefore, governmental agencies and environmental non-governmental organizations need to monitor species distributions in order to detect changes over time so that they can manage and sustain species and ecosystems. Data on species distributions are the key to understand

the extent and scale of biodiversity change due to threats present in the area (Pereira et al., 2013; Jetz et al., 2019). Monitoring of species distributions is supported mainly by raw data, such as inventories and, therefore, an increasing attention has been recently paid to the importance of using fish occurrence data as indicators for assessing the biological and ecological integrity of freshwaters and their catchments (Simon & Evans, 2017; Radinger et al., 2019). In this context, the use of outdated, poor or incorrect datasets of fish inventories often leads to weak models and predictions and can reduce the effectiveness of biodiversity monitoring.

In Turkey, streams and rivers draining to the Black Sea have been frequently exposed to flow alteration and habitat fragmentation by hydro-

* Hacettepe University, Faculty of Science, Biology Department, Beytepe Campus, 06800 Ankara, Turkey.
 E-mail: yokbaran@gmail.com (corresponding author)

** Recep Tayyip Erdogan University, Faculty of Fisheries and Aquatic Sciences, 53100 Rize, Turkey.
 E-mail: cnytkaya@yahoo.com

*** Museum für Naturkunde, Leibniz Institute for Evolution and Biodiversity Science, 10115 Berlin, Germany.
 E-mail: joerg.freyhof@mfn.berlin

Literature cited

- Bektaş, Y., İ. Aksu, C. Kaya & D. Turan. 2019. DNA barcoding of the genus *Capoeta* (Actinopterygii: Cyprinidae) from Anatolia. Turkish Journal of Fisheries and Aquatic Sciences, 19: 739–752.
- Berg, L. S. 1949. Freshwater fishes of the U.S.S.R. and adjacent countries. Academy of Sciences of the U.S.S.R. Volume 3. Zoological Institute, Moskow & Leningrad, 1381 pp.
- Berkun, M. 2010. Hydroelectric potential and environmental effects of multidam hydropower projects in Turkey. Energy for Sustainable Development, 14: 320–329.
- Darwall, W., V. Bremerich, A. De Wever, A. I. Dell, J. Freyhof, M. O. Gessner, H.-P. Grossart, I. Harrison, K. Irvine, S. C. Jähnig, J. M. Jeschke, J. J. Lee, C. Lu, A. M. Lewandowska, M. T. Monaghan, J. C. Nejstgaard, H. Patricio, A. Schmidt-Kloiber, S. N. Stuart, M. Thieme, K. Tockner, E. Turak & O. Weyl. 2018. The alliance for freshwater life: a global call to unite efforts for freshwater biodiversity science and conservation. Aquatic Conservation Marine and Freshwater Ecosystems, 28: 1015–1022.
- Durand, J. D., H. Persat & Y. Bouvet. 1999. Phylogeography and postglacial dispersion of the chub (*Leuciscus cephalus*) in Europe. Molecular Ecology, 8: 989–997.
- Elp, M., M. İ. Osmanoğlu, A. E. Kadak & D. Turan. 2018a. Characteristics of *Capoeta oguzelii*, a new species of cyprinid fish from the Ezine Stream, Black Sea basin, Turkey (Teleostei: Cyprinidae). Zoology in the Middle East, 64: 102–111.
- Elp, M., S. A. S. Adem, K. M. İ. Muftah & A. M. Filoghi. 2018b. Germeçtepe Baraj Gölü'nde (Kastamonu-Türkiye) yayılış gösteren balık türleri. Journal of the Institute of Natural & Applied Sciences, 23: 216–225.
- Erinç, S., T. Bilgin & M. Bener. 1961. Gerede civarında akarsu şebekesi. İstanbul Üniversitesi Coğrafya Enstitüsü Dergisi, 6: 90–99.
- Freyhof, J., F. Erk'akan, C. Özeren & A. Perdices. 2011. An overview of the western Palaearctic loach genus *Oxynoemacheilus* (Teleostei: Nemacheilidae). Ichthyological Exploration of Freshwaters, 22: 301–312.
- Freyhof, J., C. Kaya, E. Bayçelebi, M. F. Geiger & D. Turan. 2018. Generic assignment of *Leuciscus kurui* Bogutskaya from the upper Tigris drainage, and a replacement name for *Alburnus kurui* Mangit & Yerli (Teleostei: Leuciscidae). Zootaxa, 4410: 113–135.
- Gençoğlu, L. & F. G. Ekmekekçi. 2016. Growth and reproduction of a marine fish, *Atherina boyeri* Risso 1810, in a freshwater ecosystem. Turkish Journal of Zoology, 40: 534–542.
- İlhan, A. 2006. Batı Karadeniz Bölgesi tatlusu balıklarının taksonomik ve ekolojik özelliklerinin araştırılması. PhD dissertation, Ege University, İzmir, 164 pp.
- İlhan, A. & S. Balık. 2008. Batı Karadeniz Bölgesi içsularının balık faunası. Ege Üniversitesi Su Ürünleri Dergisi, 25: 75–82.
- Jetz, W., M. A. McGeoch, R. Guralnick, S. Ferrier, J. Beck, M. J. Costello, M. Fernandez, G. N. Geller, P. Keil, C. Merow, C. Meyer, F. E. Muller-Karger, H. M. Pereira, E. C. Regan, D. S. Schmeller & E. Turak. 2019. Essential biodiversity variables for mapping and monitoring species populations. Nature Ecology & Evolution, 3: 539–551.
- Kaya, C. 2019. Türkiye'de dağılım gösteren *Capoeta* cinsine ait türlerin taksonomik revizyonu. Ph.D. dissertation. Recep Tayyip Erdogan University, Institute of Science and Technology, Rize, 126 pp.
- Kaya, C. 2020. Spirils of the southern Black Sea basin, with the description of a new species (Teleostei: Leuciscidae). Zootaxa, 4763: 419–428.
- Kissling, W. D., J. A. Ahumada, A. Bowser, M. Fernandez, N. Fernández, E. A. García, R. P. Guralnick, N. J. B. Isaac, S. Kelling, W. Los, L. McRae, J.-B. Mihoub, M. Obst, M. Santamaría, A. K. Skidmore, K. J. Williams, D. Agosti, D. Amariles, C. Arvanitidis, L. Bastin, F. De Leo, W. Egloff, J. Elith, D. Hoborn, D. Martin, H. M. Pereira, G. Pesole, J. Peterseil, H. Saarenmaa, D. Schigel, D. S. Schmeller, N. Segata, E. Turak, P. F. Uhlir, B. H. Wee & A. R. Hardisty. 2018. Building essential biodiversity variables (EBVs) of species distribution and abundance at a global scale. Biological Reviews, 93: 600–625.
- Kottelat, M. 1997. European freshwater fishes: an heuristic checklist of the freshwater fishes of Europe (exclusive of former USSR), with an introduction for non-systematists and comments on nomenclature and conservation. Biologia (Section Zoology), 52 Supplement 5: 1–271.
- Kottelat, M. & J. Freyhof. 2007. Handbook of European freshwater fishes. Kottelat, Cornel & Freyhof, Berlin, xiv + 646 pp.
- Küçükali, B. & K. Barış. 2009. Assessment of small hydropower (SHP) development in Turkey: laws, regulations and EU policy perspective. Energy Policy, 37: 3872–3879.
- Lechner, B. & G. Grill. 2013. Global river hydrography and network routing: baseline data and new approaches to study the world's large river systems. Hydrological Processes, 27: 2171–2186.
- Mangit, F. & S. V. Yerli. 2018. Systematic evaluation of the genus *Alburnus* (Cyprinidae) with description of a new species. Hydrobiologia, 807: 297–312.
- Naseka, A. M. & N. G. Bogustkaya. 2009. Fishes of the Caspian Sea: zoogeography and updated check-list. Zootaxa, 18: 295–317.
- Northcott K., D. C. Andersen & D. J. Cooper. 2007. The influence of river regulation and land use on floodplain forest regeneration in the semi-arid upper Colorado River basin, USA. River Research and Applications, 23: 565–577.
- Oberdorff, T., P. A. Tedesco, B. Hugueny, F. Leprieur, O. Beauchard, S. Brosse & H. H. Dürr. 2011. Global and regional patterns in riverine fish species richness: a review. International Journal of Ecology, 2011: 1–12.

- Özcan, G. & A. S. Tarkan, 2019. Distribution revised – fifteen years of changes in the invasion of a freshwater fish, *Pseudorasbora parva* (Temminck and Schlegel, 1846) in Turkey. Transylvanian Review of Systematical and Ecological Research, 21: 69–80.
- Özülüğ, M., M. F. Geiger & J. Freyhof, 2018. *Alburnus goekhani*, a new species of bleak from the Anatolian Black Sea basin (Teleostei: Leuciscidae). Zootaxa, 4425: 29–40.
- Parin, N. V., S. A. Evseenko & E. D. Vasil'eva. 2014. Fishes of Russian seas: annotated catalogue. KMK Scientific Press, Moscow, 733 pp.
- Pereira, H. M., S. Ferrier, M. Walters, G. N. Geller, R. H. G. Jongman, R. J. Scholes, M. W. Bruford, N. Brummitt, S. H. M. Butchart, A. C. Cardoso, N. C. Coops, E. Dulloo, D. P. Faith, J. Freyhof, R. D. Gregory, C. Heip, R. Hoft, G. Hurt, W. Jetz, D. S. Karp, M. A. McGeoch, D. Obura, Y. Onoda, N. Pettorelli, B. Reijers, R. Sayre, J. P. W. Scharlemann, S. N. Stuart, E. Turak, M. Walpole & M. Wegmann. 2013. Essential biodiversity variables. Science, 339: 277–278.
- Radinger, J., J. R. Britton, S. M. Carlson, A. E. Magurran, J. D. Alcaraz-Hernández, A. Almodóvar, L. Benejam, C. Fernández-Delgado, G. G. Nicola, F. J. Oliva-Paterna, M. Torralva & E. García-Berthou. 2019. Effective monitoring of freshwater fish. Fish and Fisheries, 20: 729–747.
- Saylar, Ö. 2009. Kabalar Göleti'nde (Taşköprü/Kastamonu-Türkiye) yaşayan yayın balığı'ının (*Silurus glanis* L., 1758) çeşitli kemiksi oluşumları kullanılarak yaşıının belirlenmesi Kastamonu. Eğitim Dergisi, 17: 659–664.
- Simon, T. P. & N. T. Evans. 2017. Environmental quality assessment using stream fishes. Pp. 319–334 in: G. A. Lamberti & F. R. Hauer (eds.), Methods in stream ecology. Third edition. Volume 2: Ecosystem function. Academic Press, London.
- Slastenenko, E. 1955. Karadeniz Havzası Balıkları. Et Balık Kurumu Umum Müdürlüğü Yayınları, İstanbul, 711 pp.
- Smith, K. G., V. Barrios, W. R. T. Darwall & C. Numa. 2014. The status and distribution of freshwater biodiversity in the Eastern Mediterranean. IUCN, Cambridge, Malaga & Gland, xiv + 132 pp.
- Şekercioğlu, Ç. H., S. Anderson, E. Akçay, R. Bilgin, Ö. E. Can, G. Semiz, Ç. Tavşanoğlu, M. B. Yokeş, A. Soyumert, K. İpekdal, İ. K. Sağlam, M. Yücel & H. N. Dalfes. 2011. Turkey's globally important biodiversity in crisis. Biological Conservation, 144: 2752–2769.
- Şengör, A. M. C. 2017. Diversion of river courses across major strike-slip faults and keirogens. Pp. 93–101 in: İ. Çemen & Y. Yilmaz (eds.), Active global seismology: neotectonics and earthquake potential of the Eastern Mediterranean region. Geophysical Monograph Series. American Geophysical Union, Washington, D.C.
- Tarasov, A. G. 2001. [Hypersaline ecosystems: oil- and gas-sources]. Edel-M, Moscow. 111 pp. [In Russian].
- Turan, D., M. Kottelat, F. G. Ekmekçi & O. H. İmamoğlu. 2006. A review of *Capoeta tinca*, with descriptions of two new species from Turkey (Teleostei: Cyprinidae). Revue suisse de Zoologie, 113: 421–436.
- Turan, D., F. G. Ekmekçi, C. Kaya & S. S. Gülü. 2013. *Alburnoides manyasensis* (Actinopterygii, Cyprinidae), a new species of cyprinid fish from Manyas Lake basin, Turkey. ZooKeys, 276: 85–102.
- Turan, D., B. Japoshvili, İ. Aksu & Y. Bektaş. 2016. Description of two new species of the genus *Gobio* (Teleostei: Cyprinidae) from the Black Sea coast of Turkey. Zoology in the Middle East, 62: 112–124.
- Turan, D., C. Kaya, E. Bayçelebi, Y. Bektaş & F. G. Ekmekçi. 2017a. Three new species of *Alburnoides* from the southern Black Sea basin (Teleostei: Cyprinidae). Zootaxa, 4242: 565–577.
- Turan, D., C. Kaya, E. Bayçelebi, İ. Aksu & Y. Bektaş. 2017b. *Gobio baliki*, a new gudgeon from Turkey (Teleostei: Cyprinidae). Zootaxa, 4350: 284–290.
- Turan, D., C. Kaya, M. F. Geiger & J. Freyhof. 2018. *Barbus anatolicus*, a new barbel from the Kızılırmak and Yeşilırmak River drainages in northern Anatolia (Teleostei: Cyprinidae). Zootaxa, 4461: 539–557.
- Turan, D., C. Kaya, İ. Aksu, E. Bayçelebi & Y. Bektaş. 2019. *Alburnoides coskuncelебii*, a new sprilin species from the stream Büyük Melen in southwestern Anatolia (Pisces: Leuciscidae). Ichthyological Exploration of Freshwaters, IEF 1107: 1–10 [also published in volume 29: 201–210, Feb 2020].
- Turoğlu, H. 2010. Kızılırmak Deltası ve yakın çevresinin jeomorfolojik özelliklerini ve insan yaşamındaki etkileri. Anadolu Araştırmaları, 19: 99–111.
- Vasil'eva, E. D. 2017. Diagnostic features and taxonomy of the Mediterranean species of the big-scale sand smelts belonging to *Atherina boyeri* group (Atherinidae). Journal of Ichthyology, 57: 791–802.

Received 16 April 2020

Revised 11 May 2020

Accepted 31 May 2020

The whole contribution can be purchased as PDF file.

Availability

Generally all our publications are available as PDF files; full publications as a general rule after the printed version is out of print. If you have questions concerning particular contributions please contact us by e-mail:
pdf@pfeil-verlag.de.

The PDF files are protected by copyright.

The PDF file may be printed for personal use. The reproduction and dissemination of the content or part of it is permitted. It is not allowed to transfer the digital personal certificate or the password to other persons.

Prices

Books: Prices are to be found in the catalog.

Articles in journals and single contributions or chapters in books:

10 EURO basic price per order (including the first 10 pages),
and

0,50 EURO per page, beginning with the 11th page.

Page numbers are found in the contents of the publications.

Orders

Orders can be sent to us via the online shop, by using the PDF order form, or informally by e-mail (pdf@pfeil-verlag.de). All we need is your name and address for invoicing. You will then receive an order confirmation incl. price and link for the payment processing. For orders via the online shop and immediate payment, the file can be provided without detours.

Completion

As soon as possible, but depending on our office hours and the desired order, we will send you the order confirmation. After payment you will receive the PDF file(s) together with your personal certificate and the corresponding password by e-mail. Larger files are available for downloading. You will receive the invoice for your order by e-mail.

In order to be able to open the encrypted PDF files, the password-protected personal certificate must be installed at the first order, which then remains on the computer. All files encrypted with this certificate can then be opened on this computer.

Dieser Beitrag kann als PDF-Datei erworben werden.

Verfügbarkeit von PDF-Dateien

Prinzipiell sind von allen unseren Publikationen PDF-Dateien erhältlich. Komplette Publikationen in der Regel erst nachdem die gedruckte Version vergriffen ist. Anfragen bezüglich bestimmter Beiträge richten Sie bitte per E-Mail an pdf@pfeil-verlag.de.

Die PDF-Dateien sind urheberrechtlich geschützt.

Ein Ausdruck der PDF-Dateien ist nur für den persönlichen Gebrauch erlaubt.

Die Vervielfältigung von Ausdrucken, erneutes Digitalisieren sowie die Weitergabe von Texten und Abbildungen sind nicht gestattet.

Das persönliche Zertifikat und das Passwort dürfen nicht an Dritte weitergegeben werden.

Preise

Bücher: Die Preise sind dem Katalog zu entnehmen. Zeitschriftenbeiträge und einzelne Kapitel aus Sammelbänden bzw. Büchern:

10 EURO Grundbetrag pro Bestellung (einschließlich der ersten 10 Seiten),
und

0,50 EURO pro Seite ab der 11. Seite.

Den Umfang der Beiträge entnehmen Sie bitte den Inhaltsverzeichnissen.

Bestellungen

Bestellungen können über den online-Shop, das Formular, oder formlos per E-Mail (pdf@pfeil-verlag.de) an uns gerichtet werden. Wir benötigen nur Ihren Namen und Ihre Anschrift für die Rechnungserstellung. Sie erhalten anschließend eine Bestellbestätigung incl. Preis und Link zur Zahlungsabwicklung. Bei Bestellungen über den online-Shop und sofortiger Zahlung kann die E-Book-Datei ohne Umwege bereitgestellt werden.

Abwicklung

So bald wie möglich, aber abhängig von unseren Bürozeiten und der gewünschten Bestellung, schicken wir Ihnen die Bestellbestätigung. Nach Zahlungseingang erhalten Sie die PDF-Datei(en) zusammen mit Ihrem persönlichen Zertifikat und dem zugehörigem Passwort per E-Mail. Größere Dateien bieten wir Ihnen gegebenenfalls zum Herunterladen an. Die Rechnung für Ihre Bestellung erhalten Sie per E-Mail.

Um die verschlüsselten PDF-Dateien öffnen zu können, muss bei der ersten Bestellung das passwortgeschützte persönliches Zertifikat installiert werden, welches anschließend auf dem Rechner verbleibt. Alle mit diesem Zertifikat verschlüsselten Dateien können dann auf diesem Rechner geöffnet werden.