

Morphological variation of *Hypostomus affinis* (Teleostei: Loricariidae) from eastern Brazilian drainages

Camila F. Perez*, Alexandre K. Oliveira** and Júlio C. Garavello*

Morphological variations of *Hypostomus affinis* from the Paraíba do Sul, Doce and Mucuri rivers are described and discussed in the light of biogeographic scenarios for freshwater fish in eastern Brazil. Variations were observed in the lateral keels of the body and head, in the color pattern and in the number of premaxillary and dentary teeth. Keels are more conspicuous on specimens from the Paraíba do Sul River because dermal plates have rows of larger odontodes. The samples from Doce and Mucuri rivers have greater morphometric and chromatic similarities in relation to the samples from the Paraíba do Sul River. On the other hand, specimens from the Mucuri and Paraíba do Sul rivers have fewer teeth in both jaws than those from the Doce river. Despite such variations, no character alone is able to recognize and differentiate the specimens from each of these three drainages. Distribution and morphological variation of *Hypostomus affinis* are related to the geomorphological history of eastern Brazilian coastal drainages.

Variações morfológicas de *Hypostomus affinis* provenientes dos rios Paraíba do Sul, Doce e Mucuri são descritas e discutidas à luz dos cenários biogeográficos para os peixes de água doce do leste do Brasil. Foram observadas variações nas quilhas laterais do corpo e cabeça, no padrão de colorido, e no número de dentes do pré-maxilar e dentário. As quilhas são mais conspícuas nos espécimes do rio Paraíba do Sul, porque as placas ósseas têm séries de odontóides maiores. As amostras dos rios Doce e Mucuri têm maiores similaridades morfométrica e cromática em relação às amostras do rio Paraíba do Sul. Por outro lado, os exemplares dos rios Mucuri e Paraíba do Sul possuem menos dentes em ambas maxilas do que aqueles do rio Doce. Apesar de tais variações, nenhum caráter sozinho é capaz de reconhecer e diferenciar espécimes provenientes de cada uma destas três drenagens. A distribuição e a variação morfológica de *Hypostomus affinis* estão relacionadas à história geomorfológica das drenagens costeiras do leste brasileiro.

* Laboratório de Ictiologia Sistemática, Departamento de Ecologia e Biologia Evolutiva, Universidade Federal de São Carlos, Rodovia Washington Luís, Km 235, Caixa Postal 676, 13565-905 São Carlos, SP, Brazil.
 E-mails: camilafperez@yahoo.com.br (corresponding author), garavelo@ufscar.br

** Departamento de Ciências Ambientais, Universidade Federal de São Carlos, Rodovia Washington Luís, Km 235, Caixa Postal 676, 13565-905 São Carlos, SP, Brazil. E-mail: pako@ufscar.br

Literature cited

- Abell, R., M. L. Thieme, C. Revenga, M. Bryer, M. Kottelat, N. Bogutskaya, B. Coad, N. Mandrak, S. Contreras-Balderas, W. Bussing, M. L. J. Stiassny, P. Skelton, G. R. Allen, P. Unmack, A. Naseka, R. Ng, N. Sindorf, J. Robertson, E. Armijo, J. V. Higgins, T. J. Heibel, E. Wikramanayake, D. Olson, H. L. López, R. E. Reis, J. G. Lundberg, M. H. Sabaj Pérez & P. Petry. 2008. Freshwater ecoregions of the world: a new map of biogeographic units for freshwater biodiversity conservation. *Bioscience*, 58: 403–414.
- Armbruster, J. W. 2004. Phylogenetic relationships of the suckermouth armoured catfishes (Loricariidae) with emphasis on the Hypostominae and the Ancistrinae. *Zoological Journal of the Linnean Society*, 141: 1–80.
- Bizerril, C. R. S. F. 1994. Análise taxonômica e biogeográfica da ictiofauna de água doce do leste brasileiro. *Acta Biologica Leopoldensia*, 16: 51–80.
- Boeseman, M. 1968. The genus *Hypostomus* Lacépède, 1803, and its Surinam representatives (Siluriformes, Loricariidae). *Zoologische Verhandelingen*, 99: 1–89, pls. 1–18.
- Britski, H. A. & J. L. Figueiredo. 2019. Peixes do Brasil: aquarelas de Jacques Burkhardt (1865–1866). Edusp, São Paulo, 480 pp.
- Buckup, P. A. 2011. The Eastern Brazilian Shield. Pp. 203–210 in: J. S. Albert & R. E. Reis (eds.), *Historical biogeography of Neotropical freshwater fishes*. University of California Press, Berkeley/Los Angeles/London.
- Burnaby, T. P. 1966. Growth-invariant discriminant functions and generalized distances. *Biometrics*, 22: 96–110.
- Camelier, P. & A. M. Zanata. 2014. Biogeography of freshwater fishes from the Northeastern Mata Atlântica freshwater ecoregion: distribution, endemism, and area relationships. *Neotropical Ichthyology*, 12: 683–698.
- Cardoso, Y. P., A. Almirón, J. Casciotta, D. Aichino, M. S. Lizarralde & J. I. Montoya-Burgos. 2012. Origin of species diversity in the catfish genus *Hypostomus* (Siluriformes: Loricariidae) inhabiting the Paraná river basin, with the description of a new species. *Zootaxa*, 3453: 69–83.
- Cardoso, Y. P., F. Brancolini, L. Protogino, A. Paracampo, S. Bogan, P. Posadas & J. I. Montoya-Burgos. 2019. An integrated approach clarifies the cryptic diversity in *Hypostomus* Lacépède 1803 from the Lower La Plata Basin. *Anais da Academia Brasileira de Ciências*, 91: e20180131.
- Eigenmann, C. H. & R. S. Eigenmann, 1888. Preliminary notes on South American Nematognathi. I. Proceedings of the California Academy of Sciences (Second Series), 1: 119–172.
- Garavello, J. C., S. F. Reis & R. E. Strauss. 1992. Geographic variation in *Leporinus friderici* (Bloch) (Pisces: Ostariophysi: Anostomidae) from the Paraná-Paraguay and Amazon River basins. *Zoologica Scripta*, 21: 197–200.
- Géry, J. 1969. The fresh-water fishes of South America. Pp. 828–848 in: E. J. Fittkau et al. (eds.), *Biogeography and ecology in South America. Volume 2*. Junk, The Hague.
- Hammer, O., D. A. T. Harper & P. D. Ryan. 2001. PAST: Palaeontological statistics software package for education and data analysis. *Paleontologia Electronica*, 4: 1–9.
- Lévêque, C., T. Oberdorff, D. Paugy, M. L. J. Stiassny & P. A. Tedesco. 2008. Global diversity of fish (Pisces) in freshwater. *Hydrobiologia*, 595: 545–657.
- Mazzoni, R., U. Caramaschi & C. Weber. 1994. Taxonomical revision of the species of *Hypostomus* Lacépède, 1803 (Siluriformes, Loricariidae) from the Lower [sic] rio Paraíba do Sul, State of Rio de Janeiro, Brazil. *Revue suisse de Zoologie*, 101: 3–18.
- Montoya-Burgos, J. I. 2003. Historical biogeography of the catfish genus *Hypostomus* (Siluriformes: Loricariidae), with implications on the diversification of Neotropical ichthyofauna. *Molecular Ecology*, 12: 1855–1867.
- Okuyama, O. T., A. Akama & A. M. Zanata. 2005. Review of the genus *Hypostomus* Lacépède, 1803 from rio Ribeira de Iguape basin, with description of a new species (Pisces, Siluriformes, Loricariidae). *Zootaxa*, 921: 1–27.
- Quevedo, R. & R. E. Reis. 2002. *Pagonopoma obscurum*: a new species of loricariid catfish (Siluriformes: Loricariidae) from southern Brazil, with comments on the genus *Pagonopoma*. *Copeia*, 2002: 402–410.
- Reis, R. E., C. Weber & L. R. Malabarba. 1990. Review of the genus *Hypostomus* Lacépède, 1803 from Southern Brazil, with descriptions of three new species

- (Pisces, Siluriformes, Loricariidae). Revue suisse Zoologie, 97: 729–766.
- Reis, R. E., E. H. L. Pereira & J. W. Armbruster. 2006. Delturinae, a new loricariid catfish subfamily (Teleostei, Siluriformes), with revisions of *Delturus* and *Hemipsilichthys*. Zoological Journal of the Linnean Society, 147: 277–299.
- Ribeiro, A. C. 2006. Tectonic history and the biogeography of the freshwater fishes from the coastal drainages of eastern Brazil: an example of faunal evolution associated with a divergent continental margin. Neotropical Ichthyology, 4: 225–246.
- Ringuelet, R. A. 1975. Zoológica y ecología de los peces de aguas continentales de la Argentina y consideraciones sobre las áreas ictiológicas de América del Sur. Ecosur, 2: 1–122.
- Shibatta, O. A. & A. C. Hoffmann. 2005. Variação geográfica de *Corydoras paleatus* (Jenyns) (Siluriformes, Callichthyidae) do sul do Brasil. Revista Brasileira de Zoologia, 22: 366–371.
- Silva, G. S. C., F. F. Roxo, N. K. Lujan, V. A. Tagliacollo, C. H. Zawadzki & C. Oliveira. 2016. Transcontinental dispersal, ecological opportunity and origins of an adaptive radiation in the Neotropical catfish genus *Hypostomus* (Siluriformes: Loricariidae). Molecular Ecology, 25: 1511–1529.
- Steindachner, F. 1877. Die Süßwasserfische des südöstlichen Brasilien (III). Sitzungsberichte Kaiserlichen Akademie Wissenschaften Mathematisch-Naturwissenschaftliche, 74: 559–694, pls. 1–13.
- Thomaz, A. T. & L. L. Knowles. 2018. Flowing into the unknown: inferred paleodrainages for studying the ichthyofauna of Brazilian coastal rivers. Neotropical Ichthyology, 16: e180019.
- Vari, R. P. 1988. The Curimatidae, a lowland Neotropical fish family (Pisces: Characiformes); distribution, endemism, and phylogenetic biogeography. Pp. 343–377 in: P. E. Vanzolini & W. R. Heyer (eds.), Proceedings of a workshop on Neotropical distribution patterns, Academia Brasileira de Ciências, Rio de Janeiro.
- Weber, C. 1986. Révision de *Hypostomus boulengeri* (Eigenmann & Kennedy), et deux espèces nouvelles de poissons-chats du Paraguay (Pisces, Siluriformes, Loricariidae). Revue suisse de Zoologie, 93: 979–1007.
- Weitzman, S. H., N. A. Menezes & M. J. Weitzman. 1988. Phylogenetic biogeography of Glandulocaudini (Teleostei: Characiformes, Characidae) with comments on the distribution of other freshwater fishes in eastern and southeastern Brazil. Pp. 379–427 in: P. E. Vanzolini & W. R. Heyer (eds.), Proceedings of a workshop on Neotropical distribution patterns, Academia Brasileira de Ciências, Rio de Janeiro.
- Zawadzki, C. H., J. L. O. Birindelli & F. C. T. Lima. 2012. A new armored catfish species of the genus *Hypostomus* Lacépède, 1803 (Siluriformes: Loricariidae) from the upper rio Xingu basin, Brazil. Neotropical Ichthyology, 10: 245–253.
- Zawadzki, C. H., P. H. Carvalho, J. L. O. Birindelli & F. M. Azevedo. 2016. *Hypostomus nigrolineatus*, a new dark-striped species from the rio Jequitinhonha and rio Pardo basins, Brazil (Siluriformes, Loricariidae). Ichthyological Exploration of Freshwaters, 27: 263–274.

Received 20 November 2019

Revised 30 December 2019

Accepted 30 June 2020

The whole contribution can be purchased as PDF file.

Availability

Generally all our publications are available as PDF files; full publications as a general rule after the printed version is out of print. If you have questions concerning particular contributions please contact us by e-mail:
pdf@pfeil-verlag.de.

The PDF files are protected by copyright.

The PDF file may be printed for personal use. The reproduction and dissemination of the content or part of it is permitted. It is not allowed to transfer the digital personal certificate or the password to other persons.

Prices

Books: Prices are to be found in the catalog.

Articles in journals and single contributions or chapters in books:

10 EURO basic price per order (including the first 10 pages),
and

0,50 EURO per page, beginning with the 11th page.

Page numbers are found in the contents of the publications.

Orders

Orders can be sent to us via the online shop, by using the PDF order form, or informally by e-mail (pdf@pfeil-verlag.de). All we need is your name and address for invoicing. You will then receive an order confirmation incl. price and link for the payment processing. For orders via the online shop and immediate payment, the file can be provided without detours.

Completion

As soon as possible, but depending on our office hours and the desired order, we will send you the order confirmation. After payment you will receive the PDF file(s) together with your personal certificate and the corresponding password by e-mail. Larger files are available for downloading. You will receive the invoice for your order by e-mail.

In order to be able to open the encrypted PDF files, the password-protected personal certificate must be installed at the first order, which then remains on the computer. All files encrypted with this certificate can then be opened on this computer.

Dieser Beitrag kann als PDF-Datei erworben werden.

Verfügbarkeit von PDF-Dateien

Prinzipiell sind von allen unseren Publikationen PDF-Dateien erhältlich. Komplette Publikationen in der Regel erst nachdem die gedruckte Version vergriffen ist. Anfragen bezüglich bestimmter Beiträge richten Sie bitte per E-Mail an pdf@pfeil-verlag.de.

Die PDF-Dateien sind urheberrechtlich geschützt.

Ein Ausdruck der PDF-Dateien ist nur für den persönlichen Gebrauch erlaubt.

Die Vervielfältigung von Ausdrucken, erneutes Digitalisieren sowie die Weitergabe von Texten und Abbildungen sind nicht gestattet.

Das persönliche Zertifikat und das Passwort dürfen nicht an Dritte weitergegeben werden.

Preise

Bücher: Die Preise sind dem Katalog zu entnehmen. Zeitschriftenbeiträge und einzelne Kapitel aus Sammelbänden bzw. Büchern:

10 EURO Grundbetrag pro Bestellung (einschließlich der ersten 10 Seiten),
und

0,50 EURO pro Seite ab der 11. Seite.

Den Umfang der Beiträge entnehmen Sie bitte den Inhaltsverzeichnissen.

Bestellungen

Bestellungen können über den online-Shop, das Formular, oder formlos per E-Mail (pdf@pfeil-verlag.de) an uns gerichtet werden. Wir benötigen nur Ihren Namen und Ihre Anschrift für die Rechnungserstellung. Sie erhalten anschließend eine Bestellbestätigung incl. Preis und Link zur Zahlungsabwicklung. Bei Bestellungen über den online-Shop und sofortiger Zahlung kann die E-Book-Datei ohne Umwege bereitgestellt werden.

Abwicklung

So bald wie möglich, aber abhängig von unseren Bürozeiten und der gewünschten Bestellung, schicken wir Ihnen die Bestellbestätigung. Nach Zahlungseingang erhalten Sie die PDF-Datei(en) zusammen mit Ihrem persönlichen Zertifikat und dem zugehörigem Passwort per E-Mail. Größere Dateien bieten wir Ihnen gegebenenfalls zum Herunterladen an. Die Rechnung für Ihre Bestellung erhalten Sie per E-Mail.

Um die verschlüsselten PDF-Dateien öffnen zu können, muss bei der ersten Bestellung das passwortgeschützte persönliches Zertifikat installiert werden, welches anschließend auf dem Rechner verbleibt. Alle mit diesem Zertifikat verschlüsselten Dateien können dann auf diesem Rechner geöffnet werden.